



# Fortinet

## Exam Questions NSE7\_SDW-7.0

Fortinet NSE 7 - SD-WAN 7.0

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

Which two statements are correct when traffic matches the implicit SD-WAN rule? (Choose two.)

- A. The sdwan\_service\_id flag in the session information is 0.
- B. All SD-WAN rules have the default setting enabled.
- C. Traffic does not match any of the entries in the policy route table.
- D. Traffic is load balanced using the algorithm set for the v4-ecmp-mode setting.

**Answer:** AC

### NEW QUESTION 2

Refer to the exhibit.

```
config vpn ipsec phase1-interface
edit "T_INET_0_0"
set type dynamic
set interface "port1"
set keylife 28800
set peertype any
set net-device disable
set proposal aes128-sha256
set add-route enable
set psksecret ENC
2v9n4Urfk0W4jj8vNI+KywxBG4ZDT7jWHKd8YaL8j4+pRpY0x/N7mSgc7VL0BW2ZHQUXWJ6zvFxNKktiPYNtA8aP
i6ly7gDx2lP/OfKexTQQJzgCGRYzLM8eFTOnK7K6AuX0bFDCpBBhEIdf+03CYBMLwkFZmdU6RsT+qvybblVX+Ioy
HK5EXakpmz5RiltELgZ9Gg==
next
end
```

Which configuration change is required if the responder FortiGate uses a dynamic routing protocol to exchange routes over IPsec?

- A. type must be set to static.
- B. mode-cfg must be enabled.
- C. exchange-interface-ip must be enabled.
- D. add-route must be disabled.

**Answer:** D

#### Explanation:

for using "non ike" routes (for example BGP/static and so on) you must do disable the add-route that inject automatically kernel route based on p2 selectors from the remote site from the SD-WAN\_7.2\_Study\_Guide page 236

### NEW QUESTION 3

Refer to the exhibit.

```
FortiGate # diagnose sys session list

session info: proto=1 proto_state=00 duration=25 expire=34 timeout=0 flags=00000000
socktype=0 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=dirty may_dirty
statistic(bytes/packets/allow_err): org=84/1/1 reply=84/1/1 tuples=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=5->4/4->5 gwy=192.168.73.2/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:2246->8.8.8.8:8 (192.168.73.132:62662)
hook=pre dir=reply act=dnat 8.8.8.8:62662->192.168.73.132:0 (10.0.1.10:2246)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000a2c tos=ff/ff app_list=0 app=0 url_cat=0
rpd_b_link_id= 80000000 rpd_b_svc_id=0 ngfwid=n/a
npu_state=0x040000
total session 1
```

Based on the exhibit, which statement about FortiGate re-evaluating traffic is true?

- A. The type of traffic defined and allowed on firewall policy ID 1 is UDP.
- B. FortiGate has terminated the session after a change on policy ID 1.
- C. Changes have been made on firewall policy ID 1 on FortiGate.
- D. Firewall policy ID 1 has source NAT disabled.

**Answer:** C

### NEW QUESTION 4

Refer to the exhibit.

```
branch1_fgt # diagnose sys sdwan service 3

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
  Gen(5), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-
factor(latency), link-cost-threshold(10), health-check(VPN_PING)
  Members(3):
    1: Seq_num(3 T_INET_0_0), alive, latency: 101.349, selected
    2: Seq_num(4 T_INET_1_0), alive, latency: 151.278, selected
    3: Seq_num(5 T_MPLS_0), alive, latency: 200.984, selected
  Src address(1):
    10.0.1.0-10.0.1.255

  Dst address(1):
    10.0.0.0-10.255.255.255

branch1_fgt (3) # show
config service
  edit 3
    set name "Corp"
    set mode priority
    set dst "Corp-net"
    set src "LAN-net"
    set health-check "VPN_PING"
    set priority-members 3 4 5
  next
end
```

The exhibit shows the SD-WAN rule status and configuration.

Based on the exhibit, which change in the measured latency will make T\_MPLS\_0 the new preferred member?

- A. When T\_INET\_0\_0 and T\_MPLS\_0 have the same latency.
- B. When T\_MPLS\_0 has a latency of 100 ms.
- C. When T\_INET\_0\_0 has a latency of 250 ms.
- D. When T\_MPLS\_0 has a latency of 80 ms.

**Answer: D**

#### NEW QUESTION 5

Which two performance SLA protocols enable you to verify that the server response contains a specific value? (Choose two.)

- A. http
- B. icmp
- C. twamp
- D. dns

**Answer: AD**

#### NEW QUESTION 6

Refer to the exhibits.  
Exhibit A

Edit Traffic Shaping Policy

IP Version

IPv4IPv6

Name

Limit\_YouTube

Status

EnableDisable

Comments

If Traffic Matches:

Source Internet Service

☐

Source Address

LAN-net

Source User

Source User Group

Destination Internet Service

☐

Destination Address

all

Schedule

Service

ALL

Application

YouTube

Application Category

Application Group

URL Category

Type Of Service

0x00

Type Of Service Mask

0x00

Then:

Action

Apply ShaperAssign Group

Outgoing Interface

underlay

Shared Shaper

low-priority

Reverse Shaper

low-priority

Per-IP Shaper

Differentiated Services

☐

Differentiated Services Reverse

☐

Exhibit B

Edit Firewall Policy

ID

1

Name

DIA

ZTNA

DisableFull ZTNAIP/MAC filtering

Incoming Interface

LAN

Outgoing Interface

underlay

Source Internet Service

☐

IPv4 Source Address

LAN-net

IPv6 Source Address

Source User

Source User Group

FSSO Groups

Destination Internet Service

☐

IPv4 Destination Address

all

IPv6 Destination Address

Service

ALL

Schedule

always

Action

DenyAcceptIPSEC

Inspection Mode

Flow-basedProxy-based

Firewall/Network Options

NAT

☒

NAT

NATNAT46NAT64

IP Pool Configuration

Use Outgoing Interface AddressUse Dynamic IP Pool

Preserve Source Port

☐

Protocol Options

default

Disclaimer Options

Display Disclaimer

☐

Security Profiles

☐

SSL/SSH Inspection

deep-inspection

Decrypted Traffic Mirror

Traffic Shaping Options

Shared Shaper

Reverse Shaper

Per-IP Shaper

Logging Options

Log Allowed Traffic

No LogLog Security EventsLog All Sessions

Capture Packets

☐

Generate Logs when Session Starts

☐

Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy. The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic. Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Destination internet service must be enabled on the traffic shaping policy.
- B. Application control must be enabled on the firewall policy.
- C. Web filtering must be enabled on the firewall policy.
- D. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.

Answer: B

NEW QUESTION 7  
Refer to the exhibits.  
Exhibit A



```
branch1_fgt (3) # show
config service
  edit 3
    set name "Corp"
    set mode sla
    set dst "Corp-net"
    set src "LAN-net"
    config sla
      edit "VPN_PING"
        set id 1
      next
      edit "VPN_HTTP"
        set id 1
      next
    end
    set priority-members 3 4 5
    set gateway enable
  next
end
```

Exhibit B

```
branch1_fgt # diagnose sys sdwan service 3

Service(3): Address Mode(IPV4) flags=0x200 use-shortcut-sla
Gen(1), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(sla), sla-compare-order
Members(2):
  1: Seq_num(5 T_MPLS_0), alive, sla(0x3), gid(0), cfg_order(2), cost(0), selected
  2: Seq_num(4 T_INET_1_0), alive, sla(0x1), gid(0), cfg_order(1), cost(0), selected
  3: Seq_num(3 T_INET_0_0), alive, sla(0x0), gid(0), cfg_order(0), cost(0), selected
Src address(1):
  10.0.1.0-10.0.1.255

Dst address(1):
  10.0.0.0-10.255.255.255

branch1_fgt # get router info routing-table all | grep T_
S      10.0.0.0/8 [1/0] via T_INET_0_0 tunnel 100.64.1.1
        [1/0] via T_INET_1_0 tunnel 100.64.1.9
S      10.201.1.254/32 [15/0] via T_INET_0_0 tunnel 100.64.1.1
S      10.202.1.254/32 [15/0] via T_INET_1_0 tunnel 100.64.1.9
S      10.203.1.254/32 [15/0] via T_MPLS_0 tunnel 172.16.1.5

branch1_fgt # diagnose sys sdwan member | grep T_
Member(3): interface: T_INET_0_0, flags=0x4 , gateway: 100.64.1.1, peer: 10.201.1.254,
priority: 0 1024, weight: 0
Member(4): interface: T_INET_1_0, flags=0x4 , gateway: 100.64.1.9, peer: 10.202.1.254,
priority: 0 1024, weight: 0
Member(5): interface: T_MPLS_0, flags=0x4 , gateway: 172.16.1.5, peer: 10.203.1.254,
priority: 0 1024, weight: 0
```

Exhibit A shows the configuration for an SD-WAN rule and exhibit B shows the respective rule status, the routing table, and the member status.

The administrator wants to understand the expected behavior for traffic matching the SD-WAN rule. Based on the exhibits, what can the administrator expect for traffic matching the SD-WAN rule?

- A. The traffic will be load balanced across all three overlays.
- B. The traffic will be routed over T\_INET\_0\_0.
- C. The traffic will be routed over T\_MPLS\_0.
- D. The traffic will be routed over T\_INET\_1\_0.

**Answer: C**

#### NEW QUESTION 8

What are two reasons why FortiGate would be unable to complete the zero-touch provisioning process? (Choose two.)

- A. The FortiGate cloud key has not been added to the FortiGate cloud portal.
- B. FortiDeploy has connected with FortiGate and provided the initial configuration to contact FortiManager
- C. The zero-touch provisioning process has completed internally, behind FortiGate.
- D. FortiGate has obtained a configuration from the platform template in FortiGate cloud.
- E. A factory reset performed on FortiGate.

**Answer: AC**

#### NEW QUESTION 9

Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)


- A. update-source
- B. set-route-tag
- C. holdtime-timer

D. link-down-failover

**Answer:** CD

#### NEW QUESTION 10

Two hub-and-spoke groups are connected through a site-to-site IPsec VPN between Hub 1 and Hub 2. The administrator configured ADVPN on both hub-and-spoke groups.



Which two outcomes are expected if a user in Toronto sends traffic to London? (Choose two.)

- A. London generates an IKE information message that contains the Toronto public IP address.
- B. Traffic from Toronto to London triggers the dynamic negotiation of a direct site-to-site VPN.
- C. Toronto needs to establish a site-to-site tunnel with Hub 2 to bypass Hub 1.
- D. The first packets from Toronto to London are routed through Hub 1 then to Hub 2.

**Answer:** BD

#### NEW QUESTION 10

.....

## Relate Links

**100% Pass Your NSE7\_SDW-7.0 Exam with ExamBible Prep Materials**

[https://www.exambible.com/NSE7\\_SDW-7.0-exam/](https://www.exambible.com/NSE7_SDW-7.0-exam/)

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>