

SC-300 Dumps

Microsoft Identity and Access Administrator

<https://www.certleader.com/SC-300-dumps.html>



NEW QUESTION 1

- (Exam Topic 1)

You need to implement on-premises application and SharePoint Online restrictions to meet the authentication requirements and the access requirements. What should you do? To answer, select the appropriate options in the answer area. NOTE:Each correct selection is worth one point.

For on-premises applications:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish an application by using Azure AD Application Proxy.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For on-premises applications:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish the applications by using Azure AD Application Proxy.

For SharePoint Online:

Configure Cloud App Security policies.
Modify the User consent settings for the enterprise applications.
Publish an application by using Azure AD Application Proxy.

NEW QUESTION 2

- (Exam Topic 1)

You need to meet the authentication requirements for leaked credentials. What should you do?

- A. Enable federation with PingFederate in Azure AD Connect.
- B. Configure Azure AD Password Protection.
- C. Enable password hash synchronization in Azure AD Connect.
- D. Configure an authentication method policy in Azure AD.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/security/fundamentals/steps-secure-identity>


NEW QUESTION 3

- (Exam Topic 1)

You need to identify which roles to use for managing role assignments. The solution must meet the delegation requirements.


What should you do? To answer, select the appropriate options in the answer area. NOTE:Each correct selection is worth one point.

To manage Azure AD built-in role assignments, use:



Global administrator
Privileged role administrator
Security administrator
User access administrator

To manage Azure built-in role assignments, use:



Global administrator
Privileged role administrator
Security administrator
User access administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/role-based-access-control/role-assignments-portal> <https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

NEW QUESTION 4

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain.

Users connect to the internet by using a hardware firewall at your company. The users authenticate to the firewall by using their Active Directory credentials.

You plan to manage access to external applications by using Azure AD.

You need to use the firewall logs to create a list of unmanaged external applications and the users who access them.

What should you use to gather the information?

- A. Application Insights in Azure Monitor
- B. access reviews in Azure AD
- C. Cloud App Discovery in Microsoft Cloud App Security
- D. enterprise applications in Azure AD

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/create-snapshot-cloud-discovery-reports#using-traffic-logs>

NEW QUESTION 5

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

Answer: D

NEW QUESTION 6

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest. The tenant-uses through authentication.

A corporate security policy states the following:

- Domain controllers must never communicate directly to the internet.
- Only required software must be- installed on servers.

The Active Directory domain contains the on-premises servers shown in the following table.

Name	Description
Server1	Domain controller (PDC emulator)
Server2	Domain controller (infrastructure master)
Server3	Azure AD Connect server
Server4	Unassigned member server

You need to ensure that users can authenticate to Azure AD if a server fails.

On which server should you install an additional pass-through authentication agent?

- A. Server2
- B. Server4

- C. Server1
- D. Server3

Answer: C

NEW QUESTION 7

- (Exam Topic 3)

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resources by using conditional access policies.

What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy.
- D. Configure password protection for Windows Server Active Directory.

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>

NEW QUESTION 8

- (Exam Topic 3)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for tailed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure monitor, you modify the action group.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 9

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor.

What should you do first?

- A. Run the Get-AzureADAuditDirectoryLogs cmdlet.
- B. Create an Azure AD workbook.
- C. Run the Set-AzureADTenantDetail cmdlet.
- D. Modify the Diagnostics settings for Azure AD.

Answer: A

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains three users named User1, User1, and User3,

You create a group named Group1. You add User2 and User3 to Group1.

You configure a role in Azure AD Privileged identity Management (PIM) as shown in the application administrator exhibit. (Click the application Administrator tab.)

Role setting details - Application Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

Setting	State
Activation maximum duration (hours)	5 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
Require approval to activate	Yes
Approvers	0 Member(s), 1 Group

Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	3 month(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on activation	No
Require justification on active assignment	Yes

Group1 is configured as the approver for the application administrator role. You configure User2 to be eligible for the application administrator role. For User1, you add an assignment to the Application administrator role as shown in the Assignment exhibit. (Click Assignment tab)

Add assignments

Privileged Identity Management | Azure AD roles

Membership Setting

Assignment type ⓘ

☒ Eligible

☐ Active

Maximum allowed eligible duration is 3 month(s).

Assignment starts *

Assignment ends *

For each of the following statement, select Yes if the statement is true, Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 is assigned the Application administrator role automatically.	<input type="radio"/>	<input type="radio"/>
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	<input type="radio"/>	<input type="radio"/>
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
User1 is assigned the Application administrator role automatically.	<input checked="" type="radio"/>	<input type="radio"/>
When User2 requests to be assigned the Application administrator role, only User3 can approve the request.	<input checked="" type="radio"/>	<input type="radio"/>
If a request by User1 to be assigned the Application administrator role is approved on January 31, 2021, at 23:00, User1 can use the role until February 1, 2021, at 04:00.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Block/unblock users settings for multi-factor authentication (MFA).

Does this meet the goal?

A. Yes

B. No

Answer: A

NEW QUESTION 15

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 tenant.

You have 100 IT administrators who are organized into 10 departments. You create the access review shown in the exhibit. (Click the Exhibit tab.)

Create an access review

Access reviews allow reviewers to attest to whether users still need to be in a role.

Review name *

Description

Start date *

Frequency

Duration (in days)

End End by

Number of times

End date

Users
Scope ☒ Everyone

Review role membership (permanent and eligible) *
[Application Administrator and 72 others](#)

Reviewers

(Preview) Fallback reviewers

Upon completion settings

Start

You discover that all access review requests are received by Megan Bowen.

You need to ensure that the manager of each department receives the access reviews of their respective department.

Solution: You set Reviewers to Member (self).

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 18

- (Exam Topic 3)

You have an Azure subscription that contains the resource shown in the following table.

Name	Type
Group1	Group that has the Assigned membership type
App1	Enterprise application in Azure Active Directory (Azure AD)
Contributor	Azure subscription role
Role1	Azure Active Directory (Azure AD) role

For which resources can you create an access review?

- A. Group1, App1, Contributor, and Role1
- B. Hotel and Contributor only
- C. Group1, Role1, and Contributor only
- D. Group1 only

Answer: D

NEW QUESTION 23

- (Exam Topic 3)

You have a Microsoft 365 E5 tenant. You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud app Security.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the

correct order.

Actions

From Microsoft Cloud App Security, create a session policy.

Create a conditional access policy that has session controls configured.

Publish App1 in Azure Active Directory (Azure AD).

Implement Azure AD Application Proxy.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Microsoft Cloud App Security, create a session policy.

Create a conditional access policy that has session controls configured.

Publish App1 in Azure Active Directory (Azure AD).

Implement Azure AD Application Proxy.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

>

<

Answer Area

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

Publish App1 in Azure Active Directory (Azure AD).

From Microsoft Cloud App Security, create a session policy.

Implement Azure AD Application Proxy.

>

<

NEW QUESTION 27

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You configure a conditional access policy as shown in the Conditional Access policy exhibit. (Click the Conditional Access policy tab.)

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Require MFA for all users

Assignments

Users and groups

All users

Cloud apps or actions

All cloud apps

Conditions

1 condition selected

Access controls

Grant

0 controls selected

Session

0 controls selected

Enable policy

Report-only On

Create

Control user access enforcement to block or grant access. [Learn more](#)

Block access

Grant access

Require multi-factor authentication

Require device to be marked as compliant

Require Hybrid Azure AD joined device

Require approved client app

See list of approved client apps

Require app protection policy

See list of policy protected client apps

Require password change (Preview)

For multiple controls

Require all the selected controls

Require one of the selected controls

Select

You view the User administrator role settings as shown in the Role setting details exhibit. (Click the Role setting details tab.)

Privileged Identity Management > ContosoAzureAD > User Administrator >

Role setting details - User Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

Setting

Activation maximum duration (hours)

Require justification on activation

Require ticket information on activation

On activation, require Azure MFA

Require approval to activate

Approvers

State

8 hour(s)

Yes

No

Yes

Yes

1 Member(s) 0 Group

Assignment

Setting

Allow permanent eligible assignment

Expire eligible assignments after

Allow permanent active assignment

Expire active assignments after

Require Azure Multi-Factor Authentication on active assignment

Require justification on active assignment

State

No

15 day(s)

No

1 month(s)

No

No

You view the User administrator role assignments as shown in the Role assignments exhibit. (Click the Role assignments tab.)

ContosoAzureAD > Identity Governance > Privileged Identity Management > ContosoAzureAD

User Administrator | Assignments

Privileged Identity Management | Azure AD roles

+ Add assignments Settings Refresh Export Got feedback?

Eligible assignments Active assignments Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope	Membership
User Administrator				
Admin1	Admin1@m365x629615.onmicrosoft.com	User	Directory	Direct
Admin2	Admin2@m365x629615.onmicrosoft.com	User	Directory	Direct
Admin3	Admin3@m365x629615.onmicrosoft.com	User	Directory	Direct

For each of the following statement, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	<input type="radio"/>	<input type="radio"/>
Admin2 can request activation of the User administrator role for a period of two hours.	<input type="radio"/>	<input type="radio"/>
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	<input checked="" type="radio"/>	<input type="radio"/>
Admin2 can request activation of the User administrator role for a period of two hours.	<input type="radio"/>	<input checked="" type="radio"/>
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 32

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configure HighRiskCountries by using:

- ☐ A cloud app or action
- ☐ A condition
- ☐ A grant control
- ☐ A session control

Configure Sign-in frequency by using:

- ☐ A cloud app or action
- ☐ A condition
- ☐ A grant control
- ☐ A session control

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure HighRiskCountries by using:

- A cloud app or action
- A condition
- A grant control
- A session control

Configure Sign-in frequency by using:

- A cloud app or action
- A condition
- A grant control
- A session control

NEW QUESTION 36

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that uses conditional access policies.

You plan to use third-party security information and event management (SIEM) to analyze conditional access usage.

You need to download the Azure AD log that contains conditional access policy data. What should you export from Azure AD?

- A. sign-ins in JSON format
- B. sign-ins in CSV format
- C. audit logs in JSON format
- D. audit logs in CSV format

Answer: C

NEW QUESTION 41

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You need to ensure that Azure AD External Identities pricing is based on monthly active users (MAU). What should you configure?

- A. an access review
- B. the terms or use
- C. a linked subscription
- D. a user flow

Answer: D

NEW QUESTION 45

- (Exam Topic 3)

You have an Azure Active Directory (Azure Azure) tenant that contains the objects shown in the following table.

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Five groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group4
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	Group5
Group5	Microsoft 365	Assigned	User5

How many licenses are used if you assign the Microsoft Office 365 Enterprise E5 license to Group1?

- A. 2
- B. 3
- C. 4

Answer: B

NEW QUESTION 50

- (Exam Topic 3)

Your network contains an Active Directory forest named contoso.com that is linked to an Azure Active

Directory (Azure AD) tenant named contoso.com by using Azure AD Connect. Azure AD Connect is installed on a server named Server 1.

You deploy a new server named Server2 that runs Windows Server 2019.

You need to implement a failover server for Azure AD Connect. The solution must minimize how long it takes to fail over if Server1 fails.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

On Server1, run export for all connectors.

On Server2, run export for all connectors.

On Server2, run full import for all connectors.

On Server2, run delta synchronization for all connectors.

On Server2, install Azure AD Connect.

On Server1, configure the staging mode.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

On Server1, run export for all connectors.

On Server2, run export for all connectors.

On Server2, run full import for all connectors.

On Server2, run delta synchronization for all connectors.

On Server2, install Azure AD Connect.

On Server1, configure the staging mode.

>

<

Answer Area

On Server2, run export for all connectors.

On Server2, run delta synchronization for all connectors.

On Server1, run export for all connectors.

>

<

NEW QUESTION 55

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has multi-factor authentication (MFA) enabled. The account lockout settings are configured as shown in the following exhibit.

Account lockout

Temporarily lock accounts in the multi-factor authentication service if there are too many denied authentication attempts in a row. This feature only applies to users who enter a PIN to authenticate.

Number of MFA denials to trigger account lockout *

3

Minutes until account lockout counter is reset *

60

Minutes until account is automatically unblocked *

30

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

email address

Microsoft Authenticator app code

password

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

30

60

90

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

A user account will be locked out if the user enters the wrong [answer choice] three times.

If a user account is locked, the user can sign in again successfully after [answer choice] minutes.

email address
Microsoft Authenticator app code
password

30
60
90

NEW QUESTION 56

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned
Group5	Microsoft 365	Dynamic User

For which groups can you create an access review?

- A. Group1 only
- B. Group1 and Group4 only
- C. Group1 and Group2 only
- D. Group1, Group2, Group4, and Group5 only
- E. Group1, Group2, Group3, Group4 and Group5

Answer: D

Explanation:

You cannot create access reviews for device groups. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION 57

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role. SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal.

You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of nonadministrative users. The solution must use the principle of least privilege. Which role should you assign to SecAdmin1?

- A. Authentication administrator
- B. Helpdesk administrator
- C. Privileged authentication administrator
- D. Security operator

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

NEW QUESTION 60

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant contains the groups shown in the following table.

Name	Type
Group1	Security
Group2	Distribution
Group3	Microsoft 365
Group4	Mail-enabled security

In Azure AD, you add a new enterprise application named Appl. Which groups can you assign to App1?

- A. Group1 and Group
- B. Group2 only
- C. Group3 only
- D. Group1 only
- E. Group1 and Group4

Answer: A

NEW QUESTION 63

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the users shown in the following table.

Name	Type	Member of
User1	Member	Group1
User2	Member	Group1
User3	Guest	Group1

User1 is the owner of Group1.

You create an access review that has the following settings:

- Users to review: Members of a group
- Scope: Everyone
- Group: Group1
- Reviewers: Members (self)

Which users can perform access reviews for User3?

- A. User1, User2, and User3
- B. User3 only
- C. User1 only
- D. User1 and User2 only

Answer: B

NEW QUESTION 65

- (Exam Topic 3)

You have a Microsoft 365 tenant.

All users must use the Microsoft Authenticator app for multi-factor authentication (MFA) when accessing Microsoft 365 services.

Some users report that they received an MFA prompt on their Microsoft Authenticator app without initiating a sign-in request.

You need to block the users automatically when they report an MFA request that they did not initiate. Solution: From the Azure portal, you configure the Fraud alert settings for multi-factor authentication (MFA). Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 66

- (Exam Topic 3)

You have a new Microsoft 365 tenant that uses a domain name of contoso.onmicrosoft.com. You register the name contoso.com with a domain registrar.

You need to use contoso.com as the default domain name for new Microsoft 365 users.

Which four actions should you perform in sequenced? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Register a custom domain name of contoso.com.	
Create a new TXT record in DNS.	
Set the domain to primary.	
Delete the contoso.onmicrosoft.com domain.	
Verify the domain name.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Register a custom domain name of contoso.com.	Create a new TXT record in DNS.
Create a new TXT record in DNS.	Register a custom domain name of contoso.com.
Set the domain to primary.	Set the domain to primary.
Delete the contoso.onmicrosoft.com domain.	Verify the domain name.
Verify the domain name.	

NEW QUESTION 71

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to connect to Microsoft Exchange Online.

You need to ensure that users can connect to Exchange only run email clients that use Modern authentication protocols.

What should you implement?

You need to ensure that use Modern authentication

- A. a compliance policy in Microsoft Endpoint Manager
- B. a conditional access policy in Azure Active Directory (Azure AD)
- C. an application control profile in Microsoft Endpoint Manager
- D. an OAuth policy in Microsoft Cloud App Security

Answer: C

NEW QUESTION 72

- (Exam Topic 3)

You configure a new Microsoft 365 tenant to use a default domain name of contosso.com.

You need to ensure that you can control access to Microsoft 365 resource-, by using conditional access policy. What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy1.
- D. Configure password protection for Windows Server Active Directory.

Answer: B

NEW QUESTION 76

- (Exam Topic 3)

You have a Microsoft 365 tenant.

In Azure Active Directory (Azure AD), you configure the terms of use.

You need to ensure that only users who accept the terms of use can access the resources in the tenant. Other users must be denied access.

What should you configure?

- A. an access policy in Microsoft Cloud App Security.
- B. Terms and conditions in Microsoft Endpoint Manager.
- C. a conditional access policy in Azure AD
- D. a compliance policy in Microsoft Endpoint Manager

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/terms-of-use>

NEW QUESTION 78

- (Exam Topic 3)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY

Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

Manage provisioning (Preview) **Enabled**

Azure AD Connect sync

Sync Status **Enabled**

Last Sync **Less than 1 hour ago**

Password Hash Sync **Enabled**

USER SIGN-IN

Federation **Disabled** 0 domains

Seamless single sign-on **Disabled** 0 domains

Pass-through authentication **Enabled** 2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

Answer: A

NEW QUESTION 80

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You need to identify users who have leaked credentials. The solution must meet the following requirements.

- Identify sign-ins by users who are suspected of having leaked credentials.
- Tag the sign-ins as a high risk event.
- Immediately enforce a control to mitigate the risk, while still allowing the user to access applications. What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection
Azure Active Directory (Azure AD) Privileged Identity Management (PIM)
Identity Governance
Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication
Device state
Sign-in risk
User location
User risk

To mitigate the risk, select:

Apply app-enforced restrictions
Block access
Grant access but require app protection policy
Grant access but require multi-factor authentication
Grant access but require password change

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

To classify leaked credentials as high-risk, use:

Azure Active Directory (Azure AD) Identity Protection
Azure Active Directory (Azure AD) Privileged Identity Management (PIM)
Identity Governance
Self-service password reset (SSPR)

To trigger remediation, use:

Client apps not using Modern authentication
Device state
Sign-in risk
User location
User risk

To mitigate the risk, select:

Apply app-enforced restrictions
Block access
Grant access but require app protection policy
Grant access but require multi-factor authentication
Grant access but require password change

NEW QUESTION 83

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your SC-300 Exam with Our Prep Materials Via below:

<https://www.certleader.com/SC-300-dumps.html>