



## **ISTQB**

### **Exam Questions CTFL-Foundation**

Certified Tester Foundation Level

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

#### NEW QUESTION 1

Since the system is in the medical domain and therefore in the safety critical area, testing needs to be rigorous and evidence is required that the system has been adequately tested. Identify THREE measures that would typically be part of the test approach in this domain and which are not always applicable in other domains! 1 credit

- A. High level of documentation
- B. Failure Mode and Effect Analysis (FMEA) sessions
- C. Traceability to requirements
- D. Non-functional testing
- E. Master test planning
- F. Test design techniques
- G. Reviews

**Answer:** ABC

#### NEW QUESTION 2

Considerable attention will be given in this project to defining exit criteria and on reporting back on their status. Which combination of TWO exit criteria from the list would be best to use? 1 credit

- A. Total number of defects foundI
- B. Percentage of test cases executedII
- C. Total test effort planned versus total actual test effort spentI
- D. Defect trend (number of defects found per test run over time
- E. (i) and (ii)
- F. (i) and (iv)
- G. (ii) and (iii)
- H. (ii) and (iv)

**Answer:** D

#### NEW QUESTION 3

Explain how the above mentioned report may differ from a report that you produce for the project manager, who is a test specialist Select TWO items from the following options that can be used to report to the project manager and would not be included in a report to senior management. 1 credit

- A. Show details on effort spent
- B. List of all outstanding defects with their priority and severity
- C. Give product risk status
- D. Show trend analysis
- E. State recommendations for release

**Answer:** AB

#### NEW QUESTION 4

The introduction of reviews and inspections has often failed as a process improvement action. Identify the THREE most important measures that should be taken to reduce the risk that this test process improvement will fail. 2 Credits (for 2 out correct 1 credit)

- A. Process ownership and experienced moderators who drive the inspection process.
- B. Management support
- C. Training of those involved
- D. The availability of stands and processes
- E. Usage of a more traditional software development lifecycle
- F. Alignment with software process improvement
- G. Using a reference model, e.
- H. TMMi

**Answer:** ABC

#### NEW QUESTION 5

Which of the following is an example of testing as part of the requirements specification phase? 1 credit

- A. A requirements review meeting
- B. A business analyst eliciting requirements
- C. Performing acceptance tests against requirements
- D. A test report showing requirements coverage

**Answer:** A

#### NEW QUESTION 6

As part of the improvement program, the organization is also looking at tool support. Which type of tool could be used to ensure higher quality of the code to be reviewed? 1 credit

- A. Review tool
- B. Test execution tool
- C. Static analysis tool
- D. Test design tool

**Answer: C**

#### NEW QUESTION 7

Which of the following would be the TWO most appropriate examples of entry criteria documented in the system integration test plan? 2 credits

- A. The percentage of decision coverage achieved during unit testing.
- B. The availability of the latest version of the capture-replay tool (for testing the interface with the newly developed test management tool).
- C. The sign-off of a performance test software release note (test item transmittal report) by both development and testing showing that system performance meets the specified acceptance criteria.
- D. The percentage of acceptance test procedures scheduled for execution.
- E. The percentage of requirements coverage achieved during system integration tes

**Answer: AB**

#### NEW QUESTION 8

Which of the following would be the most significant input to estimating the time to carry out the specified testing tasks? 3 credits

- A. The skills and experience of developers to correct the failures.
- B. The standards used for the requirements specification.
- C. The metrics recorded from testing the capture-replay tool.
- D. The number of testers in the company and their grad

**Answer: C**

#### NEW QUESTION 9

Which of the following would you expect to see in the master test plan? 1 credit

- A. A description of how the test cases are cross-referenced to requirements in the test management tool.
- B. A detailed identification of the resources that will carry out structural testing in the first iteration.
- C. The test approach that will be applied at system integration testing.
- D. A list of the names of the testers who will carry out the performance testing for the final iteratio

**Answer: C**

#### NEW QUESTION 10

Which of the following is a project risk mitigation step you might take as test manager? 1 credit

- A. Testing for performance problems
- B. Hiring a contractor after a test analyst leaves the company
- C. Arranging a back-up test environment in case the existing one fails during testing
- D. Performing a project retrospective meeting using the test results after each increment

**Answer: C**

#### NEW QUESTION 10

Which test management control option is most appropriate to adopt under these circumstances? 2 credits

- A. Introduce mandatory evening and weekend working to retrieve the 3 week slippage.
- B. Reconsider the exit criteria and review the test plan in the context of the current situation.
- C. Advise the user community regarding the reduced scope of requirements and the additional incremental delivery.
- D. Arrange a meeting with the user community representatives to discuss the user interfac

**Answer: B**

#### NEW QUESTION 14

What is the Risk Priority Number for risk item number 2? 2 credits

- A. 16
- B. 2
- C. 1
- D. 63

**Answer: D**

#### NEW QUESTION 15

Which of the following is a benefit of independent testing? 1 credit

- A. Code cannot be released into production until independent testing is complete.
- B. Testing is isolated from development.
- C. Independent testers find different defects and are unbiased.
- D. Developers do not have to take as much responsibility for qualit

**Answer: C**

#### NEW QUESTION 20

In addition to introducing the new team member, you have decided to raise motivation. Which of the measures listed below would be the best measure to take in order to increase the motivation of the team? 2 credits

- A. Provide more time for testing in the schedule
- B. Allow people to take some time off
- C. Introduce entry criteria to the testing phase
- D. Organize a meeting with senior management in which they address the importance of good testing for this project

**Answer: D**

#### NEW QUESTION 21

Evaluate the status of the project against the defined exit criteria. Which of the following options shows the correct status? 2 credits

- A. Criteria A = OK, criteria B = OK, criteria C = OK
- B. Criteria A = NOT OK, criteria B = NOT OK, criteria C = OK
- C. Criteria A = OK, criteria B = NOT OK, criteria C = NOT OK
- D. Criteria A = NOT OK, criteria B = NOT OK, criteria C = NOT OK

**Answer: B**

#### NEW QUESTION 22

Which aspect in the test estimate is the main risk in this project? 1 credit

- A. Quality of the specification
- B. Availability of end-users
- C. The costs of hardware and tools
- D. Unknown input quality due to third party development

**Answer: D**

#### NEW QUESTION 23

In general which part of the testing activity is most difficult to estimate? 1 credit

- A. Test planning
- B. Test execution
- C. Test management
- D. Test design

**Answer: B**

#### NEW QUESTION 27

During test process improvement it is recommended to use standards where possible. Standards originate from various sources and they cover different subjects in relation to testing Pick TWO sources of software standards, useful to software testing from the ones mentioned below. 1 credit

- A. ISO 9126-1 'Software engineering- Product quality Part 1:Quality model' is an international standard, that provides a basis on which to define quality assurance solutions.
- B. ISA 4126-1 'Software engineering- Product quality Part 1:Quality model' is an international standard, that provides a basis on which to define quality assurance solutions.
- C. BS-7925-2 'Software testin
- D. Software component testing is a national standard used internationall
- E. It covers a number of testing techniques that may be useful both on component testing level and on system testing level.
- F. SY-395-01 'Standard for East Coast Hospital software' is a regional standard adapted from a national on
- G. Besides hospital software, this standard ought to be used also by other types of software system in the region.
- H. IEEE 829 'standard for software test documentation' is an international standard to be following mandatory by all testing origination regardless of lifecycle models.

**Answer: AC**

#### NEW QUESTION 30

As part of the test strategy, entry and exit criteria will be defined for each test level. Which is NOT a valid reason for using entry and exit criteria? 1 credit

- A. The expectation is that development testing is not adequate.
- B. Exit criteria are used to decide on when to stop testing.
- C. Entry and exit criteria are a principal way for getting adequate resources.
- D. Using entry and exit criteria will prevent software that is not or poorly tested from going to the next test level

**Answer: C**

#### NEW QUESTION 33

The development manager is managing the review of the responses received from bidders, and has asked the in-house test manager to provide a review checklist for the test management aspects of the responses. Which of the following checkpoints would be appropriate? 2 credits

- A. The bidder's test policy should enforce that incident management fully conforms to IEEE 1044.
- B. The bidder's project strategy shows that the data content of all the test environments conforms to EU standards.
- C. The bidder's test plan shows that the application will be delivered for acceptance in six months time.

D. The bidder's project test plan depicts a phased implementation with later delivery dates to be confirmed and states that test deliverables will be developed using IEEE 829 as a guide.

**Answer:** D

#### NEW QUESTION 36

Which of the following is NOT a typical key challenge for testing in a RAD based development approach? 1 credit

- A. Re-usable test scripts for (automated) regression testing
- B. Project management and control
- C. No complete requirements specification
- D. Time-boxing

**Answer:** B

#### NEW QUESTION 40

Which of the following could be a reason for a failure?

- 1) Testing fault
- 2) Software fault
- 3) Design fault
- 4) Environment Fault
- 5) Documentation Fault

- A. 2 is a valid reason; 1, 3, 4 & 5 are not
- B. 1, 2, 3, 4 are valid reasons; 5 is not
- C. 1, 2, 3 are valid reasons; 4 & 5 are not
- D. All of them are valid reasons for failure

**Answer:** A

#### NEW QUESTION 41

Which of the following is a structure-based (white-box) technique?

- A. Decision table testing
- B. State transition testing
- C. Statement testing
- D. Boundary value analysis

**Answer:** C

#### Explanation:

All other options are specification-based (black-box) techniques, and the main distracter is answer (A) because decision table testing could be confused with decision testing.

#### NEW QUESTION 44

What is the main purpose of use case testing?

- A. To identify defects in process flows related to typical use of the system.
- B. To identify defects in the connections between components.
- C. To identify defects in the system related to extreme scenarios.
- D. To identify defects in the system related to the use of unapproved programming practice

**Answer:** A

#### Explanation:

Answer (B) relates to integration testing; answer (C) could relate to boundary value analysis or performance testing, but use cases exercise typical process flows rather than extreme examples; answer (D) relates to static analysis.

#### NEW QUESTION 49

Which of the following is most likely to cause failure in the implementation of a test tool?

- A. Underestimating the demand for a tool.
- B. The purchase price of the tool.
- C. No agreed requirements for the tool.
- D. The cost of resources to implement and maintain the tool

**Answer:** C

#### NEW QUESTION 52

According to the ISTQB Glossary, regression testing is required for what purpose?

- A. To verify the success of corrective actions.
- B. To prevent a task from being incorrectly considered completed.
- C. To ensure that defects have not been introduced by a modification.
- D. To motivate better unit testing by the programmer

Answer: C

#### NEW QUESTION 56

Which of the following are valid justifications for developers testing their own code during unit testing?

- (i) Their lack of independence is mitigated by independent testing during system and acceptance testing.
- (ii) A person with a good understanding of the code can find more defects more quickly using white-box techniques.
- (iii) Developers have a better understanding of the requirements than testers.
- (iv) Testers write unnecessary incident reports because they find minor differences between the way in which the system behaves and the way in which it is specified to work.

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

Answer: A

#### Explanation:

It is unlikely that developers will have a better understanding of the requirements than testers, partly because testers work closely with the user community (and may be drawn from it) and partly because developers seldom work with the complete set of requirements in a medium to large development. Testers may raise incidents related to the difference between user expectations and the specification, but these are not unnecessary. Such issues are more likely to arise at the later stages of testing. Early testing (unit testing) is usually done most effectively by developers with a good understanding of the code and the development environment; they can be more efficient and more effective at this level. Later independent stages of testing offset any disadvantage from the lack of independence at unit testing level.

#### NEW QUESTION 57

Which of the following are the most important factors to be taken into account when selecting test techniques?

- (i) Tools available.
  - (ii) Regulatory standards.
  - (iii) Experience of the development team.
  - (iv) Knowledge of the test team.
- The need to maintain levels of capability in each technique.

- A. (i) and (ii)
- B. (ii) and (iv)
- C. (iii) and (iv)
- D. (i) and (v)

Answer: B

#### Explanation:

Answer (i) looks temptingly right, and the availability of tools might make the use of a technique more or less attractive, but it would not be decisive in the way that regulatory standards and tester knowledge are. Answer (iii) is irrelevant because testing should be independent of development anyway, but it could tempt someone who is unsure about the relationship between development and testing. Answer (v) is a factor in managing the test team, and experience would need to be maintained, but this should not influence the selection of techniques for a live project.

#### NEW QUESTION 60

Which of the following principles should be followed when introducing a test tool into an organization?

- (i) Assessing organizational maturity to establish whether a tool will provide expected benefits.
- (ii) Requiring a quick payback on the initial investment.
- (iii) Including a requirement for the tool to be easy to use without having to train unskilled testers.
- (iv) Identifying and agreeing requirements before evaluating test tools.

- A. (i) and (ii)
- B. (i) and (iv)
- C. (ii) and (iii)
- D. (iii) and (iv)

Answer: B

#### Explanation:

Assessing organizational maturity (i) is very important when deciding whether to introduce a test tool, as implementing a tool in an immature test organization with poor processes is unlikely to produce any benefits. A quick return on the initial investment (ii) in a test tool is rare. Having a requirement that a tool should be easy to use for untrained and unskilled testers (iii) is generally a false hope. This is comparable with expecting someone who has never driven a car to be able to drive safely and effectively. Agreeing requirements before evaluating tools (iv) is essential. Not to do so would be comparable with building and testing a system without requirements. In conclusion, (i) and (iv) are good principles to follow when introducing a tool and (ii) and (iii) are not.

#### NEW QUESTION 62

Which is not the testing objective?

- A. Finding defects
- B. Gaining confidence about the level of quality and providing information
- C. Preventing defects.
- D. Debugging defects

**Answer:** D

**NEW QUESTION 63**

Which of the following are examples of iterative development models?

- (i) V-model
- (ii) Rapid Application Development model
- (iii) Waterfall model
- (iv) Agile development model

- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (iii) and (iv)

**Answer:** C

**Explanation:**

The other two models are sequential models.

**NEW QUESTION 65**

Which of the following defects is most likely to be found by a test harness?

- A. Variance from programming standards.
- B. A defect in middleware.
- C. Memory leaks.
- D. Regression defects.

**Answer:** B

**Explanation:**

Variance from programming standards defects (option (A)) are found during the review or static testing process.

Therefore a test harness is unlikely to find a defect in programming standards.

Memory leak defects (option (C)) could potentially be found by a test harness designed to run many test cases. Regression defects (option (D)) could be found using many types of test tool.

Defects in middleware (option (B)) are generally more likely to be found by a test harness or a dynamic analysis tool than by any other type of tool.

**NEW QUESTION 67**

Which of the following are most characteristic of structure-based testing?

- (i) Information about how the software is constructed is used to derive test cases.
- (ii) Statement coverage and/or decision coverage can be measured for existing test cases.
- (iii) The knowledge and experience of people are used to derive test cases.
- (iv) Test cases are derived from a model or specification of the system.

- A. (i) and (ii)
- B. (ii) and (iii)
- C. (ii) and (iv)
- D. (i) and (iii)

**Answer:** A

**NEW QUESTION 70**

Which of the following terms is used to describe the management of software components comprising an integrated system?

- A. Configuration management
- B. Incident management
- C. Test monitoring
- D. Risk management

**Answer:** A

**Explanation:**

Incident management is the collection and processing of incidents raised when errors and defects are discovered. Test monitoring identifies the status of the testing activity on a continuous basis. Risk management identifies, analyses and mitigates risks to the project and the product. Configuration management is concerned with the management of changes to software components and their associated documentation and testware.

**NEW QUESTION 73**

The difference between re-testing and regression testing is:

- A. Re-testing is running a test again; regression testing looks for unexpected side effects
- B. Re-testing looks for unexpected side effects; regression testing is repeating those tests
- C. Re-testing is done after faults are fixed; regression testing is done earlier
- D. Re-testing uses different environments, regression testing uses the same environment
- E. Re-testing is done by developers, regression testing is done by independent testers

**Answer:** A

#### NEW QUESTION 76

A washing machine has three temperature bands for different kinds of fabrics: fragile fabrics are washed at temperatures between 15 and 30 degrees Celsius; normal fabrics are washed at temperatures between 31 and 60 degrees Celsius; heavily soiled and tough fabrics are washed at temperatures between 61 and 100 degrees Celsius.

Which of the following contains only values that are in different equivalence partitions? A. 15, 30, 60

- A. 20, 35, 60
- B. 25, 45, 75
- C. 12, 35, 55

**Answer: C**

#### Explanation:

Answer (A) includes two values from the lower partition, answer (B) contains two values from the second partition, answer (D) contains one value that is invalid (out of range).

#### NEW QUESTION 78

Which of the following statements are true?

- (i) Defects are likely to be found earlier in the development process by using reviews rather than static analysis.
- (ii) Walkthroughs require code but static analysis does not require code.
- (iii) Informal reviews can be performed on code and specifications.
- (iv) Dynamic techniques are generally used before static techniques.
- (v) Dynamic techniques can only be used after code is ready to be executed.

- A. (i), (ii), (vi).
- B. (ii), (iii), (v).
- C. (i), (iv), (v).
- D. (i), (iii), (v).

**Answer: D**

#### Explanation:

The other answers are incorrect because:

- (ii) Walkthroughs do not require code and static analysis does require code.
- (iv) Static techniques do not execute the code and therefore can be run before and after the code is ready for execution.

#### NEW QUESTION 80

Which of the following is correct? Debugging is:

- A. Testing/checking whether the software performs correctly.
- B. Checking that a previously reported defect has been corrected.
- C. Identifying the cause of a defect, repairing the code and checking the fix is correct.
- D. Checking that no unintended consequences have occurred as a result of a fix.

**Answer: C**

#### Explanation:

- A. Is a brief definition of testing.
- B. Is retesting.
- D. Is regression testing.

#### NEW QUESTION 81

The five parts of the fundamental test process have a broad chronological order. Which of the options gives three different parts in the correct order?

- A. Implementation and execution, planning and control, analysis and design.
- B. Analysis and design, evaluating exit criteria and reporting, test closure activities.
- C. Evaluating exit criteria and reporting, implementation and execution, analysis and design.
- D. Evaluating exit criteria and reporting, test closure activities, analysis and design.

**Answer: B**

#### Explanation:

All other answers have at least one stage of the fundamental test process in the wrong sequence.

#### NEW QUESTION 83

What if the project isn't big enough to justify extensive testing..?

- A. Use risk based analysis to find out which areas need to be tested
- B. Use automation tool for testing
- C. Both a and b
- D. None of the above

**Answer: A**

#### NEW QUESTION 88

Which of the following are most likely to be used when developing a test strategy or test approach?

- (i) Failure-based approach (ii) Test specification approach (iii) Model-based approach (iv) Finance-based approach

- A. (iii) and (ii)
- B. (i) and (iv)
- C. (ii) and (i)
- D. (i) and (iii)

**Answer: C**

#### NEW QUESTION 89

Which of the following is the task of a Tester?

- A. Interaction with the Test Tool Vendor to identify best ways to leverage test tool on the project.i
- B. Prepare and acquire Test Dataii
- C. Implement Tests on all test levels, execute and log the tests.i
- D. Create the Test Specifications
- E. i, ii, iii is true and iv is false
- F. ii, iii, iv is true and i is false
- G. i is true and ii, iii, iv are false
- H. iii and iv is correct and i and ii are Incorrect

**Answer: B**

#### NEW QUESTION 94

Reporting Discrepancies as incidents is a part of which phase:

- A. Test Analysis and Design
- B. Test Implementation and execution
- C. Test Closure Activities
- D. Evaluating exit criteria and reporting

**Answer: B**

#### NEW QUESTION 96

Which of the following are static techniques?

- A. Walkthrough.
- B. State transition testing.
- C. Decision table testing.
- D. Statement testing.

**Answer: A**

#### Explanation:

Options (B), (C) and (D) are all dynamic test techniques.

#### NEW QUESTION 98

Which of the following statements BEST describes one of the seven key principles of software testing?

- A. Automated tests are better than manual tests for avoiding the Exhaustive Testing.
- B. Exhaustive testing is, with sufficient effort and tool support, feasible for all software.
- C. It is normally impossible to test all input / output combinations for a software system.
- D. The purpose of testing is to demonstrate the absence of defect
- E. The purpose of testing is to demonstrate the absence of defects.

**Answer: C**

#### NEW QUESTION 99

Important consequences of the impossibility of complete testing are:

- A. We can never be certain that the program is bug free.
- B. We have no definite stopping point for testing, which makes it easier for some managers to argue for very little testing.
- C. We have no easy answer for what testing tasks should always be required, because every task takes time that could be spent on other high importance tasks.
- D. All of the above

**Answer: D**

#### NEW QUESTION 102

What is the purpose of a test completion criterion?

- A. to know when a specific test has finished its execution
- B. to ensure that the test case specification is complete
- C. to set the criteria used in generating test inputs
- D. to determine when to stop testing

**Answer: B**

#### NEW QUESTION 106

The purpose of exit criteria is:

- A. Define when to stop testing
- B. End of test level
- C. When a set of tests has achieved a specific pre condition
- D. All of the above

**Answer:** D

#### NEW QUESTION 110

Fault Masking is:

- A. Error condition hiding another error condition
- B. Creating a test case which does not reveal a fault
- C. Masking a fault by developer
- D. Masking a fault by a tester

**Answer:** A

#### NEW QUESTION 114

Which of the following is not a part of the Test Implementation and Execution Phase?

- A. Creating test suites from the test cases
- B. Executing test cases either manually or by using test execution tools
- C. Comparing actual results
- D. Designing the Tests

**Answer:** D

#### NEW QUESTION 119

Which of the following is a non-functional requirement?

- A. The system will enable users to buy books.
- B. The system will allow users to return books.
- C. The system will ensure security of the customer details.
- D. The system will allow up to 100 users to log in at the same time.

**Answer:** D

#### Explanation:

The other options are functional requirements. Note that security is regarded as a functional requirement in this syllabus.

#### NEW QUESTION 120

One of the roles in a review is that of moderator, which of the following best describes this role?

- A. Plans the review, runs the review meeting and ensures that follow-up activities are completed.
- B. Allocates time in the plan, decides which reviews will take place and that the benefits are delivered.
- C. Writes the document to be reviewed, agrees that the document can be reviewed, and updates the document with any changes.
- D. Documents all issues raised in the review meeting, records problems and open point

**Answer:** A

#### NEW QUESTION 121

Which of the following is usually the test basis for integration testing?

- A. Program specification
- B. Functional specification
- C. Technical specification
- D. Requirement specification

**Answer:** C

#### Explanation:

Option (A) is used for unit testing. Option (B) is used for system testing and Option (D) is used for acceptance testing.

#### NEW QUESTION 124

What should be the MAIN objective during development testing?

- A. To cause as many failures as possible so that defects in the software are identified and can be fixed
- B. To confirm that the system works as expected and that requirements have been met
- C. To assess the quality of the software with no intention of fixing defects
- D. To give information to stakeholders of the risk of releasing the system at a given time

**Answer:** A

#### NEW QUESTION 125

The following statements relate to activities that are part of the fundamental test process.

- A. Evaluating the testability of requirements.i
- B. Repeating testing activities after changes.ii
- C. Designing the test environment set-up.i
- D. Developing and prioritizing test cases.
- E. Verifying the environment is set up correctl
- F. Which statement below is TRUE?
- G. (i) and (ii) are part of analysis and design, (iii), (iv) and (v) are part of test implementation and execution.
- H. (i) and (iii) are part of analysis and design, (ii), (iv) and (v) are part of test implementation and execution.
- I. (i) and (v) are part of analysis and design, (ii), (iii) and (iv) are part of test implementation and execution.
- J. (i) and (iv) are part of analysis and design, (ii), (iii) and (v) are part of test implementation and execution.

**Answer: B**

#### Explanation:

All other answers contain an activity identified as analysis and design that is part of implementation and test execution.

#### NEW QUESTION 130

What benefits do static analysis tools have over test execution tools?

- A. Static analysis tools find defects earlier in the life cycle.
- B. Static analysis tools can be used before code is written.
- C. Static analysis tools test that the delivered code meets business requirements.
- D. Static analysis tools are particularly effective for regression testing.

**Answer: A**

#### NEW QUESTION 134

Which activities form part of test planning?

- i) Developing test cases.
- ii) Defining the overall approach to testing.
- iii) Assigning resources.
- iv) Building the test environment.
- v) Writing test conditions.

- A. i, ii & iv are true, iii & v are false.
- B. ii & iii are true, i, iv & v are false.
- C. iv & v are true, i, ii & iii are false.
- D. i, ii & iii are true iv & v are fals

**Answer: B**

#### NEW QUESTION 138

Which of the following is not a quality characteristic listed in ISO 9126 Standard?

- A. Functionality
- B. Usability
- C. Supportability
- D. Maintainability

**Answer: C**

#### NEW QUESTION 142

Which TWO of the review types below are the BEST fitted (most adequate) options to choose for reviewing safety critical components in a software project? Select 2 options.

- A. Informal review.
- B. Management review.
- C. Inspection.
- D. Walkthrough
- E. Technical Review

**Answer: CE**

#### NEW QUESTION 144

A deviation from the specified or expected behavior that is visible to end-users is called:

- A. an error
- B. a fault
- C. a failure
- D. a defect

**Answer: C**

#### NEW QUESTION 146

Which of the following has the typical formal review activities in the correct sequence?

- A. Kick-off, review meeting, planning, follow-up.
- B. Kick-off, planning, review meeting, re-work.
- C. Planning, kick-off, individual preparation, review meeting.
- D. Planning, individual preparation, follow-up, re-work.

**Answer: C**

**Explanation:**

The correct sequence is: planning, kick-off, individual preparation, review meeting, re-work, follow-up. All of the other options have either the activities in the wrong order or activities missing from the strict flow.

**NEW QUESTION 150**

Failure is

- A. Incorrect program behavior due to a fault in the program
- B. Bug found before product Release
- C. Bug found after product Release
- D. Bug found during Design phase

**Answer: A**

**NEW QUESTION 154**

Complete statement and branch coverage means..?

- A. That you have tested every statement in the program
- B. That you have tested every statement and every branch in the program
- C. That you have tested every IF statement in the program
- D. That you have tested every combination of values of IF statements in the program

**Answer: B**

**NEW QUESTION 158**

Which of the following, if observed in reviews and tests, would lead to problems (or conflict) within teams?

- A. Testers and reviewers are not curious enough to find defects.
- B. Testers and reviewers are not qualified enough to find failures and faults.
- C. Testers and reviewers communicate defects as criticism against persons and not against the software product.
- D. Testers and reviewers expect that defects in the software product have already been found and fixed by the developer

**Answer: C**

**NEW QUESTION 159**

The purpose of requirement phase is:

- A. To freeze requirements
- B. To understand user needs
- C. To define the scope of testing
- D. All of the above

**Answer: D**

**NEW QUESTION 160**

A top-down development strategy affects which level of testing most?

- A. Component testing
- B. Integration testing
- C. System testing
- D. User acceptance testing

**Answer: B**

**Explanation:**

The development strategy will affect the component testing (option (A)), in so far as it cannot be tested unless it has been built. Options (C) and (D) require the system to have been delivered; at these points the development strategy followed is not important to the tester. Option (B) needs knowledge of the development strategy in order to determine the order in which components will be integrated and tested.

**NEW QUESTION 161**

Incidents would not be raised against

- A. Requirements
- B. Documentation
- C. Test cases
- D. Improvements suggested by users

**Answer:** D

#### NEW QUESTION 162

To test a function, the programmer has to write a , which calls the function to be tested and passes it test data:

- A. Stub
- B. Driver
- C. Proxy
- D. None of the above

**Answer:** B

#### NEW QUESTION 164

Testing should be stopped when:

- A. All the planned tests have been run
- B. Time has run out
- C. All faults have been fixed correctly
- D. Both A and C
- E. It depends on the risks for the system being tested

**Answer:** E

#### NEW QUESTION 167

Which of the following statements best characterises maintenance testing? [K2]

- A. Maintenance testing is triggered by changes to delivered software and uses impact analysis to minimise the amount of regression testing needed
- B. Maintenance testing is triggered by changes to software under development before initial delivery and uses the test plan to determine how much regression testing to do
- C. Maintenance testing is triggered by changes to the test environment and uses testing tools to perform regression testing
- D. Maintenance testing is triggered by changes to the software environment and uses structural testing to ensure the changes function correctly

**Answer:** A

#### NEW QUESTION 168

What is a test condition?

- A. A statement of test objectives and test ideas on how to test.
- B. An item or event that could be verified by one or more test cases.
- C. The process of identifying differences between the actual results and the expected results for a test.
- D. All documents from which the requirements of a component or system can be inferred

**Answer:** B

#### NEW QUESTION 169

Equivalence Partitioning is best defined as:

- A. An analysis technique that divides inputs into groups that are expected to exhibit similar behaviors.
- B. Applying to time-related data classes only.
- C. A form of white-box testing.
- D. A method to reduce test coverage

**Answer:** A

#### NEW QUESTION 174

An iPhone application identifies and counts all purchases of a particular product from a shopping website. The application incorrectly counts purchase attempts by including both failed attempts, and also those where the purchase was terminated by the user before completion. Testing has identified that the problem was located in the 'purchase identification' module, where the first stage in the purchasing process was counted, rather than a successful confirmed purchase. Which of the following statements correctly identifies what has happened? [K2]

- A. The application failed because of a defect in the purchase identification module caused by a programmer mistake or an error in the specification.
- B. An error by the programmer led to a mistake in the purchase identification module and this caused a defect in the application
- C. A defect in the purchase identification module caused by a mistake in the module specification led to a defect in the overall application
- D. A bug in the purchase identification module caused a fault in the application

**Answer:** A

#### NEW QUESTION 175

Which of the following risks represents the highest level of risk to the project?

- A. Likelihood of failure = 1%, potential cost of impact = \$1m.
- B. Likelihood of failure = 10%, potential cost of impact = \$500,000.
- C. Likelihood of failure = 20%, potential cost of impact = \$150,000.
- D. Likelihood of failure = 5%, potential cost of impact = \$500,000.

**Answer: B**

**NEW QUESTION 177**

Which of the following BEST defines static techniques? [K1]

- A. Executing the software work product
- B. Manually examining the code or project documentation
- C. Automated analysis of the code or project documentation
- D. Manual examination and automated analysis of code or project documentation

**Answer: D**

**NEW QUESTION 178**

The four test levels defined for a common V-model testing approach are:

- A. Unit, integration, system and maintenance.
- B. Functional, glass box, incremental and maintenance.
- C. Component, integration, system and acceptance.
- D. Unit, component, functional and alpha/bet

**Answer: C**

**NEW QUESTION 180**

Which of the following factors will MOST affect the testing effort required to test a software product? [K1]

- A. The number of staff available to execute tests
- B. The level of detail in the test plan
- C. The requirements for reliability and security in the product
- D. The test estimation method used

**Answer: C**

**NEW QUESTION 184**

Which of the following accurately defines the integration testing test level? [K2]

- A. Test basis includes software and system design, test objects include interfaces, and tests concentrate on the interactions between different parts of a system
- B. Test basis includes component requirements, test objects include database modules, and tests concentrate on the behaviour of the system as a whole.
- C. Test basis includes business processes, test objects include system configuration and configuration data, and tests concentrate on establishing confidence in the system
- D. Test basis includes use cases, test objects include user procedures and tests concentrate on a high level model of system behaviour

**Answer: A**

**NEW QUESTION 188**

A client-server system for a web development must support a minimum enquiries per hour. In peak times, it must be available 24 hours x 7 days due to the critical nature of the application, and must have a response time lower than 20 seconds during peak loads.

Which of the following set of test types would be most appropriate to verify the non-functional requirements expressed in this statement?

- A. Performance, Usability, Regression.
- B. System, Load, Fail-over.
- C. Performance, Load, Stress.
- D. Load, Volume and Componen

**Answer: C**

**NEW QUESTION 192**

Which of the following metrics could be used to monitor progress along with test preparation and execution? [K1]

- A. The total number of tests planned
- B. The total number of requirements to be tested
- C. The failure rate in testing already completed
- D. The number of testers used for test execution so far

**Answer: C**

**NEW QUESTION 197**

Which of the following is a valid objective of testing? [K1]

- A. Correcting defects
- B. Locating defects in the code
- C. Preventing defects
- D. Ensuring no defects are present

**Answer: C**

#### NEW QUESTION 199

Which of the following is a consideration when deploying test execution tools? [K1]

- A. Data-driven testing cannot be used with test execution tools
- B. Recorded manual tests may become unstable in use
- C. Keyword-driven testing cannot be used with test execution tools
- D. Expected results for tests are not required because the tool generates expected results

**Answer: B**

#### NEW QUESTION 204

What factors should be considered to determine whether enough testing has been performed? (i)The exit criteria. (ii)The budget. (iii)How big the test team is. (iv)The product's risk profile. (v)How good the testing tools are. (vi)Sufficient details of the system status to allow decisions

- A. i and ii and iv and vi
- B. i and ii and iii and vi
- C. ii and iii and iv and v
- D. i and ii and v and vi

**Answer: A**

#### NEW QUESTION 207

"Experience based" test design techniques, typically...

- A. Use decision tables to generate the Boolean test conditions to be executed.
- B. Identify the structure of the system or software at the component, integration or system level.
- C. Use the skill, intuition and experience of the tester to derive the test cases, using error guessing and exploratory testing.
- D. Establish traceability from test conditions back to the specifications and requirement

**Answer: C**

#### NEW QUESTION 211

Component testing may include:

- A. Sociability testing.
- B. User acceptance testing.
- C. Beta testing.
- D. The use of stubs and driver

**Answer: D**

#### NEW QUESTION 216

What can testing demonstrate?

- A. Testing can demonstrate that there are no defects
- B. Testing can demonstrate that there are defects
- C. Testing can demonstrate that the software is correct
- D. Testing can demonstrate that there are no hidden defects in the software

**Answer: B**

#### NEW QUESTION 218

Functional and structural tests are alternative test types that may be used separately or together at which test level? [K1]

- A. At the component test level only
- B. At all test levels
- C. At integration testing and system testing levels only
- D. At all levels from integration testing to acceptance testing

**Answer: B**

#### NEW QUESTION 220

What is the main reason for using a pilot project to introduce a testing tool into an organization? [K1]

- A. To identify the requirements for using a tool
- B. To make a selection between alternative tools
- C. To assess whether the tool will be cost-effective
- D. To ensure the tools fits existing processes without change

**Answer: C**

#### NEW QUESTION 224

How does software testing contribute to the quality of delivered software? [K2]

- A. By detecting and removing all the defects in the delivered code and ensuring that all tests adhere to the quality standards set for the project
- B. By measuring reliability of the software and ensuring that it is always above 99.99%
- C. By identifying root causes of defects from past projects and using the lessons learned to improve processes and thus help to reduce the defect count
- D. By detecting all deviations from coding good practice and ensuring that these are corrected

**Answer: C**

#### NEW QUESTION 227

From the following list, which of the following apply to experience-based techniques? [K2]

- A. Test cases are derived from a model of the problem to be solved or the software
- B. Test cases are derived from the knowledge of the testers
- C. The knowledge of testers, developers and users is used to drive testing
- D. The internal structure of the code is used to derive test cases
- E. a and b.
- F. c and d.
- G. a and d.
- H. b and

**Answer: D**

#### NEW QUESTION 231

Which type of review has the following main purposes:

discussing, making decisions, evaluating alternatives, finding defects, solving technical problems and checking conformance to specifications, plans, regulations, and standards?

- A. Technical Review
- B. Inspection
- C. Walkthrough
- D. Informal review

**Answer: A**

#### NEW QUESTION 234

What are metrics NOT used for?

- A. To identify the percentage of work done in test environment preparation.
- B. To identify the percentage of work done in test case preparation.
- C. To apply to the RAD development model.
- D. To measure whether dates of test milestones were met

**Answer: C**

#### NEW QUESTION 236

Which of the following are valid test objectives? (i) Finding defects.

(ii) Gaining confidence about the level of quality and providing information. (iii) Preventing defects. (iv) Debugging the code.

- A. i, ii and iii
- B. i, ii and iv
- C. ii and iii
- D. i and iv

**Answer: A**

#### NEW QUESTION 241

It is recommended to perform exhaustive tests for covering all combinations of inputs and preconditions.

- A. Yes, it's strongly recommended.
- B. No, risk analysis and priorities should be used to focus testing efforts
- C. Yes, and it's also necessary to include all the exit combinations
- D. Only the expert testers can make exhaustive test

**Answer: B**

#### NEW QUESTION 243

Typically, exit criteria may consist of:

- A. Defining the amount, level of detail structure, and templates for the test documentation.
- B. Estimates of defect density or reliability measures.
- C. Adequacy of the test approaches taken.
- D. Discussions on disaster recovery

**Answer: B**

#### NEW QUESTION 247

Which option BEST describes how the level of risk is determined?

- A. The likelihood of an adverse event happening multiplied by the cost of preventing it
- B. The consequences of a potential problem multiplied by the cost of possible legal action
- C. The impact of an adverse event multiplied by the likelihood of that event occurring
- D. The likelihood and the probability of a hazard occurring

**Answer: B**

#### NEW QUESTION 248

Testing effort can depend on a number of factors, which one of following is MOST likely to impact the amount of effort required?

- A. The predicted number of defects and the amount of rework required
- B. The ratio of developers to testers in the project team
- C. The planned use of a project management tool to schedule tasks
- D. The responsibilities for testers and developers being clearly defined

**Answer: C**

#### NEW QUESTION 249

Which of the following activities is appropriate to the test planning stage?

- A. Analysing the test basis
- B. Assigning resources for the planned activities
- C. Designing the test environments
- D. Writing a test execution schedule

**Answer: B**

#### NEW QUESTION 254

Which of the following is NOT a valid objective of testing?

- A. Preventing defects from being introduced into the code
- B. Investigating and fixing defects in the software under test
- C. Gaining confidence that the system is fit-for-purpose
- D. Providing information for stakeholders' decision making

**Answer: D**

#### NEW QUESTION 256

Which of the following is NOT a valid use of decision coverage?

- A. Checking that all decisions have been exercised in a single program
- B. Checking that all decisions have been exercised in a business process
- C. Checking that all calls from one program module to another have been made correctly
- D. Checking that at least 50% of decisions have been exercised by a test case suite

**Answer: D**

#### NEW QUESTION 257

Why is measurement of code coverage Important?

- A. Because 100% code coverage implies 100% coverage of requirements
- B. Because 100% code coverage guarantees that there are no coding errors
- C. Because code coverage can be used to ensure that all code is exercised by tests
- D. Because code coverage can ensure that all decisions are correctly implemented in the code

**Answer: A**

#### NEW QUESTION 260

Which of the following represents good testing practice for testers, irrespective of the software lifecycle model used?

- A. They should start test analysis when the corresponding development level is complete
- B. They should be involved in reviewing requirements or user stories as soon as drafts are available
- C. They should ensure that the same test objectives apply to each test level
- D. They should minimize the ratio of development levels to test levels to reduce project costs

**Answer: D**

#### NEW QUESTION 262

The following Test Cases have been created for a simple web-based airline booking system. Test Case 1: Search for an item Available Flights

Test Case 2: View selected item in My Flights Test Case 3: Login to the system: Login is accepted

Test Case 4: Select an available flight: item added to My Flights Test Case 5: Print confirmation receipt, then exit Test Case 6: In My Flights, confirm details and book flight

Which of the following is the correct logical order for the test cases?

- A. 6, 3, 1, 4, 2, 5
- B. 3, 4, 1, 2, 5, 6
- C. 3, 2, 1, 4, 6, 5
- D. 3, 1, 4, 2, 6, 5

**Answer:** B

#### NEW QUESTION 266

Which of the following options describe the causal chain in the correct sequence?

- A. Error, fault, failure
- B. Fault, bug, mistake
- C. Mistake, failure, fault
- D. Failure, bug, error

**Answer:** A

#### NEW QUESTION 270

Which one of the following statements about testing techniques is TRUE?

- A. Exploratory testing can replace black box techniques when testing time is very limited
- B. Test execution scheduling should give priority to experienced based testing
- C. Specification based techniques can be used as a substitute for a poorly defined test basis
- D. Experienced based techniques are systematic and produce detailed test documentation

**Answer:** A

#### NEW QUESTION 272

When considering the roles of test leader and tester, which of the following tasks would NOT typically be performed by a tester?

- A. Prepare and acquire the test data
- B. Set up and check the test environment
- C. Write test summary reports
- D. Review tests developed by others

**Answer:** D

#### NEW QUESTION 273

Which of the following would you NOT expect to see on an incident report from test execution?

- A. The version(s) of the software under test
- B. The test execution schedule
- C. Expected results and actual results
- D. Precise steps to reproduce the problem

**Answer:** D

#### NEW QUESTION 276

Which of the following is a Black Box test design technique?

- A. Decision Coverage
- B. Error Guessing
- C. Statement Coverage
- D. Equivalence Partitioning

**Answer:** D

#### NEW QUESTION 280

Which of the following is a defect that is more likely to be found by a static analysis tool than by other testing techniques?

- A. Omission of a major requirement
- B. Inadequate decision coverage
- C. Component memory leakage
- D. Variables that are not used improperly declared

**Answer:** D

#### NEW QUESTION 283

During the development of a software change for a system, the developer makes a mistake in his work, which leads to a fault in the code. Unfortunately the fault is not found by software testing and is released into live. What is the definite consequence of this mistake?

- A. The system will fail, causing a defect
- B. If the defect is executed, the system may fail
- C. Loss of money, time, or business reputation

D. Contractual requirements have not been met by testing

**Answer:** B

**NEW QUESTION 288**

.....

## Relate Links

**100% Pass Your CTFL-Foundation Exam with Exambible Prep Materials**

<https://www.exambible.com/CTFL-Foundation-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>