



## **Microsoft**

### **Exam Questions AZ-700**

Designing and Implementing Microsoft Azure Networking Solutions

## About ExamBible

### *Your Partner of IT Exam*

## Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

## Our Advances

### \* 99.9% Uptime

All examinations will be up to date.

### \* 24/7 Quality Support

We will provide service round the clock.

### \* 100% Pass Rate

Our guarantee that you will pass the exam.

### \* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

### NEW QUESTION 1

- (Exam Topic 1)

You need to configure the default route in Vnet2 and Vnet3. The solution must meet the virtual networking requirements. What should you use to configure the default route?

- A. a user-defined route assigned to GatewaySubnet in Vnet2 and Vnet3
- B. a user-defined route assigned to GatewaySubnet in Vnet1
- C. BGP route exchange
- D. route filters

**Answer:** A

#### **Explanation:**

VNet 1 will get the default from BGP and propagate it to VNET 2 and 3

### NEW QUESTION 2

- (Exam Topic 1)

You need to implement name resolution for the cloud.liwareinc.com. The solution must meet the networking requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### **Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/dns/private-dns-autoregistration>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

### NEW QUESTION 3

- (Exam Topic 1)

You need to implement outbound connectivity for VMSScaleSet1. The solution must meet the virtual networking requirements and the business requirements.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/load-balancer/skus>

<https://docs.microsoft.com/en-us/azure/load-balancer/load-balancer-outbound-connections#outboundrules>

**NEW QUESTION 4**

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.

What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

**Answer:** A

**NEW QUESTION 5**

- (Exam Topic 2)

You are implementing the Virtual network requirements for Vnet6.

What is the minimum number of subnets and service endpoints you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

2, 4

**NEW QUESTION 6**

- (Exam Topic 2)

Which virtual machines can VM1 and VM4 ping successfully? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated

Box 1: VM2, VM3 and VM4.

VM1 is in VNet1/Subnet1. VNet1 is peered with VNet2 and VNet3.

There are no NSGs blocking outbound ICMP from VNet1. There are no NSGs blocking inbound ICMP to VNet1/Subnet2, VNet2 or VNet3. Therefore, VM1 can ping VM2 in VNet1/Subnet2, VM3 in VNet2 and VM4 in VNet3.

Box 2:

VM4 is in VNet3. VNet3 is peered with VNet1 and VNet2. There are no NSGs blocking outbound ICMP from VNet3. There are no NSGs blocking inbound ICMP to VNet1/Subnet1, VNet1/Subnet2 or VNet2 from VNet3 (NSG10 blocks inbound ICMP from VNet4 but not from VNet3). Therefore, VM4 can ping VM1 in VNet1/Subnet1, VM2 in VNet1/Subnet2 and VM3 in VNet2.

**NEW QUESTION 7**

- (Exam Topic 3)

You have an Azure Virtual Desktop deployment that has 500 session hosts. All outbound traffic to the internet uses a NAT gateway.

During peak business hours, some users report that they cannot access internet resources. In Azure Monitor, you discover many failed SNAT connections.

You need to increase the available SNAT connections. What should you do?

- A. Add a public IP address.
- B. Bind the NAT gateway to another subnet.
- C. Deploy Azure Standard Load Balancer that has outbound rules.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource>

**NEW QUESTION 8**

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

**Answer:** B

**NEW QUESTION 9**

- (Exam Topic 3)

You are planning the IP addressing for the subnets in Azure virtual networks. Which type of resource requires IP addresses in the subnets?

- A. Azure Virtual Network NAT
- B. virtual network peering
- C. service endpoints
- D. private endpoints

**Answer:** A

**NEW QUESTION 10**

- (Exam Topic 3)

You have a hybrid environment that uses ExpressRoute to connect an on-premises network and Azure.

You need to log the uptime and the latency of the connection periodically by using an Azure virtual machine and an on-premises virtual machine.

What should you use?

- A. Azure Monitor
- B. IP flow verify
- C. Connection Monitor
- D. Azure Internet Analyzer

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/connection-monitor>

**NEW QUESTION 10**

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that has one subnet. Vnet1 is in the West Europe Azure region.

You deploy an Azure App Service app named App1 to the West Europe region.

You need to provide App1 with access to the resources in Vnet1. The solution must minimize costs. What should you do first?

- A. Create a private link.
- B. Create a new subnet.
- C. Create a NAT gateway.
- D. Create a gateway subnet and deploy a virtual network gateway.

**Answer: B**

**Explanation:**

Virtual network integration depends on a dedicated subnet.

<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integrat> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.

The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App.

Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.

<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>

**NEW QUESTION 12**

- (Exam Topic 3)

You have Azure App Service apps in the West US Azure region as shown in the following table.

You need to ensure that all the apps can access the resources in a virtual network named Vnet1 without forwarding traffic through the internet-How many integration subnets should you create?

- A. 1
- B. 3
- C. 4
- D. 6

**Answer: D**

**NEW QUESTION 13**

- (Exam Topic 3)

You have the Azure environment shown In the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

**NEW QUESTION 15**

- (Exam Topic 3)

You configure a route table named RT1 that has the routes shown in the following table.

You have an Azure virtual network named Vnet1 that has the subnets shown in the following table.

You have the resources shown in the following table.

Vnet1 connects to an ExpressRoute circuit.

The on-premises router advertises the following routes:

\* 0.0.0.0/0

\* 10.0.0.0/16

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 16**

- (Exam Topic 3)

You have the Azure load balancer shown in the Load Balancer exhibit.

LB2 has the backend pools shown in the Backend Pools exhibit.

You need to ensure that LB2 distributes traffic to all the members of VMSS1.  
What should you do?

- A. Add a network interface to VMSS1.
- B. Configure a health probe.
- C. Add a public IP address to each member of VMSS1.

D. Add a load balancing rule.

**Answer:** D

#### NEW QUESTION 17

- (Exam Topic 3)

You are planning an Azure Point-to-Site (P2S) VPN that will use OpenVPN. Users will authenticate by using an on premises Active Directory domain. Which additional service should you deploy to support the VPN authentication?

- A. a certification authority (CA)
- B. a RADIUS server
- C. an Azure key vault
- D. Azure Active Directory (Azure AD) Application Proxy

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/point-to-site-about>

#### NEW QUESTION 18

- (Exam Topic 3)

You have an Azure virtual network named Vnet1.

You need to ensure that the virtual machines in Vnet1 can access only the Azure SQL resources in the East US Azure region. The virtual machines must be prevented from accessing any Azure Storage resources.

Which two outbound network security group (NSG) rules should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an allow rule that has the IP address range of Vnet1 as the source and destination of Sql.EastUS
- B. a deny rule that has a source of VirtualNetwork and a destination of Sql
- C. a deny rule that has a source of VirtualNetwork and a destination of 168.63.129.0/24
- D. a deny rule that has the IP address range of Vnet1 as the source and destination of Storage

**Answer:** CD

#### NEW QUESTION 19

- (Exam Topic 3)

You have an Azure subscription that contains the resources shown in the following table.

The IP Addresses settings for Vnet1 are configured as shown in the exhibit.

You need to ensure that you can integrate WebApp1 and Vnet1.

Which three actions should you perform in sequence before you can integrate WebApp1 and Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

B. Not Mastered

**Answer:** A

**Explanation:**

Text Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet#gateway-required-vnet-integra>

**NEW QUESTION 21**

- (Exam Topic 3)

You have the hybrid network shown in the Network Diagram exhibit.

You have a peering connection between Vnet1 and Vnet2 as shown in the Peering-Vnet1-Vnet2 exhibit.

You have a peering connection between Vnet1 and Vnet3 as shown in the Peering -Vnet1-Vnet3 exhibit.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**

**NEW QUESTION 22**

- (Exam Topic 3)

Azure virtual networks in the East US Azure region as shown in the following table.

The virtual networks are peered to one another. Each virtual network contains four subnets.

You plan to deploy a virtual machine named VM1 that will inspect and route traffic between all the subnets on both the virtual networks.

What is the minimum number of IP addresses that you must assign to VM1?

A. 1

B. 2

C. 4

D. 8

**Answer:** A

**NEW QUESTION 23**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

\* A virtual network named Vnet1

\* A subnet named Subnet1 in Vnet1

\* A virtual machine named VM1 that connects to Subnet1

\* Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any other storage accounts.

Solution: You create a network security group (NSG). You configure a service tag for MicrosoftStorage and link the tag to Subnet1.

Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

#### NEW QUESTION 26

- (Exam Topic 3)

You have an Azure private DNS zone named contoso.com that is linked to the virtual networks shown in the following table.

The links have auto registration enabled.

You create the virtual machines shown in the following table.

You manually add the following entry to the contoso.com zone:

Name: VM1

IP address: 10.1.10.9

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

The manual DNS record will overwrite the auto-registered DNS record so VM1 will resolve to 10.1.10.9. Box 2: No

The DNS record for VM1 is now a manually created record rather than an auto-registered record. Only auto-registered DNS records are deleted when a VM is deleted.

Box 3: No

This answer depends on how the IP address is changed. To change the IP address of a VM manually, you would need to select 'Static' as the IP address assignment. In this case, the DNS record will not be updated because only DHCP assigned IP addresses are auto-registered.

Reference:

<https://docs.microsoft.com/en-us/azure/dns/dns-faq-private>

#### NEW QUESTION 30

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that balances requests to a web app named App1. You need to modify the server variables in the response header of App1.

What should you configure on AppGW1?

- A. HTTP settings
- B. rewrites
- C. rules
- D. listeners

**Answer:** B

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url>

#### NEW QUESTION 34

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 and an on-premises network.

The on-premises network has policy-based VPN devices. In Vnet1, you deploy a virtual network gateway named GW1 that uses a SKU of VpnGw1 and is route-based.

You have a Site-to-Site VPN connection for GW1 as shown in the following exhibit.

You need to ensure that the on-premises network can connect to the route-based GW1. What should you do before you create the connection?

- A. Set Use Azure Private IP Address to Enabled
- B. Set IPsec / IKE policy to Custom.
- C. Set Connection Mode to ResponderOnly
- D. Set BGP to Enabled

**Answer:** A

### NEW QUESTION 37

- (Exam Topic 3)

You have an Azure subscription that contains a single virtual network and a virtual network gateway.

You need to ensure that administrators can use Point-to-Site (P2S) VPN connections to access resources in the virtual network. The connections must be authenticated by Azure Active Directory (Azure AD).

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

### NEW QUESTION 39

- (Exam Topic 3)

You have an Azure application gateway named AGW1 that

has a routing rule named Rule1. Rule 1 directs traffic for <http://www.contoso.com> to a backend pool named Pool1. Pool1 targets an Azure virtual machine scale set named VMSS1.

You deploy another virtual machine scale set named VMSS2. You need to configure

AGW1 to direct all traffic for <http://www.adatum.com> to VMSS2.

The solution must ensure that requests to <http://www.contoso.com> continue to be directed to Pool1. Which three actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add a backend pool.
- B. Modify an HTTP setting.
- C. Add an HTTP setting.
- D. Add a listener.
- E. Add a rule.

**Answer:** ADE

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/configuration-overview>

### NEW QUESTION 44

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network.

You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.

GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity statuses of the tunnel.

RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.

P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

### NEW QUESTION 48

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption. You configure the listener for HTTPS by uploading an enterprise signed certificate. You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal> <https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

**NEW QUESTION 52**

- (Exam Topic 3)

You plan to deploy Azure Virtual WAN.

You need to deploy a virtual WAN hub that meets the following requirements:

- Supports 10 sites that will connect to the virtual WAN hub by using a Site-to-Site VPN connection
- Supports 8 Gbps of ExpressRoute traffic
- Minimizes costs

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Graphical user interface, diagram Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

**NEW QUESTION 57**

- (Exam Topic 3)

You have an Azure subscription that contains multiple virtual machines in the West US Azure region. You need to use Traffic Analytics.

Which two resources should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct answer selection is worth one point.

- A. an Azure Monitor workbook
- B. a Log Analytics workspace
- C. a storage account
- D. an Azure Sentinel workspace
- E. an Azure Monitor data collection rule

**Answer: BC**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics> A storage account is used to store network security group flow logs.

A Log Analytics workspace is used by Traffic Analytics to store the aggregated and indexed data that is then used to generate the analytics.

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics#enable-flow-log-settings>

**NEW QUESTION 62**

- (Exam Topic 3)

You have two Azure virtual networks named Hub1 and Spoke1. Hub1 connects to an on-premises network by using a Site-to-Site VPN connection.

You are implementing peering between Hub1 and Spoke1.

You need to ensure that a virtual machine connected to Spoke1 can connect to the on-premises network through Hub1.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/hybrid-networking/hub-spoke?tabs=>

**NEW QUESTION 67**

- (Exam Topic 3)

You have an Azure firewall shown in the following exhibit.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, text, application, email Description automatically generated

Box 1:

If forced tunneling was enabled, the Firewall Subnet would be named AzureFirewallManagementSubnet. Forced tunneling can only be enabled during the creation of the firewall. It cannot be enabled after the firewall has been deployed.

Box 2:

The "Visit Azure Firewall Manager to configure and manage this firewall" link in the exhibit shows that the firewall is managed by Azure Firewall Manager.

**NEW QUESTION 71**

- (Exam Topic 3)

You have an Azure subscription that contains an Azure App Service app. The app uses a URL of <https://www.contoso.com>.

You need to use a custom domain on Azure Front Door for [www.contoso.com](https://www.contoso.com). The custom domain must use a certificate from an allowed certification authority (CA).

What should you include in the solution?

- A. an enterprise application in Azure Active Directory (Azure AD)
- B. Active Directory Certificate Services (AD CS)
- C. Azure Key Vault
- D. Azure Application Gateway

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-custom-domain-https>

**NEW QUESTION 74**

- (Exam Topic 3)

You have five virtual machines that run Windows Server. Each virtual machine hosts a different web app. You plan to use an Azure application gateway to provide access to each web app by using a hostname of

[www.contoso.com](https://www.contoso.com) and a different URL path for each web app, for example: <https://www.contoso.com/app1>.

You need to control the flow of traffic based on the URL path. What should you configure?

- A. rules
- B. rewrites
- C. HTTP settings
- D. listeners

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/url-route-overview>

**NEW QUESTION 76**

.....

## Relate Links

**100% Pass Your AZ-700 Exam with ExamBible Prep Materials**

<https://www.exambible.com/AZ-700-exam/>

## Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>