

Salesforce

Exam Questions Platform-Developer-I

Platform Developer I



NEW QUESTION 1

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm)

NEW QUESTION 2

A developer has a Visualforce page and custom controller to save Account records. The developer wants to display any validation rule violation to the user. How can the developer make sure that validation rule violations are displayed?

- A. Add custom controller attributes to display the message.
- B. Include <apex:message> on the Visualforce page.
- C. Use a try/catch with a custom exception class.
- D. Perform the DML using the Database.upsert() method.

Answer: B

NEW QUESTION 3


The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

Answer: B

NEW QUESTION 4

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.



```
for(Account a: Trigger.new){
    if(a.AnnualRevenue > 1000000){
        List<Opportunity> oppList = [SELECT Id FROM Opportunity WHERE accountId = :a.Id];
        if(oppList.size() == 0){
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
            loseDate = system.today().addDays(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, It fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use Database.query to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

Answer: CD

NEW QUESTION 5

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm


When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related

artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing.

Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_intro.htm

NEW QUESTION 6

A developer created these three Rollup Summary fields in the custom object, Project_ct,



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered Flow
- B. Formula field
- C. Apex Trigger
- D. Process Builder

Answer: B

NEW QUESTION 7

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

Answer: CDE

NEW QUESTION 8

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

Answer: AB

NEW QUESTION 9

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.


What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

Answer: D

NEW QUESTION 10

A developer created these three Rollup Summary fields in the custom object, Project__c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project.

Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 10

A developer wants to get access to the standard price book in the org while writing a test class that covers an OpportunityLineItem trigger. Which method allows access to the price book?

- A. Use Test.loadData () and a static resource to load a standard price book

- B. Use @TestVisible to allow the test method to see the standard price book.
- C. Use Test,getStandardPricebookid () to get the standard price book ID.
- D. Use @IsTest (SeeAllData=True) and delete the existing standard price book

Answer: C

NEW QUESTION 11

For which three items can a trace flag be configured? Choose 3 answers

- A. Process Builder
- B. Visualforce
- C. Apex Class
- D. Apex Trigger
- E. User

Answer: CDE

NEW QUESTION 14

What are three characteristics of change set deployments? Choose 3 answers

- A. Change sets can only be used between related organizations.
- B. Change sets can be used to transfer records.
- C. Sending a change set between two orgs requires a deployment connection.
- D. Change sets can deploy custom settings data.
- E. Deployment is done in a one-way, single transaction.

Answer: ABE

NEW QUESTION 19

A developer wants to import 500 Opportunity records into a sandbox. Why should the developer choose to use data Loader instead of Data Import Wizard?

- A. Data Loader runs from the developer's browser.
- B. Data Import Wizard does not support Opportunities.
- C. Data Loader automatically relates Opportunities to Accounts.
- D. Data Import Wizard can not import all 500 records.

Answer: B

NEW QUESTION 23

What should be used to create scratch orgs?

- A. Developer Console
- B. Salesforce CLI
- C. Workbench
- D. Sandbox refresh

Answer: B

NEW QUESTION 28

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- B. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- C. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

Answer: A

NEW QUESTION 33

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 35

Which action causes a before trigger to fire by default for Accounts?

- A. Renaming or replacing picklist

- B. Importing data using the Data Loader and the Bulk API
- C. Converting Leads to Contact accounts
- D. Updating addresses using the Mass Address update tool

Answer: B

NEW QUESTION 39

How does the Lightning Component framework help developers implement solutions faster?

- A. By providing an Agile process with default steps
- B. By providing code review standards and processes
- C. By providing device-awareness for mobile and desktops
- D. By providing change history and version control

Answer: C

NEW QUESTION 40

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.valueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

Answer: B

NEW QUESTION 42

What is the result of the following code?

- A. The record will not be created and a exception will be thrown.
- B. The record will be created and a message will be in the debug log.
- C. The record will not be created and no error will be reported.
- D. The record will be created and no error will be reported.

Answer: C

NEW QUESTION 43

Universal Containers has a Visualforce page that displays a table of every Container__c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.
- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 46

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use `Test.loadData()` and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use `Test.loadData()` and reference a JSON file in Documents.

Answer: B

NEW QUESTION 48

AW Computing tracks order information in custom objects called order__c and order_Line__c - Currently, all shipping information is stored in the order__c object. The company wants to expand its order application to support split shipments so that any number of order_Line__c records on a single order__c can be shipped to different locations.

What should a developer add to fulfill this requirement?

- A. Order_shipment_Group__c object and master-detail field on order_Line__c
- B. Order_shipment_Group__c object and master-detail field on order__c
- C. Order_shipment_Group__c object and master-detail field to order__c and Order_Line__c
- D. Order_shipment_Group__c object and master-detail field on order_shipment_Group__c

Answer: C

NEW QUESTION 51

Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 250]){  
    if(thisAccount.Industry == 'Technology'){  
        thisAccount.Is_Tech__c = true;  
    }  
    update thisAccount;  
}
```

which three statements are accurate about debug logs? Choose 3 answers

- A. Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. The maximum size of a debug log is 5 MB.
- C. Only the 20 most recent debug logs for a user are kept.
- D. Debug logs can be set for specific users, classes, and triggers.
- E. System debug logs are retained for 24 hours.

Answer: CDE

NEW QUESTION 54

A business has a proprietary Order Management System (OMS) that creates orders from their website and fulfills the orders. When the order is created in the OMS, an integration also creates an order record in Salesforce and relates it to the contact as identified by the email on the order. As the order goes through different stages in the OMS, the integration also updates it in Salesforce. It is noticed that each update from the OMS creates a new order record in Salesforce. Which two actions will prevent the duplicate order records from being created in Salesforce? Choose 2 answers

- A. Ensure that the order number in the OMS is unique.
- B. Use the order number from the OMS as an external ID.
- C. Use the email on the contact record as an external ID.
- D. Write a before trigger on the order object to delete any duplicates.

Answer: AD

NEW QUESTION 56

A Lightning component has a wired property, searchResults, that stores a list of Opportunities. Which definition of the Apex method, to which the searchResults property is wired, should be used?

- A. @AuraEnabled(cacheable=true)public static List<Opportunity> search(String term) { /* implementation */ }
- B. @AuraEnabled(cacheable=true) public List<Opportunity> search(String term) { /*implementation*/ }
- C. @AuraEnabled(cacheable=false) public static List<Opportunity> search(String term) { /*implementation*/ }
- D. @AuraEnabled(cacheable=false) public List<Opportunity> search(String term) { /*implementation*/ }

Answer: A

NEW QUESTION 60

Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds){  
    List<Lead> result = new List<Lead>();  
    for(Id leadId : leadIds){  
        result.add([SELECT FIELDS(ALL) FROM Lead WHERE Id = :leadId];  
    }  
    return result;  
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

Answer: D

NEW QUESTION 65

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

Answer: D

NEW QUESTION 68

In the Lightning UI, where should a developer look to find information about a Paused Flow Interview?

- A. On the Paused Row Interviews related List for a given record
- B. In the Paused Interviews section of the Apex Flex Queue
- C. In the system debug log by Altering on Paused Row Interview
- D. On the Paused Row Interviews component on the Home page

Answer: B

NEW QUESTION 69

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

Answer: B

NEW QUESTION 74

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

Answer: C

NEW QUESTION 75

Which two events need to happen when deploying to a production org? Choose 2 answers

- A. All triggers must have at least 1% test coverage.
- B. All Apex code must have at least 75% test coverage.
- C. All triggers must have at least 75% test coverage.
- D. All test and triggers must have at least 75% test coverage combined

Answer: AB

NEW QUESTION 76

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. `$Lightning.createComponent`
- B. `<apex:slds/>`
- C. `$Lightning.useComponent`
- D. `$Lightning.use`
- E. `<apex:includeLightning/>`

Answer: ADE

NEW QUESTION 77

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration chat reads task records is periodically reporting errors.

Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with all or None set to false

Answer: C

NEW QUESTION 81

Which Apex class contains methods to return the amount of resources that have been used for a particular governor, such as the number of DML statements?

- A. Exception
- B. Messaging
- C. OrgLimits
- D. Limits

Answer: D

NEW QUESTION 85

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The Apex governor limits might be higher due to the asynchronous nature of the transaction.
- B. The apex governor limits are reset for each iteration of the execute() method.
- C. The Apex governor limits are relaxed while calling the constructor of the Apex class.
- D. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,

Answer: AB

NEW QUESTION 90

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 92

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A. Public class CreditcardPayment extends Payment {public override void makePayment(Decimal amount) { /*implementation*/ } }
- B. Public class CreditCardPayment implements Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- C. Public class CreditCardPayment extends Payment {public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- D. Public class CreditCardPayment implements Payment {public override void makePayment(Decimal amount) { /*Implementation*/ } }

Answer: A

NEW QUESTION 96

Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){
    thisCase.Status = 'Working';
    casesToUpdate.add(thisCase);
}
try{
    Database.update(casesToUpdate,false);
}catch(Exception e){
    System.debug(e.getMessage());
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle any DML exceptions thrown.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle exceptions thrown by governor limits.

Answer: C

NEW QUESTION 100

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your First Try
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Platform-Developer-I Practice Test Here](#)