

Microsoft

Exam Questions PL-400

Microsoft Power Platform Developer



NEW QUESTION 1

- (Exam Topic 1)

You need to add the script for the registration form event handling. Which code segment should you use?

- A. `formContext.data.entity.addOnSave(myFunction)`
- B. `formContext.data.addOnLoad(myFunction)`
- C. `formContext.data.removeOnLoad(myFunction)`
- D. `addOnPreProcessStatusChange`
- E. `formContext.data.isValid()`

Answer: B

Explanation:

Scenario: Information about upcoming tournaments must be pre-located into the registration form when the registration form loads.

`addOnLoad` adds event handlers to the Subgrid `OnLoad` event event. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/grids/gridcontrol/a>

NEW QUESTION 2

- (Exam Topic 2)

You need to identify the execution mode that is being used for the ISV solution reported by User5. Which type of execution mode is in use?

- A. asynchronous
- B. atomicity
- C. transfer
- D. synchronous

Answer: D

Explanation:

User5 receives the error message: 'Endpoint unavailable' during a test of the technician dispatch ISV solution. When you choose to use a synchronous execution mode any failure will be reported back to the user of the application with an Endpoint unavailable error dialog informing the user that the webhook service endpoint may be configured incorrectly or is not available.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/use-webhooks>

NEW QUESTION 3

- (Exam Topic 2)

You need to ensure that Adventure Works Cycle can track information from visitors to bike fairs. What should you create?

- A. A workflow in Dynamics 365 Sales Engagement for capabilities leads
- B. A flow to capture customer data from the bike fair Power Apps in SharePoint and create a lead in Microsoft Teams.
- C. A flow that connects with the bike fair Power Apps to create a lead in Dynamic 365 Sales
- D. A Microsoft flow that generates a new customer record in SharePoint

Answer: C

Explanation:

By using a Dynamics 365 connector, you can create flows that initiate when an event occurs in Dynamics 365, or some other service, which then performs an action in Dynamics 365, or some other service.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-dynamics365>

NEW QUESTION 4

- (Exam Topic 4)

You are creating a model-driven app.

Users need to see only the entities in the app navigation that are relevant to their role and their method of accessing the app.

You need to restrict entities on the sub-areas in the SiteMap.

Which properties should you use? To answer, drag the appropriate properties to the correct requirements. Each property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Answer Area

Properties	Requirement	Property
Client	Ensure that the entity is visible only if the user can create records.	
Offline Availability	Ensure that the entity is not visible if the user is using an on-premises deployment.	
Privileges	Ensure that the entity is visible only if the user is accessing the app with a web browser.	
SKUs		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Privileges

Privileges: This defines whether a subarea is displayed based on privileges available in any security roles that are assigned to the user.

Box 2: SKU

SKUs: Select the versions of Dynamics 365 that display this subarea. Box 3: Client

Client: Select the type of client that displays this subarea. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/create-site-map-app>

NEW QUESTION 5

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A Common Data Service (CDS) environment has two custom entities named Building code and Work item. Building code has a code date custom field and Work item has an elapsed time custom field. Construction workers use a consolidated custom form with data from both entities to fill in their daily work items.

A JavaScript library is used with these custom entities and fields to apply complex logic.

You need to ensure that the JavaScript library continues to function as originally designed if other developers expand the environment.

Solution:

- In the Building code form, add the JavaScript library in the events tab and the Code date field to the non-event dependencies.
- In the Work item form, add the JavaScript library in the Events tab and the Elapsed time field to the non-event dependencies.

Does the solution meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

Instead, in the JavaScript library, add Building code with Code date and Work item with Elapsed time in the dependencies tab.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/web-resource-depe>

NEW QUESTION 6

- (Exam Topic 4)

You need to complete a PowerApps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<resources>

  <code path="scripts/HelloWorldControlWave.js" order="1"/>
  <code path="scripts/HelloWorldControlRandom.js" order="2"/>
  <css path="style/HelloWorldControl.css" order="3"/>

  <html path="HelloWorldControlWaveRandom.htm" order="3"/>
</resources>
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

The order property specifies the order of a flexible item relative to the rest of the flexible items inside the same container.

Reference: https://www.w3schools.com/jsref/prop_style_order.asp

NEW QUESTION 7

- (Exam Topic 4)

A company needs to illustrate the relationships of the entities in Dynamics 365 Sales. You need to select the appropriate tool to show this graphic.

Which tool should you select?

- A. Metadata diagram
B. Sales Insights
C. Power Automate

D. Security model

Answer: A

Explanation:

Visual representation of metadata can be useful, especially when you are trying to describe the relationship between entities in the system. You can use the Metadata Diagram sample code provided for Dynamics 365 Customer Engagement (on-premises) to generate the entity relationship diagrams. You can create a diagram that shows a relationship for just one entity, or a complex diagram that includes dozens of related entities, including custom and system entities. Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/use-metadata-gener>

NEW QUESTION 8

- (Exam Topic 4)

A company implements Dynamics 365 Sales.

An email notification must be sent automatically to the sales manager when a business process completes. You need to ensure that emails are sent.

What should you create on the process completed trigger?

- A. a workflow
- B. an action step
- C. a data step
- D. a Power Automate flow step

Answer: A

Explanation:

When you include a workflow that you want to trigger on Stage Exit of a stage in your business process flow, and that stage is the last stage in the flow, the designer gives the impression that the workflow will be triggered when that stage is completed. Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/customize/businessprocess-flo>

NEW QUESTION 9

- (Exam Topic 4)

A company uses SharePoint for its intranet and other functions. The company has also implemented model-driven apps.

SharePoint users must be able to create contact records in the Common Data Service (CDS), without having to navigate to the model-driven apps.

You need to create a link in SharePoint to open the CDS contact from displaying data from SharePoint. How should you complete the URL? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

http://contoso.crm.dynamics.com/ ? =contact&

=param_1%3DSharePoint&pagetype=

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

https://contoso.crm.dynamics.com/main.aspx?etn=contact&extraqs=param_1%3D&pagetype=entityrecord Box 1: main.aspx
 Example, to open the Active Contacts view. <https://myorg.crm.dynamics.com/main.aspx?etn=contact&pagetype=entitylist&viewid={00000000-0000-0000-0000-000000000000}> Box 2: etn
 Etn: The logical name of the entity. Important: Do not use the etc (entity type code) parameter that contains an integer code for the entity. This integer code varies for custom entities in different organizations.
 Box 3: Extraqs
 Extraqs: Optional for forms. This parameter contains encoded parameters within this parameter.
 When you open a new form by using the URL address, you can include arguments in the extraqs parameter to set field values
 Note: You must encode the parameters passed in the extraqs parameter. To encode the parameters, use encodeURIComponent. To use special characters like "=" or "&" in the parameter values, you must double encode (e.g. to set name to A=B&C, it would be extraqs=name%3DA%253DB%2526C).
 Box 4: entityrecord Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/open-forms-views-dialogs-reports-url> <https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/set-field-values-using-parameters-pas>

NEW QUESTION 10

- (Exam Topic 4)

You have a Common Data Service entity and a model-driven app. The model-driven app integrates with an external system.

You plan to run business logic each time the model-driven app creates a record. Running business logic must not negatively affect model-driven app users.

You need to implement the business logic. What should you use?

- A. Synchronous plug-in registered in the PreOperation stage
- B. Synchronous workflow

C. Asynchronous plug-in registered in the PostOperation stage

Answer: C

Explanation:

The asynchronous service executes long-running operations independent of the main Microsoft Dataverse core operation. This results in improved overall system performance and improved scalability.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/asynchronous-service>

NEW QUESTION 10

- (Exam Topic 4)

You are creating a business process flow for an organization's Request for Quote process. You need to ensure that the business process flow meets the company's requirements.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes to scroll to view content. Select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
Step	The process starts with the receipt of the request for quote.	
Stage	Ensure that credit checks are performed for new users only.	
Custom control	Merge all process paths into the main flow.	
Branching condition		

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Step

Each step represents a field where data can be entered.

Stages tell you where you are in the process, while steps are action items that lead to a desired outcome. Box 2: Branching condition

You can enhance a business process flow with branching. If you have the create permissions on business

process flows, you'll be able create business process flow with multiple branches by using the If-Else logic. Box 3: Stage

Each stage contains a group of steps. Reference:

<https://docs.microsoft.com/en-us/power-automate/business-process-flows-overview> <https://docs.microsoft.com/en-us/power-automate/enhance-business-process-flows-branching>

NEW QUESTION 14

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- > Write a SSIS package to connect to the source and target.
- > Develop the SSIS package to find the records by the Modified on field.
- > Create or update the records in the database instance based on results.

Does the solution meet the goal?

A. Yes

B. No

Answer: B

Explanation:

Instead enable change tracking for entities that will be synchronized, and use the Data Export Service to sync data between the database and Dynamics 365 Sales.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 15

- (Exam Topic 4)

You are building a custom application in Azure to process resumes for the HR department. The app must monitor submissions of resumes.

You need to parse the resumes and save contact and skills information into the Common Data Service. Which mechanism should you use?

- A. Power Automate
- B. Common Data Service plug-in
- C. Web API
- D. Custom workflow activity

Answer: A

Explanation:

Improve operational efficiency with a unified view of business data by creating flows that use Dataverse (Common Data Service has been renamed to Microsoft Dataverse as of November 2020).

For example, you can use Dataverse within Power Automate in these key ways:

Create a flow to import data, export data, or take action (such as sending a notification) when data changes. Instead of creating an approval loop through email, create a flow that stores approval state in an entity, and then build a custom app in which users can approve or reject items.

Reference:

<https://docs.microsoft.com/en-us/power-automate/common-data-model-intro>

NEW QUESTION 19

- (Exam Topic 4)

A bank uses a Common Data Service solution to manage clients.

Bank representatives perform client credit checks while the client is present. Credit checks may take up to five minutes to complete.

Bank policy dictates that the bank representative's app must stay blocked until credit checks are complete. You need to display a model-driven app while credit checks run to ask the bank representative and client to wait for the credit check to complete.

Which function should you use?

- A. Xrm.Navigation.openWebResource("prefix.myPoliteMessage.html")
- B. Xrm.Navigation.openAlertDialog(myPoliteMessage)
- C. Xrm.Utility.openWebResource("prefix_myPoliteMessage.html")
- D. Xrm.Utility.showProgressIndicator(myPoliteMessage)

Answer: D

Explanation:

showProgressIndicator displays a progress dialog with the specified message.

Any subsequent call to this method will update the displayed message in the existing progress dialog with the message specified in the latest method call.

The progress dialog blocks the UI until it is closed using the closeProgressIndicator method. So, you must use this method with caution.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/xrm-utility/showp>

NEW QUESTION 20

- (Exam Topic 4)

A company is preparing to go live with their Dynamics 365Sales solution, but first they need to migrate data from a legacy system. The company is migrating accounts in batches of 1,000.

When the data is saved to Dynamics 365 Sales, the IDs for the new accounts must be output to a log file. You have the following code:

```
1. ExecuteMultipleRequest request = new ExecuteMultipleRequest()
2. {
3.     Settings = new ExecuteMultipleSettings()
4.     {
5.         ContinueOnError = true,
6.         ReturnResponses = false
7.     },
8.     Requests = new OrganizationRequestCollection()
9. };
10. GetAccountData(request.Requests);
11. ExecuteMultipleResponse responseWithResults = (ExecuteMultipleResponse)
    crmSvc.Execute(request);
12. foreach (var responseItem in responseWithResults.Responses)
13. {
14.     . . .
15. }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statement	Yes	No
The developer is able to get access to the newly-created accounts IDs.	☐	☐
If an error occurs, the developer can get access to the request that caused the fault.	☐	☐
If there are errors in the requests, the request will raise an exception at the first error and stop processing.	☐	☐
If there are ten errors in the 1,000 CreateRequest requests, ten responses will be returned from the platform.	☐	☐

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: No

Box 2: Yes

ContinueOnError: When true, continue processing the next request in the collection even if a fault has been returned from processing the current request in the collection. When false, do not continue processing the next request.

ReturnResponses: When true, return responses from each message request processed. When false, do not return responses.

When false, the Responses collection will not be empty if errors are returned. If errors are returned, there will be one response item in the collection for each processed request that returned a fault and Fault will be set to the actual fault that occurred.

Box 3: No

Box 4: Yes

For example, in a request collection that contains six requests where the third and fifth request return faults, the following table indicates what the Responses collection would contain.

ContinueOnError=true, ReturnResponses=false: 2 response items: 2 have Fault set to a value. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/org-service/execute-multiple-reque>

NEW QUESTION 25

- (Exam Topic 4)

You are creating a flow using the Common Data Service (CDS) connector. You need to select the appropriate triggers.

Which triggers should you use? To answer, drag the appropriate triggers to the correct scenarios. Each trigger may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Triggers	Answer Area	
	Scenario	Trigger
Record creation	Choose accounts that are in the USA and send those account contacts an email.	Trigger
Record selection	Contacts that have not been modified in 60 days should no longer be in the system.	Trigger
Record deletion	An area code has been mistyped in all records.	Trigger
Record update		

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Triggers

- Record creation
- Record selection
- Record deletion
- Record update

Answer Area

Scenario

- Choose accounts that are in the USA and send those account contacts an email.
- Contacts that have not been modified in 60 days should no longer be in the system.
- An area code has been mistyped in all records.

Trigger

- Record selection
- Record deletion
- Record update

NEW QUESTION 30

- (Exam Topic 4)

A multinational company requires that all phone numbers be standardized as country code + area code + phone number.

The application design team decides that a custom PowerApps component framework (PCF) control should be used to prompt users for an area code and correctly format the phone number.

You need to get the list of valid area codes when a contact record is opened and before the user enters a new phone number.

In which function should you call `webAPI.retrieveMultipleRecords`?

- A. `notifyOutputChanged`
- B. `init`
- C. `getOutputs`
- D. `updateView`

Answer: D

Explanation:

The `updateView` method will be called when any value in the property bag has changed. This includes field values, data-sets, global values such as container height and width, offline status, component metadata values such as label, visible, etc.

Set the value of the field component to the raw value from the configured field. Note: `webAPI.retrieveMultipleRecords` retrieves a collection of entity records.

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/reference/control/updateview>

NEW QUESTION 31

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A university has implemented Dynamics 365 Customer Engagement. Several departments use opportunity records to bid for funding for projects within their own departments.

Each department's opportunities are not visible to other departments. However, there are times when two departments need to work together on an opportunity.

You need to configure the security to meet the business requirements.

Solution: Create a security role that has organization-level access to opportunities. Give this security role to all members of the two departments who need access.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use access team templates and give access to members in the two departments. Reference:

<https://community.dynamics.com/crm/b/crmdevmigrationconfigandcustomization/posts/access-teams-and-acces>

NEW QUESTION 33

- (Exam Topic 4)

A company is creating a Power Apps portal to collaborate with vendors.

You need to implement custom functionality in the portal by using JavaScript code. Which two portal entities can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Web pages
- B. Web resources
- C. Webforms
- D. Entity lists

Answer: CD

Explanation:

C: The Web Form Step record contains a field named Custom JavaScript that can be used to store JavaScript code to allow you to extend or modify the form's visual display or function.

D: You can add custom Javascripts to Entity lists. Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/add-custom-javascript> <https://docs.microsoft.com/en-us/>

us/powerapps/maker/portals/configure/entity-lists#add-custom-javascript

NEW QUESTION 38

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are designing a one-way integration from the Common Data Service to another system.

You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.

You need to design the integration solution.

Solution: Register a service endpoint in the Common Data Service that connects to an Azure Service Bus queue.

Register a step at the endpoint which runs asynchronously on the record's Create message and in the portoperation stage.

Configure the Azure Function to process records as they are added to the queue. Does the solution meet the goal?

A. Yes

B. No

Answer: A

Explanation:

Microsoft Dataverse supports integration with Azure.

For the Dataverse and Azure connection to work, there must be at least one solution in an Azure Service Bus solution account, where the solution contains one or more service endpoints.

For a queue endpoint contract, a listener doesn't have to be actively listening. Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/azure-integration>

NEW QUESTION 42

- (Exam Topic 4)

A client requires that the system send an email from a button on their customer contact form. You need to call the action from JavaScript.

Which two functions achieve this result? Each correct presents a complete solution. NOTE: Each correct selection is worth one point.

A. Xrm.WebApi.online.createRecord()

B. Xrm.WebApi.online.updateRecord()

C. Xrm.WebApi.online.execute()

D. Xrm.WebApi.online.executeMultiple()

Answer: C

Explanation:

You can execute action using Xrm.WebApi.online.execute in Dynamics 365 CRM V9.0. Reference:

<https://carldesouza.com/calling-a-dynamics-365-action-from-javascript-using-xrm-webapi-online-execute/>

NEW QUESTION 43

- (Exam Topic 4)

An organization implements Dynamics 365 Sales.

You need to trigger a business rule when the main form is saved. What should you do?

A. Write a business rule to trigger on a change of ModifiedOn field.

B. Set the scope of the business rule to one specific form where business rule triggers.

C. Set the scope of the business rule to All Forms.

D. Set the scope of the business rule to Entity.

Answer: D

Explanation:

Set scope of business rule to "Entity" instead of "All Form". This will trigger it on server side. Reference:

[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/dn481574(v=crm.8))

NEW QUESTION 47

- (Exam Topic 4)

Five high schools test a custom app from AppSource. They provide feedback that the Course credit entity should include additional fields that cover information shared by the schools.

You do not have access to each high school organization.

Each high school administrator must be able to apply the updates to the Course credit entity. You need to deliver a custom program that creates the additional fields.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Retrieve the Course credit entity metadata by using RetrieveEntityRequest with LogicalName.	
Retrieve the Course credit entity metadata by using RetrieveEntityRequest with MetadataId.	
Define the AttributeMetadata for each new field.	
Call the CreateAttributeRequest constructor for each new field.	
Call the RetrieveAttributeRequest with LogicalName for each new field.	
Call the login logic.	
Retrieve the Course credit entity metadata by using RetrieveEntityRequest with EntityFilters = Attributes and LogicalName.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Call the login logic.
Step 2: Retrieve the Course credit entity metadata by using RetrieveEntityRequest with EntityFilters = Attributes and LogicalName
The RetrieveEntityRequest.EntityFilters property gets or sets a filter to control how much data for the entity is retrieved.
Step 3: Define the AttributeMetaData for each new field.
Step 4: Call the RetrieveAttributeRequest with LogicalName for each new field.
The RetrieveAttributeRequest contains the data that is needed to retrieve attribute metadata. Reference:
<https://docs.microsoft.com/en-us/dotnet/api/microsoft.xrm.sdk.messages.retrieveentityrequest.entityfilters?view>

NEW QUESTION 49

- (Exam Topic 4)
A company implements Dynamics 365 Sales.
Only sales managers must be able to perform the approval to move high value sales on in the opportunity qualification process. A new field must be created to capture the approval.
You need to create and secure the new field.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create a new field security profile	
Enable auditing in the Approval field.	
Create an access team template and define the access rights for the Opportunity entity.	
Enable change tracking for the Opportunity entity.	
Set the field permissions for the new field to enable read, update, and create, and add the sales manager as a member of the field security profile.	
Enable field security in the Approval field.	
Enable the write privilege on the Opportunity for the sales manager security role and grant the sales manager for the team the sales manager security role.	

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Step 1: Enable field security in the Approval field.

- Enable field security on one or more fields for a given entity.
 - Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams (step 2 and step 3 below).
- Step 2: Create a new field security profile.
Create a new field security profile for the sales manager. Step 3: Set the field permissions...security profile
Step 2 and step 3, example: Configure the security profiles.
- Create the field security profile for sales managers.
 - Go to Settings > Security.
 - Click Field Security Profiles.
 - Click New, enter a name, such as Sales Manager access contact mobile phone, and click Save.
 - Click Users, click Add, select the users that you want to grant read access to the mobile phone number on the contact form, and then click Add.
 - Click Field Permissions, click mobilephone, click Edit, select Yes next to Allow Read, and then click OK.
- Reference:
<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/admin/field-level-security>

NEW QUESTION 52

- (Exam Topic 4)
A university manages grant applications using a model-driven app.
Users report that the message on the Grant Application screen is outdated. The screen shows the following:



Use the drop-down menus to select the answer choice that answers each question based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Which Power Platform capability does the app use to display the message?

Business rule

Logic app

Flow

Plug-in

What should the app maker do to prevent the message from displaying?

Update the field calculation.

Update the rollup field.

Update the automated flow.

Update the business rule.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:
<https://www.loganconsulting.com/blog/how-use-power-automate-trigger-workflows-microsoft-dynamics-crm/>

NEW QUESTION 54

- (Exam Topic 4)
A manufacturing company uses a Common Data Service (CDS) environment to manage their parts inventory across two warehouses modeled as business units and named WH1 and WH2.
Data from the two warehouses is processed separately for each part that has its inventory quantities updates. The company must automate this process, pushing inventory updates from orders submitted to the warehouses. You need to build the automation using Power Automate flows against the CDS database. You must

achieve this goal by using the least amount of administrative effort.
Which flow or flows should you recommend?

- A. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete on orders.
- B. Two automated flows with scope Business Unit, with triggers on Create/Update/Delete and each flow filtering updates from each business unit.
- C. Two scheduled flows, each querying and updating the parts included in orders from each business unit.
- D. One scheduled flow, querying the parts included in orders in both business units.
- E. One automated flow, querying the orders in both business units.
- F. Two scheduled flows, each querying the orders from each business unit.
- G. Two automated flows with scope Organization, with triggers on Create/Update/Delete and filters on WH1 and WH2.
- H. Two automated flow with scope Business Unit, with triggers on Create/Update/Delete on orders and filters on WH1 and WH2.

Answer: H

Explanation:

With the Common Data Service connector, you can create Power Automate flows that are initiated by create and update events within Dataverse. Additionally, you can perform create, update, retrieve, and delete actions on records within Dataverse.

You can use scopes to determine if your flow runs if you create a new record, if a new record is created by a user within your business unit, or if a new record is created by any user in your organization.

Reference:

<https://docs.microsoft.com/en-us/power-automate/connection-cds>

NEW QUESTION 58

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

Enable change tracking for entities that will be synchronized.

Use the Data Export Service to sync data between the database and Dynamics 365 Sales. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Large organizations that synchronize their data with external data sources can now enable entities for change tracking. You can export or retrieve a selected set of data, and then keep the external data warehouse in sync.

The Data Export Service is an add-on service made available on Microsoft AppSource that adds the ability to replicate data from Common Data Service database to an Azure SQL Database store in a customer-owned Azure subscription.

The Data Export Service intelligently synchronizes the entire data initially and thereafter synchronizes on a continuous basis as changes occur (delta changes) in the system.

You can use the Data Export Service with model-driven apps in Dynamics 365, such as Dynamics 365 Sales and Dynamics 365 Customer Service.

Reference:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization> <https://docs.microsoft.com/en-us/power-platform/admin/replicate-data-microsoft-azure-sql-database>

NEW QUESTION 63

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

An organization has an Azure SQL Database instance that must be synchronized daily with data from Dynamics 365 Sales. A large amount of data might need to be synchronized on some days.

You need to reduce the time required to synchronize data. Solution:

- Enable change tracking for entities that will be synchronized.
- Implement a console application that queries for changes.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead use the Data Export Service to sync data between the database and Dynamics 365 Sales. References:

<https://docs.microsoft.com/en-us/power-platform/admin/enable-change-tracking-control-data-synchronization>

NEW QUESTION 66

- (Exam Topic 4)

A company implements Dynamics 365 Customer Service. The company deploys synchronous plug-ins for the PreOperation and PostOperation stages on create and for the PostOperation stage on update for processing different case type.

Users experience errors when updating cases. The plug-in trace log files show that the PosOperation plug-in update of case times out after two minutes.

You perform basic testing and discover that this plug-in is triggered on every update of a case. You examine the code and discover that the plug-in retrieves all columns for the updated case record performing its work.

You need to reduce the number of errors. You need to achieve this goal with the test amount of changes. Solution: In the Plug-in Registration tool, update the plug-

in step and increase the Execution Order. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 68

- (Exam Topic 4)

You have the following JavaScript function: (Line numbers are included for reference only.)

```
01 function displayIconTooltip(rowData, userLCID)
02 {
03     var imgName = "";
04     var tooltip = "Relationship Health";
05     var str = JSON.parse(rowData);
06     var prevrev = str.new_previousyearannualrevenue_Value;
07     var rev = str.revenue_Value;
08     var health = parseFloat(rev) - parseFloat(prevrev);
09     if (health > 0)
10         imgName = "new_good";
11     else if (health == 0)
12         imgName = "new_warm";
13     else
14         imgName = "new_bad";
15     var resultarray = [imgName, tooltip];
16     return resultarray;
17 }
```

The Annual Revenue view column is configured to call the function as shown in the Column Properties exhibit. (Click the Change Column Properties tab.)

Change Column Properties

×

The properties of the selected column are listed below. You can change the width in pixels of the column.

Entity Name:	Account
Column Title:	Annual Revenue
Data Type:	Currency
Name:	revenue
Web Resource	 new_/script/revdisplayicon.js 
Function Name:	displayIconTooltip

Select a width for this column:

 25px

 50px

 75px

 100px

 125px

 150px


 200px

 300px

OK

Cancel

Users report that the icons that appear in the Active Account view are incorrect, as shown in the Active Accounts View exhibit. (Click the Active Accounts View tab.)



Account Name	Annual Revenue	Address 1: Street	Address 2	Address 1: ZIP	Primary Contact	Open Amount
Ac Tellus Suspendisse Foundation	£10,000.00					£0.00
Adipiscing Elit Aliquam Inc.	£15,000.00					£0.00
Adventure Works (sample)	£80,000.00	4405 Balboa Court	Santa Cruz	95486	Nancy Anderson (s...)	£0.00
Aliquet Limited	£8,000.00					£0.00
Aliquet Proin Ltd	£75,000.00					£0.00
Alpine Ski House (sample)	£90,000.00	2313 B Southampton	Missoula	58047	Paul Cannon (sam...)	£30,000.00
Amazon Web Services (AWS)	£5,000.00					£0.00

You need to determine why the incorrect icons are being displayed.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
If the Previous Year Annual Revenue column is in the Active Accounts view but has a null value, the selected imgName is set to new_good for Accounts that have an Annual Revenue greater than 0.	☐	☐
If the Previous Year Annual Revenue column is included in the Active Accounts view, and exception is raised and an error is displayed.	☐	☐
The userLCID can be used to gain access to users' Language settings in personal options and change the tooltip to their chosen language.	☐	☐
The imgName refers to an image that is a URL to an external image file.	☐	☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: No
 parseFloat will return 'NaN' if it's not a number (null and undefined are NaNs). Box 2: No
 Box 3: Yes
 Session.userLCID is the Locale ID for the ASP application. Box 4: Yes
 Reference:
<https://support.microsoft.com/en-us/help/229690/how-to-set-the-asp-locale-id-per-the-browser-s-language-settin>

NEW QUESTION 70

- (Exam Topic 4)
 You are developing a model-driven app for the purchasing department of an organization. You provision a new test environment and a security role. You select users to test the apps and assign the users to a security group named TestSG.
 If the tests succeed, a manager will perform additional testing in the production environment and then publish the app for the organization's purchasing department.
 You need to ensure that the test and production environments are configured correctly. What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scenario	Security artifact
Ensure that only test users can access the test environment.	▼ Set the test environment security group to TestSG. Assign the test users the app security role. Set the test environment security group to TestSG and assign test users the app security role.
Ensure that only the manager can access the app in production.	▼ Set the production environment security group to TestSG. Assign the manager the app security role. Add the manager to the TestSG security group and grant the manager the app security role.
Ensure that test users can access the app in production.	▼ Set the production environment security group to TestSG. Assign the test users the app security role. Set the production environment security group to TestSG and assign test users the app security role.
Ensure that purchasing department users can access the test environment.	▼ Remove the security group TestSG associated with the test environment. Assign all users the app security role. Add all users in the department to the TestSG security group.

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: Set the test environment security group to TestSG and assign test users the app security role.

PowerApps apps use role-based security for sharing. The fundamental concept in role-based security is that a security role contains privileges that define a set of actions that can be performed within the app. All app users must be assigned to one or more predefined or custom roles.

Box 2: Assign the manager the app security role.

Box 3: Set the production environment security group to TestSG Box 4: Add all users in the department to the TestSG security group. Reference:
<https://docs.microsoft.com/en-us/powerapps/maker/model-driven-apps/share-model-driven-app>

NEW QUESTION 71

- (Exam Topic 4)

You work for a multinational company that has Azure and Common Data Service environment in the United States (UTC-7) and Japan (UTC+9).

You create Azure Functions for each location to update key data.

You need to configure the functions to run at 4:00 AM on weekdays at each location.

Which schedule formats should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Location	Timer schedule
United States	▼ 0 0 4 * * 1-5 0 0 7 * * 0-4 0 0 11 * * 1-5 0 0 19 * * 0-4
Japan	▼ 0 0 19 * * 0-4 0 0 4 * * 1-5 0 0 7 * * 1-5 0 0 11 * * 0-4

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: 0 0 4 * * 1-5

Azure Functions uses the NCronTab library to interpret NCRONTAB expressions.

An NCRONTAB expression is similar to a CRON expression except that it includes an additional sixth field at the beginning to use for time precision in seconds:

{second} {minute} {hour} {day} {month} {day-of-week} NCRONTAB time zones

The numbers in a CRON expression refer to a time and date, not a time span. For example, a 5 in the hour field refers to 5:00 AM, not every 5 hours.

The default time zone used with the CRON expressions is Coordinated Universal Time (UTC).

To have your CRON expression based on another time zone, create an app setting for your function app named WEBSITE_TIME_ZONE.

1-5 is weekdays

Box 2: 0 0 4 * * 1-5 Reference:

<https://docs.microsoft.com/en-us/azure/azure-functions/functions-bindings-timer?>

NEW QUESTION 74

- (Exam Topic 4)

A client uses a model-driven app that is deployed by using a managed solution in the production environment. The app contains only entities and UI components and has no custom code or extensions to the platform.

The client needs an exact copy of the app with a different name in the production environment. You need to recreate this app in production without disrupting the end users.

What should you do?

- A. Select the original model-driven app, select Edit, and then select Save As.
- B. Create a new model-driven app
- C. Select the Use existing solution to create the App check box, and then select the solution that contains the original app.
- D. Select the managed solution and select Clone.
- E. Create a new model-driven app, manually add each component, and then recreate its original functions.
- F. Add the original app to a solution, export it as unmanaged, import it into a test environment and rename it, and then deploy it back into production.

Answer: B

Explanation:

The option Use existing solution allow users to select a specific solution for this app. Users can create a whole new design from scratch by not checking check box of use existing solution.

Reference:

<https://www.inogic.com/blog/2019/02/create-model-driven-app-cds-environment/>

NEW QUESTION 76

- (Exam Topic 4)

A company uses five different shipping companies to deliver products to customers. Each shipping company has a separate service that quotes delivery fees for destination addresses.

You need to design a custom connector that retrieves the shipping fees from all the shipping companies by using their APIs.

Which three elements should you define for the custom connector? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Authentication model
- B. Address parameter
- C. OpenAPI definition
- D. Fee parameter
- E. Fee reference

Answer: ABC

Explanation:

C: You can create a custom connector using a OpenAPI definition file or a URL to OpenAPI definition. B: On the Security page you get to choose how to authenticate to the API.

← Connector Name Trefle

1. General > **2. Security** > 3. Definition > 4. Test ✓ Create connector ✕ Cancel

Security

Choose the authentication type and fill in the required fields to set the security for your custom connector. [Learn more](#)

Authentication type

Choose what authentication is implemented by your API *

API Key

[Edit](#)

API Key

Users will be required to provide the API Key when creating a connection

Parameter label *

API Key

Parameter name *

API-nyckel

Parameter location *

Header

[Edit](#)

← General Definition →

A: If you were to create a Custom Connector from scratch, then you would have to study the API you have chosen and type in the URL manually here.

Request

[+ Import from sample](#)

Verb *

The verb describes the operations available on a single path.

GET

URL *

This is the request URL.

`https://trefle.io/api/plants/{id}`

Path

Path is used together with Path Templating, where the parameter value is actually part of the operation's URL.

`* id ...`

Query

Query parameters are appended to the URL. For example, in `/items?id=####`, the query parameter is `id`.

`* token ...`

Headers

These are custom headers that are part of the request.

Body

The body is the payload that's appended to the HTTP request. There can only be one body parameter.

Reference:

<https://carinaclaesson.com/2019/09/06/setting-up-a-custom-connector-from-an-openapi-file-and-utilizing-it-in-p>

NEW QUESTION 81

- (Exam Topic 4)

A financial services company uses the Common Data Service (CDS) to develop solutions. The company uses development and production instances.

You need to move solutions from the development instance to the production instance.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. In the development instance, make changes to the solutions that are deployed in the production instance, export the solutions as managed solutions, and import the managed solutions into the production instance.

B. In the development instance, highlight the solution you want to make changes to, select Clone a Patch, make changes, export the solution, and import the solution into the production instance.

C. Export all managed solutions from the development instance and import the solutions into the production instance.

D. In the production instance, import solutions with the same version number or higher when updating solutions.

Answer: AB

Explanation:

A: When you import a managed solution, all component changes will be brought into the environment in a published state.

B: You can apply patches to either managed or unmanaged solutions and include only changes to entities and related entity assets. Patches do not contain any non-customized system components or relationships that it depends upon because these components already exist in the deployed-to organization. At some point in your development cycle, you can roll up all the patches into a new solution version to replace the original solution that the patches were created from.

Reference:

<https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/import-update-export-solutions> <https://docs.microsoft.com/en-us/power-platform/alm/create-patches-simplify-solution-updates>

NEW QUESTION 82

- (Exam Topic 4)

You need to develop a set of Web API's for a company.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Operation
Implement operations that do not have side effects and may support further composition	Functions Actions Entities
Implement operations that allow side effects, such as data modification	Functions Actions Entities
Implement keyless named structure types that consist of a set of properties	Complex types Entity types Enumeration types

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Box 1: Functions

most functions and services that are stateless and do not have side effects. Box 2: Actions

Actions can have side effects. Box 3: Complex types

Reference:

<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/webapi/use-web-api-actions>

NEW QUESTION 85

- (Exam Topic 4)

You fix a bug in the code of your application, which is currently on version 10.0.2.1. You need to publish an updated version of the solution.

Which version identifier should you use?

A. 10.0.3.1

B. 10.0.2.2

C. 10.1.0.2

D. 11.0.0

Answer: A

Explanation:

The version number are <major>.<minor>.<build>.<revision>.

When we create patches in Dynamics 365, the system will automatically increment the build version (you can overwrite the chosen number when you create the patch). For example, if our solution starts at 1.0.0.0, we export it to become 1.0.0.1. We then create a patch, and the version of the patch is 1.0.1.1. If we export it now, it might become 1.0.1.2. In all cases, the build or version number has been incremented. Patches require the build or version number to increment, but not the major or minor version.

Reference:

<https://carldesouza.com/how-solution-version-numbers-work-in-the-microsoft-power-platform/>

NEW QUESTION 89

- (Exam Topic 4)

A company has a development environment and a production environment. The production environment has several third-party managed and unmanaged solutions that made changes to the Contact main form.

You create a new solution in the development environment. You add the Contact entity and the Contact main form to the solution. You create a custom field on the Contact entity.

What happens when you perform these actions and import the solution into the production environment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Action	Result
Add the field to the middle of an existing section in the Contact main form.	The field is inserted at the start of the existing section. The field is inserted in the middle of the existing section. The field is appended to the end of the existing section. The field is added in a new section.
Create a new section in the Contact main form and add the field to the new section.	The field is inserted at the start of the existing section. The field is inserted in the middle of the existing section. The field is appended to the end of the existing section. The field is added in a new section.
Create a new form and add the field to the middle of an existing section.	The field is inserted at the start of the existing section. The field is inserted in the middle of the existing section. The field is appended to the end of the existing section. The field is added in a new section.

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: The field is appended to the end of the existing section.

When you add new elements to a form that is to be merged, we recommend that you include your new elements within new container elements (tabs or sections). Additions to any container will be appended to the end of the container. For example, fields added to a section will be positioned at the end of the section.

Box 2: The field is added in a new section.

Box 3: The field is inserted in the middle of the existing section Reference:

[https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/gg309329\(v=crm.8\)](https://docs.microsoft.com/en-us/previous-versions/dynamicscrm-2016/developers-guide/gg309329(v=crm.8))

NEW QUESTION 94

- (Exam Topic 4)

An organization plans to set up a secure connector for Power Apps. The App will capture tweets from Twitters about the organization's upcoming product for sales follow-up.

You need to configure security for the app. Which authentication method should you use?

- A. OAuth
B. API key
C. Windows authentication
D. Kerberos authentication
E. Basic authentication

Answer: A

Explanation:

Configure OAuth2 provider settings for portals.

The OAuth 2.0 based external identity providers involve registering an "application" with a third-party service to obtain a "client ID" and "client secret" pair.

The supported providers are:

➤ Microsoft Account

- > Twitter
- > Facebook
- > Google
- > LinkedIn
- > Yahoo

Reference:
https://docs.microsoft.com/en-us/powerapps/maker/portals/configure/configure-oauth2-settings

NEW QUESTION 95

- (Exam Topic 4)
You are troubleshooting Power Apps solutions.
You need to determine the cause for the identified issues.
What is the root cause for each issue? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Issue	Reason
Solution checker does not complete a run for one solution but works for a different solution.	A canvas app in the first solution has errors. The Power Apps checker application user is disabled.
You encounter an error on line three of a web resource as shown below: <pre>var acctnumber = formContext.getAttribute("accountnumber").getValue(); if (acctnumber == 'abc')</pre>	The code uses the following rule: web-avoid-eval The code uses the following rule: web-remove-debug-script The code uses the following rule: web-avoid-modals The code uses the following rule: web-use-strict-mode.

- A. Mastered
B. Not Mastered


Answer: A

Explanation:

Box 1: A canvas app in the first solution has errors.
Failures that occur during background processing of the analysis will fail with 'Couldn't be completed' status and return an error message in the Power Apps portal as well as send email notification to the requestor.

Solutions				
Display name	Created	Version	Managed externally?	Solution check
Draft BPF	6/14/2019	1.0.0		Couldn't be completed

Selecting the portal notification will link to this page of common issues for further troubleshooting. If one of the provided common issues does not resolve the problem, a reference number is also returned. Provide this reference number to Microsoft Support for further investigation.



Box 2: The code uses the following rule: web-use-strict-mode
web-use-strict-mode is able to throw a SyntaxError before the script is executing. Example:
The reason is JavaScript lets you compare different variable types but this can have unexpected results, so by using the strict === it compares the same type and won't have unexpected results this gets a warning
entity.field == "Line1" Reference:
https://docs.microsoft.com/en-us/powerapps/maker/common-data-service/common-issues-resolutions-solution-c

NEW QUESTION 96

- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than once correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You are designing a one-way integration from the Common Data Service to another system.
You must use an Azure Function to update the other system. The integration must send only newly created records to the other system. The solution must support

scenarios where a component of the integration is unavailable for more than a few seconds to avoid data loss.
You need to design the integration solution.
Solution: Register a webhook in the Common Data Service that connects to the Azure Function. Register a step on the webhook which runs synchronously on the record's Create message and in the post-operation stage.
Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
Instead use asynchronous communication. D18912E1457D5D1DDCBD40AB3BF70D5D

NEW QUESTION 99

- (Exam Topic 4)
A company uses Common Data Service (CDS) and manages their engineers using a model-driven app. You create a new reusable custom component using the PowerApps component framework (PCF).
You need to package the custom component to be deployed into the model-driven app.
Which three commands should you run in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- npm install
- msbuild /t:build /restore
- npm start
- npm run build
- pac solution add-reference -path <control path>
- pac solution init -publisher-name <publisher> --publisher-prefix <prefix>
- pac pcf init --namespace <namespace> --name <control name> --template field

Answer Area

<

>

↑

↓

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Step 1: npm install Install Npm
Step 2: pac pcf init ..
Commands for working with Power Apps component framework. It has the following parameters:
> init: Initializes the code component project. It has the following parameters
> namespace: Namespace of the code component.
> name: Name of the code component.
> template: Field or dataset
Step 3: pac solution add-reference
Commands for working with Common Data Service solution projects. It has the following parameters: add-References:
Sets the reference path to the component project folder by passing the path parameter.
Syntax: pac solution add-reference --path <path to your Power Apps component framework project> Reference:
<https://docs.microsoft.com/en-us/powerapps/developer/common-data-service/powerapps-cli>

NEW QUESTION 103

- (Exam Topic 4)
A company has a Common Data Service (CDS) environment. The company creates model-driven apps for different sets of users to allow them to manage and monitor projects.
Finance team users report that the current app does not include all the entities they require and that the existing project form is missing cost information. Cost information must be visible only to finance team users.
You create a security role for finance team users. You need to create a new app for finance team users.
Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Edit the Project main form. Select Save As to create a new Finance Form, add the missing cost fields and remove the fields not relevant to Finance.	
In the Maker portal, share the Finance app and select the Finance Security role.	
Create a new model-driven app. Add the project entity, and select the Finance Security role.	
Create a new model-driven app. Add the project entity, and select the Finance form.	
Enable security roles and select the Finance Security role on the Finance form.	
Select the Finance app from the My Apps page and configure the app to use the Finance Security role.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Step 1: Edit the Project main form. Select Save as..

Step 2: Create a new model-driven app. Add the project entity, and select the Finance form. Step 3: Enable security roles and select the Finance Security role on the Finance

Assign security roles to the main form. Use this to make a main form available to specific groups. Step 4: In the Maker portal, share the Finance app and select the Finance Security role.

Sharing a model-driven app involves two primary steps. First, associate a one or more security role(s) with the app then assign the security role(s) to users.

- > Visit <https://make.powerapps.com>
- > Select a model-driven app and click Share.
- > Select the app then choose a security role from the list. Reference:
<https://docs.microsoft.com/dynamics365/customer-engagement/admin/assign-security-roles-for>

NEW QUESTION 104

- (Exam Topic 4)

A financial institution that has a Dynamics 365 Customer Engagement environment requires that the account balance field from the account entity be visible to specific users only.

You need to set up the field security for the account balance field.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a field security profile.
- B. Set the field to Read-Only and then publish the entity.
- C. Create a security role and add the specific users to the role.
- D. Enable field security and then publish the entity.
- E. Set the field permission Allow Read to Yes and add the users to the members section.

Answer: ADE

Explanation:

To implement field-level security, a system administrator performs the following tasks.

- > Enable field security on one or more fields for a given entity.
- > Associate one more existing security profiles, or create one or more new security profiles to grant the appropriate access to specific users or teams.

A security profile determines the following:

- > Permissions to the secure fields
- > Users and Teams

A security profile can be configured to grant user or team members the following permissions at the field level:

- > Read. Read-only access to the field's data.
- > Create. Users or teams in this profile can add data to this field when creating a record.
- > Update. Users or teams in this profile can update the field's data after it has been created. Reference:
<https://docs.microsoft.com/en-us/power-platform/admin/field-level-security>

NEW QUESTION 109

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-400 Practice Exam Features:

- * PL-400 Questions and Answers Updated Frequently
- * PL-400 Practice Questions Verified by Expert Senior Certified Staff
- * PL-400 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-400 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-400 Practice Test Here](#)