

70-341 Dumps

Core Solutions of Microsoft Exchange Server 2013

<https://www.certleader.com/70-341-dumps.html>



NEW QUESTION 1

HOTSPOT

You need to recommend which configurations must be set for each network. Which configurations should you recommend?

To answer, select the appropriate configurations for each network in the answer area.

Network Name	ReplicationEnabled	MapiAccessEnabled
DAGNET1	<input type="checkbox"/>	<input type="checkbox"/>
DAGNET2	<input type="checkbox"/>	<input type="checkbox"/>

Answer:

Explanation:

Network Name	ReplicationEnabled	MapiAccessEnabled
DAGNET1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DAGNET2	<input type="checkbox"/>	<input checked="" type="checkbox"/>

NEW QUESTION 2

DRAG DROP

You are evaluating the implementation of a second Edge Transport server named EDGE2 in the Amsterdam office.

You need to recommend which tasks must be performed to ensure that email messages can be sent by the organization if a single Edge Transport server fails.

Which three actions should you include in the recommendation?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From EDGE2, run the exportedgeconfig.ps1 script.	
Update the Send connectors on both Edge Transport servers.	
From EDGE1, run the exportedgeconfig.ps1 script.	
Create a new Edge Subscription to EDGE2.	
From EDGE2, run the importedgeconfig.ps1 script.	
Create a new Edge Subscription to EDGE1.	
From EDGE1, run the importedgeconfig.ps1 script.	

Answer:

Explanation: From EDGE1, run the exportedgeconfig.ps1 script. From EDGE2, run the importedgeconfig.ps1 script. Create a new Edge Subscription to EDGE2.

NEW QUESTION 3

An administrator recommends removing EDGE1 from the implementation plan and adding a new Client Access server named CAS-8 instead.

You need to identify which anti-spam feature will NOT be available on CAS-8. Which anti-spam feature should you identify?

- A. Connection Filtering
- B. Sender Filtering
- C. Content Filtering
- D. Recipient Filtering

Answer: A

NEW QUESTION 4

You are testing the planned implementation of Domain Security.

You discover that users fail to exchange domain-secured email messages.

You open the Exchange Management Shell and discover the output shown in the exhibit. (Click the Exhibit button.)

```
Machine: ex2.contoso.com
[PS] C:\Windows\system32>Get-SendConnector adatum | fl

AddressSpaces           : {smtp:adatum.com;1}
AuthenticationCredential : 
CloudServicesMailEnabled : False
Connect                : 
ConnectedDomains        : {}
ConnectionInactivityTimeout : 00:10:00
DNSRoutingEnabled       : True
DomainSecureEnabled     : False
Enabled                 : True
ErrorPolicies           : Default
ForceHELO               : False
Fqdn                   : EX1.Fabrikam.com
FrontendProxyEnabled    : False
HoneMTA                : Microsoft MTA
HoneMtaServerId         : 
Identity               : adatum
IgnoreSTARTTLS          : False
IsScopedConnector       : False
IsSmtplibConnector      : True
MaxMessageSize          : Unlimited
Name                   : adatum
Port                   : 25
ProtocolLoggingLevel    : None
RequireOorg             : False
RequireTLS              : False
SmartHostAuthMechanism  : None
SmartHosts              : {}
SmartHostsString        : 
SmtplibMaxMessagesPerConnection : 20
SourceIPAddress         : 0.0.0.0
SourceRoutingGroup      : Exchange Routing Group (DWBGZHF01QNBJR)
SourceTransportServers  : {EX1}
TlsAuthLevel           : 
TlsCertificateName      : 
TlsDomain               : 
UseExternalDNSServersEnabled : False
```

You need to ensure that users can exchange email messages by using Domain Security. Which two parameters should you modify by using the Set-SendConnector cmdlet? (Each correct answer presents part of the solution. Choose two.)

- A. tlsauthlevel
- B. requiretls
- C. ignorestarttls
- D. tlsdomain
- E. domainsecureenabled
- F. smarthostauthmechanism

Answer: BE

NEW QUESTION 5

You need to recommend which tasks must be performed to meet the technical requirements of the research and development (R&D) department.

Which two tasks should you recommend? (Each correct answer presents part of the solution. Choose two.)

- A. Create a new global address list (GAL) and a new address book policy.
- B. Modify the permissions of the default global address list (GAL), and then create a new GAL.
- C. Run the Update AddressList cmdlet.
- D. Run the Set-Mailbox cmdlet.
- E. Create an OAB virtual directory.

Answer: AD

NEW QUESTION 6

You need to recommend which type of group must be used to create the planned department lists.

Which type of group should you recommend?

- A. Universal Distribution
- B. Dynamic Distribution
- C. Global Security
- D. Universal Security

Answer: A

NEW QUESTION 7


HOTSPOT

You are evaluating a DAG design for the New York and Atlanta offices.

You need to ensure that all of the users in the New York and Atlanta offices can access their mailbox if the WAN link fails.


Which DAG design should you deploy?

To answer, select the appropriate DAG design in the answer area.



Answer:

Explanation:



NEW QUESTION 8

You need to recommend a temporary solution to reroute all of the outbound email messages through the Miami mail appliance during the planned replacement of the New York mail appliance.

What are three possible ways to achieve the goal? (Each correct answer presents a complete solution. Choose three.)

- A. Modify the value of the SmartHost of the Send connector in the New York office.
- B. Increase the cost of the Send connector in the Miami office.
- C. Increase the cost of the Send connector in the New York office.
- D. Decrease the cost of the Send connector in the New York office,
- E. Modify the value of the SmartHost of the Send connector in the Miami office.
- F. Disable the Send connector in the New York office.

Answer: ACF

NEW QUESTION 9

You need to prevent several users in the Miami office from establishing more than two concurrent Exchange ActiveSync connections to the Exchange Server organization. The solution must affect only the users in the Miami office.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a new throttling policy that has the Organization scope.
- B. Create a new throttling policy that has the Global scope.
- C. Create a new throttling policy that has the Regular scope.
- D. Run the Set-ThrottlingPolicyAssociation cmdlet.
- E. Run the Set-ThrottlingPolicy cmdlet.
- F. Remove the default throttling policy.

Answer: CD

NEW QUESTION 10

You need to ensure that all of the email messages sent from the Internet to adatum.com are routed through the contoso.com organization. What should you create in contoso.com? (Each correct answer presents part of the solution. Choose all that apply.)

- A. A contact object for each adatum.com recipient
- B. An internal relay accepted domain for adatum.com
- C. A Send connector that is configured to point to the contoso.com transport servers
- D. A Send connector that is configured to point to the adatum.com transport servers
- E. An authoritative accepted domain for adatum.com

Answer: BD

Explanation: Topic 3, Litware, Inc

Overview

Litware, Inc., is a manufacturing company located in North America.

The company has a main office and two branch offices. The main office is located in Chicago. The branch offices are located in Baltimore and Los Angeles.

Existing Environment

Active Directory Environment

The network contains one Active Directory forest named litwareinc.com. Each office is configured as an Active Directory site.

All domain controllers in the Los Angeles office run Windows Server 2008 R2. All domain controllers in the Chicago office run Windows Server 2003 Service Pack 1 (SP1). All domain controllers in the Baltimore office run Windows Server 2012.

All of the FSMO roles are located on a domain controller in the Baltimore office. All of the domain controllers are configured as global catalog servers.

You have a distribution group for each department. The distribution groups contain all of the users in each respective department.

Network Infrastructure

The servers in each office are configured as shown in the following table.

Office location	Server name	Server role	Exchange Server version
Los Angeles	LA-EX1	Mailbox server	Exchange Server 2010
Los Angeles	LA-EX2	Client Access server Hub Transport server	Exchange Server 2010
Baltimore	BA-EX1	Mailbox server Client Access server Hub Transport server	Exchange Server 2007

The Baltimore and Chicago offices have independent Internet connections. Internet connectivity for the Los Angeles office is provided through Chicago.

Users frequently send large email messages to other users in the company. Recently, you increased the maximum message size to 50 MB.

Planned Changes

The company plans to deploy a new Exchange Server 2013 infrastructure that will contain two Clients Access servers and two Mailbox servers in the Chicago office. The servers will be configured as shown in the following table.

Server name	Server role
CH-EX2	Mailbox server
CH-EX3	Mailbox server
CH-EX4	Client Access server
CH-EX5	Client Access server

All client connections to the Exchange Server organization will be routed through a hardware load balancer. The name client.litwareinc.com will point to the virtual IP address of the hardware load balancer.

Once the transition to Exchange Server 2013 in the Chicago office is complete, all mail flow to and from the Internet will be managed centrally through that office by using a Send connector that has the following configurations:

? Connector name: CH-to-Internet

? Address space: *

? Source servers: CH-EX2, CH-EX3

? Cost: 10

NEW QUESTION 10

HOTSPOT

You need to identify which names must be used as the URLs of each virtual directory on the planned Exchange Server 2013 servers.

Which names should you identify?

To answer, configure the appropriate name for each server in the answer area.

Answer Area

CH-EX2

CH-EX2.litwareinc.com
CH-EX3.litwareinc.com
CH-EX4.litwareinc.com
CH-EX5.litwareinc.com
client.litwareinc.com
outlook.litwareinc.com

CH-EX3

CH-EX2.litwareinc.com
CH-EX3.litwareinc.com
CH-EX4.litwareinc.com
CH-EX5.litwareinc.com
client.litwareinc.com
outlook.litwareinc.com

CH-EX4

CH-EX2.litwareinc.com
CH-EX3.litwareinc.com
CH-EX4.litwareinc.com
CH-EX5.litwareinc.com
client.litwareinc.com
outlook.litwareinc.com

CH-EX5

CH-EX2.litwareinc.com
CH-EX3.litwareinc.com
CH-EX4.litwareinc.com
CH-EX5.litwareinc.com
client.litwareinc.com
outlook.litwareinc.com

Answer:

Explanation:

Answer Area

CH-EX2

CH-EX2.litwareinc.com

CH-EX3.litwareinc.com

CH-EX4.litwareinc.com

CH-EX5.litwareinc.com

client.litwareinc.com

outlook.litwareinc.com

CH-EX3

CH-EX2.litwareinc.com

CH-EX3.litwareinc.com

CH-EX4.litwareinc.com

CH-EX5.litwareinc.com

client.litwareinc.com

outlook.litwareinc.com

CH-EX4

CH-EX2.litwareinc.com

CH-EX3.litwareinc.com

CH-EX4.litwareinc.com

CH-EX5.litwareinc.com

client.litwareinc.com

outlook.litwareinc.com

CH-EX5

CH-EX2.litwareinc.com

CH-EX3.litwareinc.com

CH-EX4.litwareinc.com

CH-EX5.litwareinc.com

client.litwareinc.com

outlook.litwareinc.com

NEW QUESTION 12

You need to recommend changes to the network to ensure that you can deploy the planned Exchange Server 2013 infrastructure. What should you recommend?

- A. Transfer of the FSMO roles to a domain controller in the Chicago office.
- B. Change the forest functional level.
- C. Change the domain functional level.
- D. Change the operating system on one of the domain controllers in the Chicago office

Answer: D

NEW QUESTION 16

You are testing the planned implementation of Exchange Server 2013.

After you begin moving several mailboxes to Exchange Server 2013, you discover that users on the internal network that have been moved are prompted repeatedly for their credentials when they run Microsoft Outlook.

You run the Get-OutlookAnywhere cmdlet on CH-EX4, and receive the following output:

```
SSLOffloading: True
ExternalHostname: Client.litwareinc.com
InternalHostname: CH-EX4.litwareinc.com
ExternalClientAuthenticationMethod: Basic
InternalClientAuthenticationMethod: NTLM
IISAuthenticationMethods: <Basic>
```

You need to prevent the internal users from being prompted for their credentials when they connect to their mailbox by using Outlook. Which property should you modify by using the Set-OutlookAnywhere cmdlet?

- A. IISAuthenticationMethods
- B. InternalHostname
- C. ExternalHostname
- D. ExternalClientAuthenticationMethod

E. InternalClientAuthenticationMethod

Answer: A

NEW QUESTION 21

DRAG DROP

You are planning the upgrade to Exchange Server 2013.

You plan to perform the following tasks:

? Identify the number of email messages sent and received by the users in the current Exchange Server organization.

? Identify how many IOPS are required to provide adequate access to mailboxes for

all of the users in the planned organization.

? Validate that all of the planned servers will meet the IOPS requirements of the planned organization.

You need to identify which tool must be used to achieve each task. Which tools should you identify?

To answer, drag the appropriate tool to the correct task in the answer area. Each tool may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Tools	Answer Area
Exchange Mailbox Server Role Requirements Calculator	Identify the number of email messages sent and received by the users in the current Exchange Server organization. Tool
Microsoft Exchange Server Deployment Assistant	Identify how many IOPS are required to provide adequate access to mailboxes for all of the users in the planned organization. Tool
Microsoft Exchange Server Jetstress 2010	Validate that all of the planned servers will meet the IOPS requirements of the planned organization. Tool
Microsoft Exchange Server Profile Analyzer	

Answer:

Explanation: Box 1: Microsoft Exchange Server Profile Analyzer

Box 2: Exchange Mailbox Server Role Requirements Calculator Box 3: Microsoft Exchange Server JetStress 2010

NEW QUESTION 23

DRAG DROP

You need to create and configure a hierarchical address book (HAB) named Litware to reflect the company's organizational chart.

Which three actions should you perform?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an organizational unit (OU) named Litware.	
Run the Set-OrganizationConfig cmdlet and specify the <i>-hierarchicaladdressbookroot</i> parameter.	
Run the Set-Group cmdlet and specify the <i>-ishierarchicalgroup</i> parameter for each distribution group in the HAB.	
Create a root distribution group named Litware.	
Set the SeniorityIndex parameter of each distribution group in the HAB.	

Answer:

Explanation: Box 1: Create a root distribution group named Litware. Box 2:

Run the **Set-OrganizationConfig** cmdlet and specify the *-hierarchicaladdressbookroot* parameter.

Box 3: Run the Set-Group cmdlet and specify the -ishierarchicalgroup parameter for each distribution group in the HAB.

Topic 4, A.Datum Corporation

Overview

A. Datum Corporation is an airline catering company that has 8,000 users. A. Datum has three main offices. The offices are located in Detroit, Chicago, and New York.

Existing Environment

Active Directory Environment

The network contains an Active Directory forest named adatum.com. The forest contains a single domain. All domain controllers run Windows Server 2012. Each main office contains two domain controllers. Each office is configured as an Active Directory site. The functional level of the forest is Windows Server 2012.

Network Infrastructure

The offices connect to each other by using a dedicated WAN link. Only the office in New York and the office in Detroit connect directly to the Internet. Each office has a firewall.

The public DNS records for A. Datum are configured as shown in the following table.

DNS record name	Record type	Data
Adatum.com	Mail exchanger (MX)	[10] mail.adatum.com
Mail.adatum.com	Host (A)	131.107.1.200
Autodiscover.adatum.com	Alias (CNAME)	Mail.adatum.com
Detroitmail.adatum.com	Host (A)	131.107.2.200
Autodiscover.detroit.adatum.com	Alias (CNAME)	Detroitmail.adatum.com
@	Text (TXT)	V=spf1 ip4:131.107.1.200 -all

The external interface for the firewall in the New York office is configured to use an IP address of 131.107.1.200 and to pass inbound traffic on port 25 and port 443 to EX2.

The external interface for the firewall in the Detroit office is configured to use an IP address of 131.107.2.200 and to pass inbound traffic on port 443 to EX4.

The Active Directory site is configured as shown in the Sites exhibit. (Click the Exhibit button.)

Exchange Server Organization

A. Datum has an Exchange Server 2013 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Role	Site
EX1	Mailbox Client Access	Chicago
EX2	Mailbox Client Access	New York

Each server contains 15 mailbox databases.

Users use the name mail.adatum.com to connect to their mailbox from the Internet. The users use the FQDN of the servers to connect from the internal network. AM of the users in the Detroit office have a mailbox hosted on EX2.

The default email address policy contains a single email address format of @adatum.com. A separate Send connector exists for the Chicago office and the New York office. The local

servers in each office are the only source servers in each Send connector.

The New York office is configured as a hub site. Antimalware filtering is disabled on EX1 and EX2.

Problem Statements

A. Datum identifies the following issues:

? Users in the Detroit office report that sometimes, Microsoft Outlook takes a long time to open.

? During a recent storage failure, administrators failed to restore the latest backup and lost all of the email messages from the previous 48 hours.

? Users report that the email messages sent to some Internet domains are not received. Users in the Chicago office report that some of their email messages generate a non-delivery report (NDR).

? The help desk in the New York office reports that its most common Exchange- related task is to restore email messages that were deleted by users more than 14 days ago. The task requires time-consuming restore operations by the help desk.

Requirements

Business Requirements

A. Datum wants to provide users with the ability to access their email from Internet Explorer 10, even when the users are disconnected from the network. This ability must only be available if the users log on to Outlook Web Access by using the Private option.

Planned Changes

You plan to deploy three additional Exchange Server 2013 servers. The servers will be configured as shown in the following table.

Server name	Role	Site
EX3	Mailbox	Detroit
EX4	Client Access	Detroit
EX5	Client Access	New York

After the planned deployment, all of the mailboxes of the Detroit office users will be moved to EX3. All of the Detroit office users will use the name detroitmail.adatum.com when they connect from the Internet and the name ex4.adatum.com when they connect from the internal network.

Technical Requirements

A. Datum identifies the following technical requirements:

? All existing and future mailboxes must be limited to 5 GB of storage.

? Antimalware and anti-spam filtering must be enabled for the entire Exchange Server organization.

? If storage for the mailbox database fails, administrators must be able to recover email messages handled by transport services for to the last five days.

? Only the members of a group named Executives must be able to schedule meetings in a room mailbox named Boardroom. Meeting requests must not be moderated.

? All of the servers in the New York office that have the Client Access server role

installed must be accessed by using a load balancing solution that can mark a server as down if a specific URL on the server is unavailable.

Mailbox Creation Requirements

A. Datum identifies the following requirements for creating new mailboxes:

? All mailboxes must automatically have single item recovery enabled.

? All mailboxes must automatically have the Exchange ActiveSync feature disabled.

NEW QUESTION 27

DRAG DROP

You need to recommend a solution to meet the mailbox creation requirements.

Which three actions should you recommend performing in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions	Answer Area
Copy the ScriptingAgentConfig.xml file to all of the Mailbox servers.	
Run the Enable-CmdletExtensionAgent "Scripting Agent" command.	
Run the Set-CmdletExtensionAgent "Scripting Agent" command.	
Copy the ScriptingAgentConfig.xml file to all of the Client Access servers.	
Edit the ScriptingAgentConfig.xml.sample file, and then rename the file as ScriptingAgentConfig.xml.	

Answer:

Explanation: Edit the ScriptingAgentConfig.xml.sample file, and then rename the file as ScriptingAgentConfig.xml.

Copy the ScriptingAgentConfig.xml file to all of the Mailbox servers Run the Enable-CmdletExtensionAgent "Scripting Agent" command

NEW QUESTION 30

DRAG DROP

You are evaluating the planned deployment of the additional Exchange Server 2013 servers.

You need to meet the technical requirement for installing all of the anti-spam agents and for enabling antimalware filtering.

What should you do? (To answer, drag the appropriate servers to the correct locations. Each server may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Servers	Answer Area
EX1	Server
EX2	Servers on which to install all of the anti-spam agents. Server
EX3	Server
EX4	Server
EX5	Servers on which to enable antimalware filtering. Server
	Server

Answer:

Explanation:

Servers	Answer Area
EX1	EX1
EX2	Servers on which to install all of the anti-spam agents. EX2
EX3	EX3
EX4	EX1
EX5	EX2
	EX3

NEW QUESTION 32

HOTSPOT

You need to recommend a solution to meet the business requirements for users accessing their email messages.

Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)

Answer Area

PrivateComputersOnly

\$true

Answer Area

PrivateComputersOnly

Set-CASMailbox
Set-ClientAccessArray
Set-OutlookProvider
Set-OWAVirtualDirectory

-AllowOfflineOn
-DirectFileAccessOnPrivateComputersEnabled
-OrganizationEnabled
-WSSAccessOnPrivateComputersEnabled

\$true

-LogonPagePublicPrivateSelectionEnabled
-PlacesEnabled
-PremiumClientEnabled
-PublicFoldersEnabled

Answer:

Explanation:

Answer Area

PrivateComputersOnly

Set-CASMailbox
Set-ClientAccessArray
Set-OutlookProvider
Set-OWAVirtualDirectory

-AllowOfflineOn
-DirectFileAccessOnPrivateComputersEnabled
-OrganizationEnabled
-WSSAccessOnPrivateComputersEnabled

\$true

-LogonPagePublicPrivateSelectionEnabled
-PlacesEnabled
-PremiumClientEnabled
-PublicFoldersEnabled

NEW QUESTION 33

You need to recommend a solution to resolve the issue of email messages not being received on the Internet.

What should you include in the solution?

- A. Modify the CNAME record.
- B. Add an MX record.
- C. Modify the TXT record.
- D. Add a pointer (PTR) record.

Answer: D

NEW QUESTION 35

HOTSPOT

You need to recommend a solution to meet the technical requirements for mailbox size restrictions.

Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)

Answer Area

5GB

Get-Mailbox
Get-MailboxDatabase
Set-Mailbox
Set-MailboxDatabase

Get-Mailbox
Get-MailboxDatabase
Set-Mailbox
Set-MailboxDatabase

-IssueWarningQuota
-ProhibitSendQuota
-ProhibitSendReceiveQuota

Answer:

Explanation:

Answer Area

<input type="text"/> Get-Mailbox Get-MailboxDatabase Set-Mailbox Set-MailboxDatabase	<input type="text"/> Get-Mailbox Get-MailboxDatabase Set-Mailbox Set-MailboxDatabase	<input type="text"/> 5GB -IssueWarningQuota -ProhibitSendQuota -ProhibitSendReceiveQuota
--	--	---

NEW QUESTION 37

HOTSPOT

You need to recommend which command must be run to remove the email notifications from all of the servers if App1 malfunctions again. Which command should you recommend? (To answer, configure the appropriate options in the answer area.)

Answer Area

<input type="text"/> Get-Message Get-Queue Get-QueueDigest Get-TransportService	<input type="text"/> Get-MessageTrackingLog Get-MessageTrackingLogReport Get-Queue Suspend-Queue	<input type="text"/> Get-Message Redirect-Message Resume-Queue Search-MessageTrackingReport
---	--	---

-ResultSize unlimited | Where {\$_Subject -eq "System Alert: Sales Database Reaching Capacity"} |

-WithNDR \$False

 Redirect-Message
 Remove-Message
 Redirect-Message
 Suspend-Message

Answer:

Explanation:

Answer Area

<input type="text"/> Get-Message Get-Queue Get-QueueDigest Get-TransportService	<input type="text"/> Get-MessageTrackingLog Get-MessageTrackingLogReport Get-Queue Suspend-Queue	<input type="text"/> Get-Message Redirect-Message Resume-Queue Search-MessageTrackingReport
---	--	---

-ResultSize unlimited | Where {\$_Subject -eq "System Alert: Sales Database Reaching Capacity"} |

-WithNDR \$False

 Redirect-Message
 Remove-Message
 Redirect-Message
 Suspend-Message

NEW QUESTION 39

You need to recommend a solution to resolve the issue of the human resources department manager. What should you include in the recommendation?

- A. Run Set-ADServerSettings -ConfigurationDomainController dcl.proseware.com on all of the Exchange servers in the London site.
- B. Move the PDC emulator to the New York office.
- C. Modify the replication interval on the Active Directory site link.
- D. Schedule a task that runs the Update-AddressList command to run once per hour.

Answer: C

NEW QUESTION 44

You need to recommend a solution to resolve the issue for the London office users. What should you do?

- A. Modify the properties of the OAB virtual directory.
- B. Create a new address book policy.
- C. Modify the properties of the default offline address book (OAB).
- D. Create a new arbitration mailbox.

Answer: D

NEW QUESTION 45

DRAG DROP

You need to recommend a solution to deploy the Outlook app.

Which three actions should you recommend performing in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Answer Area
Run the Set-App cmdlet.
Run the Get-App cmdlet.
Install the Outlook app.
Run the \$Data=Get-Content -Path "C:\Apps\SocialMediaApp.xml" -Encoding Byte -ReadCount 0 command.
Run the New-App -FileData \$Data command.

Answer:

Explanation: Install the Outlook app. Run the Get-App cmdlet. Run the Set-App cmdlet.

NEW QUESTION 50

You need to recommend which actions must be performed to meet the technical requirements for the new Contoso users. u recommend? (Each correct answer presents part of the solution. Choose three.)

- A. Configure UPN suffix routing.
- B. Configure Contoso to trust Proseware.
- C. Configure Proseware to trust Contoso.
- D. Run the New-Mailbox cmdlet and specify the –AccountDisabled parameter.
- E. Run the New-Mailbox cmdlet and specify the –LinkedMasterAccount parameter.
- F. Create a linked role group.

Answer: ACE

Explanation: Topic 6, Trey Research

Overview

Trey Research is a pharmaceutical company that has 10,000 users. Most of the users work remotely, including the users in the finance department. The finance department users reside in an organizational unit (OU) named Finance.

Trey Research purchases a partner pharmaceutical company named Fabrikam, Inc. Fabrikam has 2,000 users and hosts its own Exchange Server 2010 organization.

Existing Environment

Active Directory Environment

The network of Trey Research contains an Active Directory forest. The forest contains an empty parent domain named treyresearch.com and a child domain named main.treyresearch.com. The forest contains one site named DefaultSite.

The Trey Research network and the Fabrikam network connect to each other by using a WAN link. A two-way trust exists between the Trey Research and Fabrikam networks.

Trey Research Exchange Server Organization

Trey Research has an Exchange Server 2013 organization that contains four servers. The servers are configured as shown in the following table.

Server name	Role
EX1	Mailbox
EX2	Mailbox
EX3	Client Access
EX4	Mailbox Client Access

EX1 and EX2 are the members of a database availability group (DAG) named DAG1. Trey Research has three databases named DB1, DB2, and DB3. DB1 and DB2 replicate

between all of the servers in DAG1. DB3 is mounted on EX4.

The storage on EX1 and EX2 is configured as shown in the following table.

Volume name	Contents
Volume1	DB1
Volume2	DB2
Volume3	Empty

The Exchange Server 2013 servers at Trey Research are configured as follows:

- ? EX3 and EX4 perform spam filtering.
- ? The public folder hierarchy mailbox is homed on DB3.
- ? Each mailbox database contains a public folder mailbox.
- ? HTTP traffic is load balanced by using a Layer 4 hardware load balancer.
- ? The hardware load balancer uses the OWA virtual directory for health monitoring.
- ? On EX1 and EX2, the mailbox database files and log files are stored on volume mount points.

? IMAP is enabled on EX4 to download email messages for a custom help desk application.
? Remote users access their mailbox by using Outlook Web App and Exchange ActiveSync.
? The custom help desk application uses a service account that has a display name of Help Desk and an SMTP address of helpdesk@tresearch.com.
Fabrikam Exchange Server Organization
Fabrikam has an Exchange Server 2010 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Role
FAB1	Hub Transport Client Access Mailbox
FAB2	Edge Transport

Fabrikam plans to implement the address rewrite feature to change the SMTP domain name of all outbound email to use the tresearch.com SMTP suffix.

Problem Statements

Trey Research identifies the following issues:

- ? Recently on EX2, Volume1 failed for three days. Once the volume was repaired, reseeding the database from EX1 took more than six hours.
- ? You recently discovered that when the MExchangeOWAAppPool application pool on EX3 was in a stopped state, the hardware load balancer marked EX3 as offline.
- ? Users report that during the installation of updates on the Exchange Server 2013 servers, the users lost access to their mailbox and were unable to modify public folders.
- ? Several finance department users store sensitive data on their mobile device. The legal department requires that Exchange ActiveSync be disabled for all of the finance department users.
- ? An Active Directory administrator reports that the domain controllers in the tresearch.com domain are overused. The administrator requests that the Exchange Server 2013 servers only use the domain controllers in the main.tresearch.com domain.

Requirements

Business Goal

The legal department requires that the finance department users have a segmented view of the global address list (GAL) that only shows recipients in the finance department

Planned Changes

Trey Research plans to implement the following spam confidence level (SCL) configurations:

- ? Block email messages when the SCL score is 9.
- ? Move the email messages to the postmaster mailbox when the SCL score is 7.
- ? Block email messages and send a non-delivery report (NDR) when the SCL score is 8.

Resource Utilization Requirements

Users report that their connection to Outlook Web App is slow since the deployment of IMAP on EX4. The users do not report that they experience performance issues when they use their mobile device.

Trey Research reports that the IMAP service is not business critical and must not have a higher priority over hardware resources than Outlook Web App. On EX4, Outlook Web App has the same priority over hardware resources as Exchange ActiveSync.

NEW QUESTION 55

You need to ensure that if a volume fails on EX2 again, a mailbox database copy is recreated automatically on a different volume.
Which command should you run?

- A. Set-MailboxDatabase
- B. Set-MailboxDatabaseCopy
- C. Set-DatabaseAvailabilityGroup
- D. Set-MailboxAutoRcplyConfiguration

Answer: C

NEW QUESTION 60

You need to configure the address books to meet the business goal for the finance department.
Which four cmdlets should you use?

- A. Set-MailUser, New-OfflineAddressBook, New-AddressBookPolicy, and New-GlobalAddressList
- B. Set-MailUser, New-OfflineAddressBook, New-GlobalAddressList, and New-AddressList
- C. Set-Mailbox, New-DistributionGroup, New-AddressBookPolicy
- D. and New-AddressList
- E. Set-Mailbox, New-AddressBookPolicy, New-GlobalAddressList, and New-AddressList

Answer: D

NEW QUESTION 63

You need to recommend a solution to resolve the issue of domain controller overuse. Which cmdlet should you include in the recommendation?

- A. Set-ExchangeServer
- B. Set-OrganizationConfig
- C. Set-ADServerSettings
- D. Set-AuthConfig

Answer: A

NEW QUESTION 67

HOTSPOT

You need to ensure that the help desk application can use EX4 as an SMTP relay to send email messages. The solution must ensure that the sender of the email messages is displayed as Help Desk.

What authentication and permission group should you configure for the Receive Connector? (To answer, configure the appropriate options in the answer area.)

Answer Area

Authentication:

Permission group:

Answer Area

Authentication:
Basic authentication
Exchange Server authentication
Externally secured (for example, by using IPsec)
Integrated Windows authentication
Transport Layer Security (TLS)

Permission group:
Anonymous users
Exchange servers
Exchange Server users
Legacy Exchange servers
Partners

Answer:

Explanation: **Answer Area**

Authentication:
Basic authentication
Exchange Server authentication
Externally secured (for example, by using IPsec)
Integrated Windows authentication
Transport Layer Security (TLS)

Permission group:
Anonymous users
Exchange servers
Exchange Server users
Legacy Exchange servers
Partners

NEW QUESTION 72

HOTSPOT

You create a workload management policy named EX4.

You need to create a new workload policy to resolve the hardware resources issue on EX4. Which commands should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

New-WorkloadPolicy IMAP -WorkloadType IMAP –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification

New-WorkloadPolicy OWA -WorkloadType OWA –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification

Answer Area

New-WorkloadPolicy IMAP -WorkloadType IMAP –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification
Customer Expectation
Discretionary
Internal Maintenance
Urgent

New-WorkloadPolicy OWA -WorkloadType OWA –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification
Customer Expectation
Discretionary
Internal Maintenance
Urgent

Answer:

Explanation: Answer Area

New-WorkloadPolicy IMAP -WorkloadType IMAP –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification

Customer Expectation
Discretionary
Internal Maintenance
Urgent

New-WorkloadPolicy OWA -WorkloadType OWA –
WorkloadManagementPolicy EX4 IMAP –WorkloadClassification

Customer Expectation
Discretionary
Internal Maintenance
Urgent

NEW QUESTION 74

You have an Exchange Server 2013 organization that contains an accepted domain named contoso.com. A partner company has an Exchange Server 2013 organization named nwtraders.com. Nwtraders.com contains an SMTP server named mail.nwtraders.com. Both organizations only use certificates from the same trusted third-party certification authority (CA). You need to ensure that all email messages received from the SMTP domain named nwtraders.com are protected by using mutual TLS. What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

Answer Area

Set-DeliveryAgentConnector
Set-ReceiveConnector
Set-TransportConfig

-SourceTransportServers
-TlsDomainCapabilities
-TLsReceiveDomainSecureList
-TLsSendDomainSecureList

Contoso.com
Mail.nwtraders.com
nwtraders.com

Answer:

Explanation: Answer Area

Set-DeliveryAgentConnector
Set-ReceiveConnector
Set-TransportConfig

-SourceTransportServers
-TlsDomainCapabilities
-TLsReceiveDomainSecureList
-TLsSendDomainSecureList

Contoso.com
Mail.nwtraders.com
nwtraders.com

NEW QUESTION 76

You have an Exchange Server 2013 organization and a Microsoft Office 365 tenant that are configured for hybrid coexistence. Five hundred users have mailboxes in the Exchange Server 2013 organization. Six hundred users have mailboxes in Office 365. You need to implement a mailbox solution for the support department. The solution must meet the following requirements: All users must be able to send email messages to a dedicated mailbox for support. All of the users from the support department must be able to log on to the dedicated support mailbox and read the email messages in the mailbox. All of the users from the support department must be able to reply to the email messages sent to the dedicated support mailbox. The replies must identify to the name of the user replying. Must apply the principle of least privileges. What should you do? To answer, select the appropriate options in the answer area.

Answer area

Type of mailbox:

Linked Mailbox
User Mailbox
Public Folder Mailbox

Mailbox permission:

Read and Send As
Read and Send on Behalf of
Full Access and Send As
Full Access and Send on Behalf of

Answer:

Explanation: References:

<https://support.office.com/en-us/article/give-mailbox-permissions-to-another-user-in-office-365-admin-help-1db>

NEW QUESTION 81

You have an Exchange Server 2013 organization that contains three servers. The servers are configured as shown in the following table.

Server name	Role	Active Directory site
EX1	Mailbox Client Access	Chicago
EX2	Mailbox Client Access	Seattle
EX3	Mailbox Client Access	Dallas

All of the servers are part of a database availability group (DAG) named DAG1. The databases are configured as shown in the following table.

Database name	Mounted on server
DB1	EX1
DB2	EX2

All of the databases replicate between all the members of DAG1. You plan to move all mailboxes from DB1 to DB2. You need to ensure that the passive copies of DB1 are in a healthy state before you move the mailboxes. Which command should you run? (To answer, select the appropriate options in the dialog box in the answer area.)

Answer Area

Set-MailboxServer
Set-MailboxDatabase
Set-MailboxDatabaseCopy
Set-DatabaseAvailabilityGroup

DB1
EX1
DAG1

-DataMoveReplicationConstraint

-SecondDatacenter
-AllDatacenters
-SecondCopy

Answer:

Explanation:

Answer Area

Set-MailboxServer
Set-MailboxDatabase
Set-MailboxDatabaseCopy
Set-DatabaseAvailabilityGroup

DB1
EX1
DAG1

-DataMoveReplicationConstraint

-SecondDatacenter
-AllDatacenters
-SecondCopy

NEW QUESTION 82

You have an Exchange Server 2013 organization.


You need to ensure that an administrator named Admin1 receives a daily email message that contains a log of all the Exchange Server administrative actions. Which cmdlet should you use in a scheduled task?

- A. Set-AdminAuditLogConfig
- B. Write-AdminAuditLog
- C. New-AdminAuditLogSearch
- D. Search-AdminAuditLog

Answer: C

NEW QUESTION 87

Your company has an Exchange Server 2013 organization. All servers have the Client Access server role and the Mailbox server role installed. The DNS Manager is shown in the exhibit. (Click the Exhibit button.)



Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

The server named [answer choice] receives all incoming email from the Internet.

To load balance the inbound SMTP communication between two Exchange servers, [answer choice]

Answer Area

The server named [answer choice] receives all incoming email from the Internet.

To load balance the inbound SMTP communication between two Exchange servers, [answer choice]

Answer:

Explanation: Answer Area

The server named [answer choice] receives all incoming email from the Internet.

To load balance the inbound SMTP communication between two Exchange servers, [answer choice]

NEW QUESTION 88

Your company has two data centers named Main1 and Main2. Each data center connects directly to the Internet and has a link to the other data center. All servers run Windows Server 2012 R2.

The network contains an Active Directory forest. Each data center is configured as an Active Directory site. You plan to deploy two Exchange Server 2013 servers to each data center. Each data center will host 500 user mailboxes for its respective users. All of the users will connect remotely to access their mailbox.

You need to recommend a deployment solution that meets the following requirements:

The users from both data centers must be able to access their mailbox if the link between the data centers fails.

The users from both data centers must be able to access their mailbox if a single server fails.

The solution must minimize manual intervention if a site fails.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. two database availability groups (DAGs) that each contains one server from each data center
- B. one database availability group (DAG) that contains all of the servers
- C. two database availability groups (DAGs) that each contains all of the servers
- D. one database availability group (DAG) that contains all of the servers in Main1 and one DAG that contains all of the servers in Main2.

Answer: B

Explanation:

References:

[https://technet.microsoft.com/en-us/library/dd638129\(v=exchg.150\).aspx](https://technet.microsoft.com/en-us/library/dd638129(v=exchg.150).aspx)

NEW QUESTION 90

Your network contains an Active Directory forest named contoso.com.

The forest contains the domain controllers configured as shown in the following table.

Domain controller name	Active Directory domain	Active Directory site	Operations master role
DC1	Contoso.com	East	Domain naming, PDC emulator, RID master
DC2	Contoso.com	West	Schema master, infrastructure master
DC3	Contoso.com	West	Not applicable
DC4	Operations.contoso.com	West	PDC emulator, RID master
DC5	Operations.contoso.com	West	Infrastructure master

You plan to deploy an Exchange Server 2013 organization to the forest

A company policy prevents administrators from logging on to DC2 to perform installations. You need to prepare the Active Directory schema for the planned Exchange Server deployment.

You verify that your user account has all the required permissions to achieve the task. The solution must minimize changes to the Active Directory infrastructure.

- A. Move the schema master role to DC1, and then run Exchange setup.
- B. Deploy a member server to contoso.com, and then move the server to the West sit
- C. Run adprep.exe from the member server.
- D. Log on to DC3 and then run Exchange setup.
- E. Log on to any server in the West site, and then run Exchange setup.

Answer: A

NEW QUESTION 93

You have an Exchange Server 2013 organization that contains five servers.

Your company has a finance department, a marketing department, and a research department.

Users in the marketing department are prevented from creating more than two Exchange ActiveSync device associations.

You have a user named User5 in the finance department.

You need to prevent User5 from creating more than two Exchange ActiveSync device associations. Which cmdlet should you use?

- A. Set-ThrottlingPolicyAssociation
- B. Set-ResourcePolicy
- C. Set-ActiveSyncMailboxPolicy
- D. Set-CASMailbox

Answer: A

NEW QUESTION 97

You plan to deploy three Exchange Server 2013 servers. Each server has eight 1-TB internal hard disk drives for mailbox database storage. All of the mailbox databases will replicate to all of the servers.

You need to recommend a disk configuration for the servers that meets the following requirements:

Users must be able to access their mailbox if a single disk fails.

The amount of space available for mailbox data must be maximized.

Which disk configuration should you use on each server?

- A. JBOD
- B. RAID 5
- C. RAID 1
- D. RAID 10

Answer: B

NEW QUESTION 101

You have an Exchange Server 2013 organization named fabrikam.com.

You have a distribution group named DL1 and a user named User1. The managedBy attribute of DL1 is fabrikam.com\users\User1.

User1 attempts to add a user named User2 to DL1 and receives the following error message: "Changes to the public group membership cannot be saved. You do not have sufficient permissions to perform this operation on this object."

You need to ensure that User1 can add User2 to DLL

What are two possible ways to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

- A. From Exchange Management Shell, run New-ManagementRoleAssignment -Name "Default Role Assignment Policy- MyDistributionGroupMembership" -Policy "Default Role Assignment Policy"-Role "MyDistributionGroupMembership"
- B. From Exchange Admin Center, edit the Default Role Assignment Policy and select MyDistributionGroups
- C. From Exchange Management Shell, run New-ManagementRoleAssignment -Name "Default Role Assignment Policy-MyDistributionGroups" -Policy "Default Role Assignment Policy" -Role "MyDistributionGroups".
- D. From Exchange Admin Center, edit the Default Role Assignment Policy and select MyDistributionGroupMembership.

Answer: AC

NEW QUESTION 103

Your network contains an Active Directory forest named contoso.com. The forest contains two domains named contoso.com and nwtraders.com.

You plan to deploy a new Exchange Server 2013 organization named Contoso.

You need to ensure that you can deploy the first Exchange Server 2013 server to the forest root domain. What command should you run before you deploy the first Exchange Server 2013 server? (To answer, select the appropriate options in the answer area.)

Answer Area

Setup.exe

Answer Area

Setup.exe

<input type="checkbox"/> /PrepareAD <input type="checkbox"/> /PrepareDomain <input type="checkbox"/> /PrepareSchema	<input type="checkbox"/> /OrganizationName:Contoso <input type="checkbox"/> /PrepareDomain:contoso.com <input type="checkbox"/> /Role:ManagementTools	<input type="checkbox"/> /IAcceptExchangeServerLicenseTerms <input type="checkbox"/> /InstallWindowsComponents <input type="checkbox"/> /PrepareDomain:nwtraders.com
---	---	--

Answer:

Explanation: Answer Area

Setup.exe

<input checked="" type="checkbox"/> /PrepareAD <input checked="" type="checkbox"/> /PrepareDomain <input checked="" type="checkbox"/> /PrepareSchema	<input checked="" type="checkbox"/> /OrganizationName:Contoso <input checked="" type="checkbox"/> /PrepareDomain:contoso.com <input checked="" type="checkbox"/> /Role:ManagementTools	<input checked="" type="checkbox"/> /IAcceptExchangeServerLicenseTerms <input checked="" type="checkbox"/> /InstallWindowsComponents <input checked="" type="checkbox"/> /PrepareDomain:nwtraders.com
--	--	---

NEW QUESTION 106

You have an Exchange Server 2013 organization that contains four servers named EX1, EX2, EX3, and EX4. All of the servers are members of a database availability group (DAG) named DAG1.

Each server has a copy of a mailbox database named DB1. DB1 has the following characteristics:

The replay lag time on Ex4 is set to 14 days.

Single item recovery on all of the servers is set to 14 days.

None of the servers have Volume Shadow Copy Service (VSS) backups.

Ex4 has a folder named F:\RDB that is used to store database files during restore operations.

Twenty days ago, a user named User1 deleted an email message that had a subject of "Sales Report". You need to restore the deleted email message to the mailbox of User1.

You copy the lagged database and the log files that are older than 20 days to F:\RDB. Which three actions should you perform?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run new-mailboxdatabase -name rdb -server 'ex4' -logfolderpath f:\rdb -edbfilepath e:\rdb \rdb.edb -recovery , and then mount the RDB database.	
Run New-MailboxRestoreRequest to restore the email message of User1.	
Run new-mailboxdatabase -name rdb -server 'ex4' -logfolderpath f:\rdb -edbfilepath f:\rdb \db1.edb -recovery , and then mount the RDB database.	
Delete the checkpoint file in F:\RDB, and then run eseutil.exe /r e00 /a .	
Run New-MailboxExportRequest to restore the email message of User1.	

Answer:

Explanation:

Actions	Answer Area
Run new-mailboxdatabase -name rdb -server 'ex4' -logfolderpath f:\rdb -edbfilepath e:\rdb \rdb.edb -recovery , and then mount the RDB database.	Delete the checkpoint file in F:\RDB, and then run eseutil.exe /r e00 /a .
Run New-MailboxRestoreRequest to restore the email message of User1.	Run new-mailboxdatabase -name rdb -server 'ex4' -logfolderpath f:\rdb -edbfilepath f:\rdb \db1.edb -recovery , and then mount the RDB database.
Run new-mailboxdatabase -name rdb -server 'ex4' -logfolderpath f:\rdb -edbfilepath f:\rdb \db1.edb -recovery , and then mount the RDB database.	Run New-MailboxRestoreRequest to restore the email message of User1.
Delete the checkpoint file in F:\RDB, and then run eseutil.exe /r e00 /a .	
Run New-MailboxExportRequest to restore the email message of User1.	

NEW QUESTION 108

You have an Exchange Server 2013 organization that contains five servers.

All users connect to their mailbox by using a mobile device.

All of the users in the finance department are in an organizational unit (OU) named OU1.

You need to prevent the finance users from accessing the extended storage on their mobile device. What should you do?

- A. Create a new mobile device mailbox policy, and then run the Set-CasMailboxcmdlet.
- B. Create a new device access rule, and then run the Set-Mailbox cmdlet.
- C. Create a new mobile device mailbox policy, and then run the Set-Mailboxcmdlet.
- D. Create a new device access rule, and then run the Set-CasMailboxcmdlet.


Answer: A

NEW QUESTION 109

Your company has three offices. Each office is configured as an Active Directory site.

You have three servers that have Exchange Server 2013 installed named EX1, EX2 and EX3. All three servers have the Client Access server role and the Mailbox server role installed.

The Active Directory site links and costs are configured as shown in the exhibit. (Click the Exhibit button.)



Site B is designated as a hub site. EX2 fails.

You discover that all email messages sent from the users in Site A to the users in Site C are queued on a server in Site A.

You need to ensure that the email messages are sent to Site C as quickly as possible. What should you do first?

- A. Modify the Active Directory site link costs.
- B. Configure Site A as a hub site.
- C. Modify the Exchange-specific site link cost.
- D. Remove the hub site.

Answer: D

NEW QUESTION 112

You have an Exchange Server 2013 organization. You enable single item recovery for all users.

A user named User1 accidentally deletes important email messages sent from a user named User2. User1 reports that he cannot locate the email messages in his Deleted Items folder.

You need to recover the items.

What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

-TargetFolder "Recovered Items"

Answer Area

<input type="text"/> New-MailboxExportRequest Search-Mailbox Start-MailboxSearch	<input type="text"/> User1 -SentTo User1 -SourceMailbox User1	<input type="text"/> -DestinationMailbox -RecoveryMailbox -TargetMailbox
---	--	---

<input type="text"/> User1 User2 "Discovery Search Mailbox"	<input type="text"/> -MailFrom User2 -SearchQuery "FROM:User2" -Sender User2
--	---

-TargetFolder "Recovered Items"

Answer:

Explanation: **Answer Area**

<input type="text"/> New-MailboxExportRequest Search-Mailbox Start-MailboxSearch	<input type="text"/> User1 -SentTo User1 -SourceMailbox User1	<input type="text"/> -DestinationMailbox -RecoveryMailbox -TargetMailbox
---	--	---

<input type="text"/> User1 User2 "Discovery Search Mailbox"	<input type="text"/> -MailFrom User2 -SearchQuery "FROM:User2" -Sender User2
--	---

-TargetFolder "Recovered Items"

NEW QUESTION 116

Your network contains an Active Directory forest named contoso.com. The forest contains four sites named Site1, Site2, Site3, and Site4. You have an Exchange Server 2013 organization that contains several servers in each site. You need to prevent users who have mailboxes in Site2 from sending email messages that are larger than 2 MB to recipients in Site3. What should you do?

- A. Run the Set-ADSiteLink cmdlet.
- B. Create a message classification.
- C. Create a custom Send connector.
- D. Run the Set-ADSite cmdlet.

Answer: A

Explanation: References:
[https://technet.microsoft.com/en-us/library/bb123696\(v=exchg.141\).aspx](https://technet.microsoft.com/en-us/library/bb123696(v=exchg.141).aspx)

NEW QUESTION 121

You have an Exchange Server 2013 organization that contains four servers. The servers are configured as shown in the following table.

Server name	Role	Active Directory site name
EX1	Mailbox server Client Access server	Site1
EX2	Mailbox server	Site1
EX3	Mailbox server Client Access server	Site2
EX4	Mailbox server	Site2

You run Get-TransportConfig and receive the output shown in the exhibit. (Click the Exhibit button.)

```
Machine: EX1.Contoso.com

[PS] C:\Windows\system32>Get-TransportConfig

AnonymousSenderToRecipientRatePerHour : 1800
ClearCategories                          : True
ConvertDisclaimerWrapperToEnl           : False
DSNConversionNode                        : UseExchangeDSNs
ExternalDelayDsnEnabled                  : True
ExternalDsnDefaultLanguage               : 
ExternalDsnLanguageDetectionEnabled      : True
ExternalDsnMaxMessageAttachSize         : 10 MB (10,485,760 bytes)
ExternalDsnReportingAuthority            : 
ExternalDsnSendHtml                      : True
ExternalPostmasterAddress                : 
GenerateCopyOfDSNFor                    : <>
HygieneSuite                             : Standard
InternalDelayDsnEnabled                  : True
InternalDsnDefaultLanguage               : 
InternalDsnLanguageDetectionEnabled      : True
InternalDsnMaxMessageAttachSize         : 10 MB (10,485,760 bytes)
InternalDsnReportingAuthority            : 
InternalDsnSendHtml                      : True
InternalSMTPServers                      : <>
JournalingReportNdrTo                   : <>
LegacyJournalingMigrationEnabled         : False
LegacyArchiveJournalingEnabled           : False
LegacyArchiveLiveJournalingEnabled       : False
RedirectUnprovisionedUserMessagesForLegacyArchiveJournaling : False
RedirectDLMessagesForLegacyArchiveJournaling : False
MaxDumpsterSizePerDatabase              : 10 MB (10,485,760 bytes)
MaxDumpsterTime                          : 7:00:00:00
MaxReceiveSize                           : 10 MB (10,485,760 bytes)
MaxRecipientEnvelopeLimit                : 500
MaxRetriesForLocalSiteShadow             : 2
MaxRetriesForRemoteSiteShadow            : 0
MaxSendSize                              : 10 MB (10,485,760 bytes)
MigrationEnabled                         : False
OpenDomainRoutingEnabled                 : False
RejectMessageOnShadowFailure             : False
Rfc2231EncodingEnabled                   : False
SafetyNetHoldTime                        : 2:00:00:00
ShadowHeartbeatFrequency                  : 00:02:00
ShadowMessageAutoDiscardInterval         : 2:00:00:00
ShadowMessagePreferenceSetting           : LocalOnly
ShadowRedundancyEnabled                   : True
ShadowResubmitTimeSpan                   : 03:00:00
SupervisionTags                          : <Reject, Allow>
TLSReceiveDomainSecureList               : <>
TLSSendDomainSecureList                  : <>
VerifySecureSubmitEnabled                 : False
VoicemailJournalingEnabled               : True
HeaderPromotionModeSetting               : NoCreate
Xexch50Enabled                           : True
```

Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

Shadow copies of messages will be created on [answer choice]

The maximum duration that shadow copies of messages will be stored is [answer choice]

Answer Area

Shadow copies of messages will be created on [answer choice]

servers in all sites.
the local server only.
servers in the same site only.
servers in the remote site only.

The maximum duration that shadow copies of messages will be stored is [answer choice]

two minutes.
three hours.
two days.
four day.

Answer:

Explanation: **Answer Area**

Shadow copies of messages will be created on [answer choice]

The maximum duration that shadow copies of messages will be stored is [answer choice]

servers in all sites.

the local server only.

servers in the same site only.

servers in the remote site only.

two minutes.

three hours.


two days.

four day.

NEW QUESTION 126

Your network contains three Exchange Server 2013 servers that have the Client Access server role installed. Each server is configured as a POP3 server and an IMAP4 server.

You deploy the Network Load Balancing (NLB) feature on the servers and configure NLB as shown in the exhibit (Click the Exhibit button.)



Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

If a client has an existing connection to 10.10.0.100:443, subsequent connections will be [answer choice]

Connections that use [answer choice] will NOT be load balanced by NLB.

Answer Area

If a client has an existing connection to 10.10.0.100:443, subsequent connections will be [answer choice]

Connections that use [answer choice] will NOT be load balanced by NLB.

received by all of the Client Access servers.

randomly distributed to a Client Access server.

processed by the same Client Access server.

IMAP over SSL

Outlook Anywhere

POP3 over SSL

Answer:

Explanation: **Answer Area**

If a client has an existing connection to 10.10.0.100:443, subsequent connections will be [answer choice]

Connections that use [answer choice] will NOT be load balanced by NLB.

received by all of the Client Access servers.

randomly distributed to a Client Access server.

processed by the same Client Access server.

IMAP over SSL

Outlook Anywhere

POP3 over SSL

NEW QUESTION 131

You have an Exchange Server 2013 organization that contains two Edge Transport servers. The Edge Transport servers are configured to perform recipient filtering.

You deploy a new Edge Transport server named Edge3. You need to ensure that Edge3 performs recipient filtering. What should you do?

- A. Create a new Edge Subscription for Edge3.
- B. Run the Set-TransportConfig cmdlet on Edge3.
- C. Export the Edge Subscription from an existing Edge Transport server and import the Edge Subscription to Edge3.
- D. Run the ExportEdgeConfig.ps1 and the ImportEdgeConfig.ps1 scripts.

Answer: D

Explanation: We copy the configuration from an existing Edge Transport server with the ExportEdgeConfig.ps1 script and apply to new server Edge3 with ImportEdgeConfig.ps1 script.

Note: Configure Edge Transport server using cloned configuration

You can use the provided Exchange Management Shell scripts (located in %ExchangeInstallPath%Scripts) to duplicate the configuration of an Edge Transport server. This process is referred to as cloned configuration. Cloned configuration is the practice of deploying new Edge Transport servers based on configuration information from a previously configured source server. The configuration information from the previously configured source server is copied and exported to an XML file, which is then imported to the target server

NEW QUESTION 135

You have an Exchange Server 2013 organization named contoso.com that contains several servers. The organization contains 3,000 mailboxes.

You plan to deploy a hybrid coexistence solution and move 1,000 mailboxes to Exchange Online.

You also plan to configure all mail exchanger (MX) records for contoso.com to point to Exchange Online and to enable centralized mail transport.

You need to identify how mail will be routed.

What should you identify? To answer, drag the appropriate mail route to the correct option. Each mail route may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Mail Routes	Answer Area
routed through Exchange Online only	Outbound email messages from Exchange Online mailboxes to the Internet will be: Mail route
routed through Exchange Server 2013 on-premises only	Inbound email messages from Internet to Exchange Online mailboxes will be: Mail route
routed through both Exchange Online and Exchange on-premises	Outbound email messages from Exchange on-premises mailboxes to the Internet will be: Mail route

Answer:

Explanation:

Mail Routes	Answer Area
routed through Exchange Online only	Outbound email messages from Exchange Online mailboxes to the Internet will be: routed through both Exchange Online and Exchange on-premises
routed through Exchange Server 2013 on-premises only	Inbound email messages from Internet to Exchange Online mailboxes will be: routed through Exchange Online only
routed through both Exchange Online and Exchange on-premises	Outbound email messages from Exchange on-premises mailboxes to the Internet will be: routed through Exchange Server 2013 on-premises only

NEW QUESTION 138

You have an Exchange Server 2013 organization that contains 20 servers.

You plan to deploy Exchange Server 2013 RTM Cumulative Update 1 (CU1) to the first Exchange server in the organization.

You need to ensure that a user named ExchangeAdmin can deploy CU1 to the first server, The solution must minimize the number of permissions assigned to ExchangeAdmin.

To which groups should you add ExchangeAdmin?

- A. Schema Admins, Domain Admins, and Enterprise Admins
- B. Schema Admins, Domain Admins, and Delegated Setup
- C. Domain Admins and Organization Management
- D. Enterprise Admins and Organization Management

Answer: A

NEW QUESTION 143

You have an Exchange Server 2013 organization. The organization contains a Mailbox server that hosts several databases, including a database named ExecsDB. ExecsDB contains the mailboxes of the company executives.

The hard disk that contains ExecsDB fails.

You replace the hard disk with a new disk, and then you mount the database.
You create a recovery database in an alternate location, and then you restore the database files for ExecsDB to the alternate location.
You need to ensure that all data is consistent before merging the mailbox data into the dial-tone database.
What should you do first?

- A. Run the isinteg.exe command and specify the -fix parameter.
- B. Run the Move-ActiveMailboxDatabase cmdlet.
- C. Run the Update-MailboxDatabaseCopy cmdlet.
- D. Run the eseutil.exe command and specify the /R parameter.

Answer: A

NEW QUESTION 148

A user fails to connect to his mailbox by using Outlook Anywhere. The user successfully connects to the mailbox by using an Exchange ActiveSync-enabled mobile device and Outlook Web App.
You need to identify what prevents the users from connecting to the mailbox by using Outlook Anywhere. Which tool should you use?

- A. Microsoft Outlook Connectivity Test
- B. Microsoft Exchange RPC Extractor
- C. Microsoft Exchange Server Profile Analyzer
- D. Exchange Server MAPI Editor

Answer: A

NEW QUESTION 149

You have an Exchange Server 2013 organization.
You plan to delegate the following administrative tasks:
? View the status of the message queue.
? Create, mount, and dismount databases.
? Restore mailboxes from a recovery database,
? Modify the settings of Exchange ActiveSync devices.
You need to identify which role group must be used to delegate each administrative task.
The solution must ensure that the role group that has the fewest administrative privileges is used.
Which role groups should you identify? (To answer, drag the appropriate role groups to the correct tasks. Each role group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Role Groups	Answer Area
Discovery Management	View the status of the message queue. <input type="text" value="Role group"/>
Help Desk	Create, mount, and dismount databases. <input type="text" value="Role group"/>
Organization Management	Restore mailboxes from a recovery database. <input type="text" value="Role group"/>
Recipient Management	Modify the settings of Exchange ActiveSync devices. <input type="text" value="Role group"/>
Server Management	
View-Only Organization Management	

Answer:

Explanation:

Role Groups	Answer Area
Discovery Management	View the status of the message queue. <input type="text" value="View-Only Organization Management"/>
Help Desk	Create, mount, and dismount databases. <input type="text" value="Server Management"/>
Organization Management	Restore mailboxes from a recovery database. <input type="text" value="Organization Management"/>
Recipient Management	Modify the settings of Exchange ActiveSync devices. <input type="text" value="Recipient Management"/>
Server Management	
View-Only Organization Management	

NEW QUESTION 152

You have an Exchange Server 2013 organization that contains two distribution groups named Group1 and Group2.
You need to prevent the members of Group1 and Group2 from communicating with each other by using email, unless the email messages contain the string Press Release in the subject.
Users whose email messages are rejected must receive a non-delivery report (NDR) that contains a status code of 5.7.3.
Which command should you run? (To answer, configure the appropriate options in the answer area.)

<input type="text" value="New-TransportRule"/>	<input "group1"="" "group2"="" -betweenmemberof1="" -betweenmemberof2="" type="text" value="BlockMessages1"/>
<input type="text" value="New-MessageClassification"/>	<input press="" release""="" type="text" value="insWords "/>
<input type="text" value="New-DlpPolicy"/>	<input type="text" value="5.7.3"/>
	<input type="text" value="-ClassificationID -RejectMessageEnhancedStatusCode -SmtptRejectMessageRejectStatusCode"/>

Answer:

Explanation: Box 1: New-TransportRule

Box 2: SmtptRejectMessageRejectStatusCode

NEW QUESTION 154

You have an Exchange Server 2013 organization that contains two servers named EX1 and EX2. EX1 and EX2 are members of a database availability group (DAG) named DAG1.

You need to identify the last several times that a mailbox database named MBX1 failed over from EX1 to EX2.

What command should you run? To answer, select the appropriate options in the answer area.

Answer Area

The screenshot shows the Exchange Management Shell command prompt. The command entered is `Get-MailboxDatabaseStatus -DatabaseAvailabilityGroup DAG1`. The output shows the status of the mailbox database MBX1, including the last several times it failed over from EX1 to EX2.

Answer:

Explanation: References:

[https://technet.microsoft.com/en-us/library/dd351258\(v=exchg.150\).aspx](https://technet.microsoft.com/en-us/library/dd351258(v=exchg.150).aspx)

NEW QUESTION 156

You have an Exchange Server 2013 organization. Each user has an In-Place Archive.

You discover that several items in a user's In-Place Archive are corrupt. You need to ensure that the user can access the corrupt items.

Which tool should you use?

- A. The Repair-FileIntegrity cmdlet
- B. The Isinteg command
- C. The New-MailboxRepairRequest cmdlet
- D. The Eseutil command

Answer: C

NEW QUESTION 161

Your company has two offices. Each office is configured as an Active Directory site.

You have an Exchange Server 2013 organization that contains four servers. The servers are configured as shown in the following table.

Server name	Role	Site name
CAS1	Client Access server	Site1
MBX1	Mailbox server	Site1
CAS2	Client Access server	Site2
MBX2	Mailbox server	Site2

MBX1 and MBX2 are members of a database availability group (DAG) named DAG1. A mailbox database named DB1 has a copy on each Mailbox server. DB1 is active on MBX2.

You are creating a disaster recovery plan for the organization.

You need to identify how email messages will be received for the mailboxes on DB1 if the Exchange Server transport services fail on MBX2 because of messages in the poison message queue.

What should you identify?

- A. Email messages will be queued on MBX1, and then delivered directly to the mailboxes on MBX2.
- B. The Exchange Server transport services will restart automatically, and then put all delivery queues in a Retry state.
- C. The Exchange Server transport services will restart automatically, and then purge the poison messages.
- D. Email messages will be queued on CAS1 or CAS2, and then delivered directly to the mailboxes on MBX2.

Answer: B

NEW QUESTION 165

You have an Exchange Server 2013 organization that contains five servers. Several employees plan to use Microsoft Outlook to collaborate on some projects. You need to configure access to Outlook to meet the following requirements:

Several employees must be able to open only the Inbox of a user named User1.

Several employees must be able to copy email messages from any folder in the mailbox of a user named User2.

Several employees must be able to create only contacts in the mailbox of a user named User3.

Which cmdlets should you use?

To answer, drag the appropriate cmdlet to the correct requirement in the answer area. Each cmdlet may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Cmdlets	Answer Area
Add-MailboxFolderPermission	Several employees must be able to open only the Inbox of a user named User1.
Add-MailboxPermission	Several employees must be able to copy email messages from any folder in the mailbox of a user named User2.
Set-Mailbox	Several employees must be able to create only contacts in the mailbox of a user named User3.

Answer:

Explanation:

Cmdlets	Answer Area
Add-MailboxFolderPermission	Several employees must be able to open only the Inbox of a user named User1.
Add-MailboxPermission	Several employees must be able to copy email messages from any folder in the mailbox of a user named User2.
Set-Mailbox	Several employees must be able to create only contacts in the mailbox of a user named User3.

NEW QUESTION 167

You have an Exchange Server 2013 organization.

Your company has a Service Level Agreement (SLA) stating that you must be able to reconnect disconnected mailboxes to user accounts for up to 365 days. After 365 days, disconnected mailboxes must be deleted permanently.

You need to recommend a solution to meet the SLA. What should you include in the recommendation?

- A. Create a retention policy and apply the policy to all mailboxes.
- B. Configure the deleted mailbox retention setting for all databases.
- C. Configure the deleted item retention setting for all databases.
- D. Implement a database availability group (DAG) that contains a lagged copy.

Answer: B

NEW QUESTION 169

You have an Exchange Server 2013 organization that contains two servers named EX1 and EX2.

EX1 and EX2 are the members of a database availability group (DAG) named DAG1. DAG1 contains a database named DB1. DB1 is active on EX1.

You deploy a new Exchange Server 2013 server named Ex3. You add EX3 as a member of DAG1.

You need to add a copy of DB1 to EX3 by using an offline copy of the database.

Which three actions should you perform in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions	Answer Area
Run the Move-ActiveMailboxDatabase cmdlet.	
Run the Add-MailboxDatabaseCopy cmdlet.	
Manually copy the database files to EX3.	
Dismount DB1 on EX2.	
Run the Update-MailboxDatabaseCopy cmdlet.	

Answer:

Explanation:

Actions	Answer Area
Run the Move-ActiveMailboxDatabase cmdlet.	Dismount DB1 on EX2.
Run the Add-MailboxDatabaseCopy cmdlet.	Manually copy the database files to EX3.
Manually copy the database files to EX3.	Run the Add-MailboxDatabaseCopy cmdlet.
Dismount DB1 on EX2.	
Run the Update-MailboxDatabaseCopy cmdlet.	

NEW QUESTION 171

You have an Exchange Server 2013 on-premises organization and a Microsoft Office 365 tenant. All mailboxes are hosted on-premises. You need to implement an archiving solution for all users. The solution must ensure that all mailbox content older than 18 months is moved to Personal Archives in Office 365. What should you implement?

- A. A default policy tag (DPT)
- B. A retention policy
- C. A personal tag
- D. A retention policy tag (RPT)
- E. A retention hold

Answer: B

NEW QUESTION 172

Your network contains an Active Directory forest. The forest contains two sites named Site1 and Site2. You have an Exchange Server 2013 organization. Site1 contains two Mailbox servers and one Client Access server. Site2 contains two Mailbox servers and two Client Access servers. You need to prevent messages that cannot be protected by shadow redundancy from being delivered. What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

Answer Area

<input type="text"/> Set-TransportAgent Set-TransportConfig Set-TransportRule Set-TransportServer Set-TransportService	<input type="text"/> -RejectMessageOnShadowFailure -SafetyNetHoldTime -ShadowMessageAutoDiscardInterval -ShadowRedundancyEnabled -TranportSyncEnabled	<input type="text"/> 0 1 2 \$false \$true
---	--	--

Answer:

Explanation: Answer Area

<input type="text"/> Set-TransportAgent Set-TransportConfig Set-TransportRule Set-TransportServer Set-TransportService	<input type="text"/> -RejectMessageOnShadowFailure -SafetyNetHoldTime -ShadowMessageAutoDiscardInterval -ShadowRedundancyEnabled -TranportSyncEnabled	<input type="text"/> 0 1 2 \$false \$true
---	--	--

NEW QUESTION 174

Your company has offices in New York, Paris, and Montreal. An Active Directory site exists for each office. You have an Exchange Server 2013 organization that contains two servers in each site. One server in each site has the Mailbox server role installed and the other server in each site has the Client Access server role installed. You need to ensure that all of the outbound email from each site is routed through the Client Access server in that site. Which should you do?

- A. Remove the Mailbox servers from the list of source servers on each Send connector.
- B. Disable the Microsoft Exchange Transport service on each Mailbox server.
- C. Run the Set-SendConnector cmdlet and specify the -FrontendProxyEnabled.True parameter.
- D. Run the Set-TransportConfig cmdlet and specify the -InternetSMTPServers:\$null parameter.

Answer: C

NEW QUESTION 175

You have an Exchange Server 2013 organization that contains one Client Access server. The Client Access server is accessible from the Internet by using a network address translation (NAT) device. You deploy an additional Client Access server. You also deploy an L4 hardware load balancer between the Client Access servers and the NAT device. After deploying the hardware load balancer, you discover that all of the Exchange Server traffic is directed to a single Client Access server. You need to ensure that the hardware load balancer distributes traffic evenly across both Client Access servers. What should you do?

- A. Change the default route of the Client Access servers to point to the hardware load balancer.
- B. Configure the NAT device to pass the original source IP address of all connections from the Internet.
- C. Configure the Client Access servers to have a second IP address and web sit
- D. Create the Exchange virtual directories in the new sites.
- E. Configure SSL offloading on the hardware load balancer and the Client Access servers.

Answer: B

NEW QUESTION 177

You have an Exchange Server 2013 organization.

The help desk reports that users fail to access their mailbox by using the URL <http://mail.contoso.com>. All of the users successfully connect to their mailbox by using Exchange ActiveSync.

You need to ensure that all of the users can access their mailbox by using the URL <http://maif.contoso.com>.

What should you configure on a Client Access server?

- A. From Internet Information Services (IIS) Manager, configure HTTP Response Headers on the OWA virtual directory.
- B. From Exchange Admin Center, create a new Outlook Web App mailbox policy.
- C. From File Explorer, modify the permissions of the Web.config file in the Default Web Site folder.
- D. From Internet Information Services (IIS) Manager, configure HTTP Redirect on the default web site.

Answer: D

NEW QUESTION 179

You have an Exchange Server 2010 organization.

You deploy a server that has Exchange Server 2013 installed.

You plan to install five additional servers that have Exchange Server 2013 installed. You are a member of the Organization Management management role group.

Your company hires an external IT consultant named Admin1.

The company's security policy states that all external consultants must have the minimum number of required permissions on the network.

You need to ensure that Admin1 can install a server named EX2. The solution must meet the requirements of the security policy.


Which two tasks should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Add Admin1 to the Exchange Server role group.
- B. Create a new management role and a new role assignment policy.
- C. Run setup and specify the/newprovisionectservernex2 parameter.
- D. Add Admin1 to the Delegated Setup management role group.

Answer: CD

NEW QUESTION 184

You create a mailbox named ConfRoom1 as shown in the exhibit. (Click the Exhibit button.)



Users report that when they schedule meetings and attempt to locate ConfRoom1 in the All Rooms address list, they do not see ConfRoom1 on the list.

You need to ensure that the users can locate ConfRoom1 on the All Rooms address list. What should you do?

- A. Modify the Sharing Policy that is associated to ConfRoom1.
- B. Run the Update-AddressList command and specify the -Identity parameter.
- C. Run the Set-Mailbox command and specify the -IsRootPublicFolderMailbox parameter.
- D. Delete the ConfRoom1 mailbox, and create a new resource mailbox.

Answer: D

NEW QUESTION 186

Your company has two offices. The offices are configured as shown in the following table.

Office name	Number of users	Office site name
Office 1	2,000	Site 1
Office 2	2,000	Site 2

The offices connect to each other by using a WAN link that has a latency of more than 700 ms. You plan to deploy an Exchange Server 2013 organization to meet the following requirements:

Ensure that users can access their mailbox if the WAN link fails.


Ensure that users can access their mailbox if a single server fails.

Ensure that users can access their mailbox if a single database fails.

You recommend deploying one or more database availability groups (DAGs) and mailbox database copies. You need to identify which design meets the requirements for the planned deployment.


Which design should you identify?

To answer, select the appropriate design in the answer area.



Answer:

Explanation:



NEW QUESTION 190

You have an Exchange Server 2013 organization that contains a server named EX1. Your network contains a non-critical internal application that regularly connects to the POP3 Service on EX1. Users report that Outlook Web App performs more slowly than usual. You discover that EX1 frequently has a CPU utilization that is greater than 85 percent. You need to configure EX1 temporarily to allocate more processor resources to Outlook Web App and to allocate less processor resources to POP3. Which two new policies should you create? (Each correct answer presents part of the solution. Choose two.)

- A. a throttling policy that sets OWAMaxConcurrency to 25
- B. a workload policy for POP3 that sets the WorkloadClassification to Discretionary
- C. a workload policy for Outlook Web App that sets the WorkloadClassification to Discretionary
- D. a throttling policy that sets PopMaxConcurrency to 25
- E. a workload policy for POP3 that sets the WorkloadClassification to CustomerExpectation
- F. a workload policy for Outlook Web App that sets the WorkloadClassification to CustomerExpectation

Answer: BF

NEW QUESTION 192

You have an Exchange Server 2013 organization named Contoso. The organization contains a server named Server1 that has Exchange Server 2013 installed. Server1 has the Mailbox server role and the Client Access server role installed. Server1 has a Send connector for a partner company. The Send connector is configured for Domain Security with a domain named adatum.com. The only certificate installed on Server1 expires. You discover that all email messages sent to adatum.com remain in the queue on Server1. On Server1, you install a new certificate from a trusted third-party. You need to ensure that the email messages are delivered to adatum.com. What should you do?

- A. Assign the new certificate to the IIS service.
- B. Send the new certificate to the administrator at adatum.com.
- C. Assign the new certificate to the SMTP service.
- D. Create a new send connector that contains an address space to adatum.com.

Answer: C

NEW QUESTION 197

Your network contain an Active Directory forest. The forest contains a single domain named contoso.com. The network contains a legacy mail system that uses a SMTP namespace of contoso.com.

You plan to deploy Exchange Server 2013.

There will be a period of interoperability while the email is migrated from the legacy system to Exchange Server 2013.

During the period of interoperability, you need to ensure that all incoming email is received by an Exchange Server 2013 server, and then routed to the legacy mail system if an Exchange Server email recipient cannot be found.

You configure the firewall in the perimeter network to route SMTP traffic to the Exchange Server 2013 organization.

What should you do next?

- A. Modify the existing accepted domain for contoso.com and create a new Send connector.
- B. Add a new external relay accepted domain for contoso.com and create a new Send connector.
- C. Add a new authoritative domain for contoso.com and create a new email address policy.
- D. Add a new internal relay accepted domain for contoso.com and create a new email address policy.

Answer: A

NEW QUESTION 200

You have an Exchange Server 2013 on-premises organization and a Microsoft Office 365 tenant. All mailboxes are hosted on-premises.

You need to implement an archiving solution for all users. The solution must ensure that all mailbox content older than 18 months is moved to Personal Archives in Office 365.

What should you implement?

- A. a retention policy and a retention policy tag (RPT)
- B. a retention hold and a retention policy tag (RPT)
- C. a retention policy and a personal tag
- D. a retention policy and a default policy tag (DPT)

Answer: D

NEW QUESTION 204


You have an Exchange Server 2013 organization and a Microsoft Office 365 tenant that are configured for hybrid coexistence. Eight hundred users have mailboxes in the Exchange Server 2013 organization. Six hundred users have mailboxes in Office 365.

You need to implement a mailbox solution for the support department. The solution must meet the following requirements:

All users must be able to send email messages to a dedicated mailbox for support.

All of the users from the support department must be able to log on to the dedicated support mailbox and read the email messages in the mailbox.

All of the users from the support department must be able to reply to the email messages sent to the dedicated support mailbox.



Answer:

Explanation: References:

<https://ette.zendesk.com/hc/en-us/articles/215481528-Understanding-Shared-Mailboxes-vs-Standard-Mailboxes->

NEW QUESTION 206

You have an Exchange Server 2013 organization that contains two Mailbox servers and two Client Access servers.

You have a database availability group (DAG) that contains both Mailbox servers. You need to deploy public folders.

What should you do first?

- A. Run the New-PublicFolderDatabase cmdlet and specify the -Server parameter.
- B. Run the New-PublicFolder cmdlet and specify the -Path parameter.
- C. Run the New-Mailbox cmdlet and specify the -Publicfolder parameter.
- D. Run the New-MailboxDatabase cmdlet and specify the -PublicFotderDatabase parameter.

Answer: C

NEW QUESTION 209

Your network contains an Active Directory forest named contoso.com. The forest contains two sites named Site1 and Site2.

You have an Exchange Server 2013 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Site	Role
EX1	Site1	Mailbox Client Access
EX2	Site2	Mailbox Client Access

An administrator creates a new Active Directory site named Site3. The administrator creates mailboxes for the users in Site3. All of the mailboxes of the Site3 users are located on EX1.

Site3 contains a domain controller named dc3.contoso.com. The Site3 users report that sometimes, when they open Microsoft Outlook, it takes a long time to access their mailbox.

You need to reduce the amount of time it takes for the users to access their mailbox.

Which command should you run? (To answer, select the appropriate options in the dialog box in the answer area.)

Answer Area

Set-RPCClientAccess EX1
Set-ClientAccessServer EX1
Set-ExchangeServer EX1

-AutoDiscoverSiteScope 'Site1;Site3'
-AutoDiscoverServiceInternalURI https://ex1.contoso.com/autodiscover/autodiscover/
-IgnoreDefaultScope \$true
-DomainController dc3.contoso.com

Answer:

Explanation:

Answer Area

Set-RPCClientAccess EX1
Set-ClientAccessServer EX1
Set-ExchangeServer EX1

-AutoDiscoverSiteScope 'Site1;Site3' |
-AutoDiscoverServiceInternalURI https://ex1.contoso.com/autodiscover/autodiscover/
-IgnoreDefaultScope \$true
-DomainController dc3.contoso.com

NEW QUESTION 213

You plan to deploy an Exchange Server 2013 organization.

You need to recommend a solution to ensure that a user named User1 can access email messages by using Exchange ActiveSync on an Android device.

The solution must prevent all other users from using Android devices to access email by using Exchange ActiveSync.

What should you recommend doing first?

- A. Run the Set-CasMailbox cmdlet.
- B. Create a device access rule.
- C. Modify the Quarantine Notification settings.
- D. Create a mobile device mailbox policy.

Answer: B

NEW QUESTION 218

Fabrikam, Ltd. has an Exchange Server organization that contains two servers. The servers are configured as shown in the following table.

Server name	Role	Exchange Server version	Site location
EX1	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	New York
EX2	Mailbox server Client Access server	Exchange Server 2013	New York

Recently, the internal and external namespaces named mail.fabrikam.com and autodiscover.fabrikam.com were changed to point to EX2.

You configure all of the users on EX2 to access their mailbox by using Microsoft Outlook from the Internet.

You enable Outlook Anywhere on EX1.

You need to ensure that users who have mailboxes on EX1 can connect to their mailbox from the Internet. What should you do on EX1?

- A. Set the ExternalHostName value to NULL.
- B. Set the ExternalClientAuthenticationMethod value to Basic and NTLM.
- C. Set the IISAuthenticationMethods value to Basic and NTLM.
- D. Set the InternalHostName value to NULL.

Answer: C

NEW QUESTION 219

You have an Exchange Server 2013 organization.

You plan to assign the default workload management policy to all of the servers in the organization.

You need to remove the Calendar Synchronization Assistant workload from the workload management policy before you assign the policy to the servers.

Which cmdlet should you run?

- A. Remove-ResourcePolicy
- B. Set-ResourcePolicy
- C. Set-WorkloadPolicy

D. Remove-WorkloadPolicy

Answer: D

NEW QUESTION 222

Your network contains an Active Directory forest named contoso.com. The forest contains one domain and two sites named Site1 and Site2. Site1 connects directly to the Internet.

You have an Exchange Server 2010 organization.

Users access their email remotely by using Outlook Web App and Outlook Anywhere by connecting to the name mail.contoso.com.

You plan to migrate to Exchange Server 2013.

Exchange Server 2010 and Exchange Server 2013 will co-exist for several months during the migration. During the co-existence phase, the organization will contain seven servers. The servers will be configured as shown in the following table.

Server name	Active Directory site	Role	Exchange Server version
EX1	Site1	Client Access	Exchange Server 2010
EX2	Site1	Mailbox Hub Transport	Exchange Server 2010
EX3	Site2	Client Access Hub Transport	Exchange Server 2010
EX4	Site2	Mailbox	Exchange Server 2010
EX5	Site1	Client Access	Exchange Server 2013
EX6	Site1	Mailbox	Exchange Server 2013
EX7	Site2	Mailbox	Exchange Server 2013

You need to identify which host names must be associated to which servers. The solution must ensure that the users can access mailboxes on EX2, EX4, EX6, and EX7.

What should you do? (To answer, select the appropriate target for each host name in the dialog box in the answer area.)

Answer Area

Host name	Target
Autodiscover.contoso.com	<input type="text" value=""/>
Mail.contoso.com	<input type="text" value=""/>

Answer Area

Host name	Target
Autodiscover.contoso.com	<input type="text" value=""/> <div> EX1 EX2 EX3 EX4 EX5 EX6 EX7 </div>
Mail.contoso.com	<input type="text" value=""/> <div> EX1 EX2 EX3 EX4 EX5 EX6 EX7 </div>

Answer:

Explanation:

Answer Area

Host name	Target
Autodiscover.contoso.com	<div>▼</div> <div> EX1 EX2 EX3 EX4 EX5 EX6 EX7 </div>
Mail.contoso.com	<div>▼</div> <div> EX1 EX2 EX3 EX4 EX5 EX6 EX7 </div>

NEW QUESTION 227

You have an Exchange Server 2013 organization that contains 10 mailbox servers.
You have a custom workload management policy named App1Policy. App1Policy is applied to three Mailbox servers.
You deploy a new Mailbox server named EX11.
You need to ensure that App1Policy is applied to EX11.
Which command should you run? (To answer, configure the appropriate options in the answer area.)

Answer Area

<div>▼</div> <div> Set-ExchangeServer Set-ResourcePolicy Set-ThrottlingPolicy Set-ThrottlingPolicyAssociation </div>	<div>▼</div> <div> -Identity App1Policy -Identity EX11 </div>	<div>▼</div> <div> -DiscretionaryOverloadedThreshold 80 -MessageRateLimit 80 -ThrottlingPolicy App1Policy -WorkloadManagementPolicy App1Policy </div>
--	---	---

Answer:

Explanation:

Answer Area

<div>▼</div> <div> Set-ExchangeServer Set-ResourcePolicy Set-ThrottlingPolicy Set-ThrottlingPolicyAssociation </div>	<div>▼</div> <div> -Identity App1Policy -Identity EX11 </div>	<div>▼</div> <div> -DiscretionaryOverloadedThreshold 80 -MessageRateLimit 80 -ThrottlingPolicy App1Policy -WorkloadManagementPolicy App1Policy </div>
--	---	---

NEW QUESTION 232

Your network contains an Active Directory forest. The forest contains one domain. The domain contains two sites and three domain controllers. The sites and domain controllers are configured as shown in the following table.

Site name	Number of domain controllers	Configuration
Main Office	Two	Server Core installation of Windows Server 2008 Datacenter Global catalog server
Branch1	One	Server Core installation of Windows Server 2008 Standard Read-only domain controller (RODC) Global catalog server

The sites connect to each other by using a WAN link.

You have an Exchange Server 2013 organization that contains two servers in the Main Office site. In Branch1, you plan to deploy one server to the Exchange Server 2013 organization.

You need to ensure that all of the Exchange Server services in Branch1 are available if the WAN link fails after the planned deployment.
What should you do?

- A. Create a site link bridge, and then configure Branch1 as a hub site.
- B. Replace the domain controller in Branch1 with an RODC that runs Windows Server 2012.
- C. Replace the domain controller in Branch1 with a writable domain controller that runs a Server Core installation of Windows Server 2008.
- D. Create an additional site link, and then configure Branch1 as a hub site.

Answer: C

NEW QUESTION 233

You have an Exchange Server 2013 organization that contains three servers. The servers are configured as shown in the following table.

Server name	Role(s)	Configuration
EX01	Mailbox server Client Access server	OAB generation server Expansion server for DL1
EX02	Client Access server	<i>Not applicable</i>
EX03	Mailbox server	<i>Not applicable</i>

All inbound email messages from the Internet are routed through EX01. You plan to remove EX01 from the organization. You need to ensure that all of the functionalities of EX01 are transferred to EX02 and EX03. The solution must minimize administrative effort. Which functionality should you transfer to each server? (To answer, select the appropriate server for each functionality in the answer area.)

Answer Area

OAB generation server:

Expansion server for DL1:

Inbound SMTP server from the Internet:

Answer Area

OAB generation server:
EX02
EX03

Expansion server for DL1:
EX02
EX03

Inbound SMTP server from the Internet:
EX02
EX03

Answer:

Explanation: **Answer Area**

OAB generation server:
EX02
EX03

Expansion server for DL1:
EX02
EX03

Inbound SMTP server from the Internet:
EX02
EX03

NEW QUESTION 238

You have an Exchange Server 2013 organization that contains a database availability group (DAG) named DAG1. The organization contains three servers. The servers are configured as shown in the following table.

Server name	Role
EX1	Mailbox server
EX2	Mailbox server
EX3	Client Access server

EX1 and EX2 are members of DAG1. EX1 has an active copy of a database named DB1 and a passive copy of a database named DB2. EX2 has a passive copy of DB1 and an active copy of DB2.

You plan to create a public folder named Invoices.

You need to ensure that users can access the Invoices public folder if one of the DAG members fails. The solution must ensure that the users can send email messages to the Invoices public folder.

Which three actions should you perform in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions	Answer Area
Add an email address for the public folder mailbox.	
Create a public folder mailbox.	
Mail-enable the public folder.	
Update the public folder hierarchy.	
Create a public folder.	

Answer:

Explanation:

Actions	Answer Area
Add an email address for the public folder mailbox.	Create a public folder mailbox.
Create a public folder mailbox.	
Mail-enable the public folder.	Mail-enable the public folder.
Update the public folder hierarchy.	
Create a public folder.	Create a public folder.

NEW QUESTION 240

Your company has four regional offices and 20 branch offices. The regional offices connect to each other by using a 30-Mbps WAN link. Each branch office connects to its nearest regional office by using a 1-Mbps WAN link.

The network contains an Active Directory forest. The forest contains a domain controller in each office. Each office maps to an Active Directory site. Each branch office site connects to the nearest regional office site by using an Active Directory site link.

You have an Exchange Server 2013 organization that contains one server in each office. You need to implement a messaging solution to meet the following requirements:

The users in the branch offices must only be able to send email messages that are up to 2 MB to the users in the other offices.

The users in the regional offices must be prevented from sending email messages that are larger than 5 MB to the users in any of the regional offices.

Which cmdlet should you run?

- A. Set-TransportRule
- B. Set-ADSite
- C. Set-AdSiteLink
- D. Set-RoutingGroupConnector

Answer: C

NEW QUESTION 245

You have an Exchange Server organization that contains five servers.

Users who have their mailbox on a server named EX1 report that they fail to receive email messages.

You verify that the email messages sent to the mailboxes on EX1 are delivered successfully to the server. You also verify that all of the mailbox databases on EX1 are mounted.

You discover that the hard disk drive on EX1 has only 10 GB of free space. You delete 20 GB of unnecessary data on EX1.

Users report that now they are receiving all of their email messages successfully to their mailbox.

You need to ensure that EX1 will prevent the delivery of email messages to mailboxes only if less than 2 GB of hard disk space is available.

What should you do?

- A. Modify the Organization transport settings.
- B. Modify the mailbox database settings.
- C. Modify the EdgeTransport.exe.config file.
- D. Disable the Safety Net feature.

Answer: C

Explanation:

References:

[https://technet.microsoft.com/en-us/library/bb201658\(v=exchg.160\).aspx#File](https://technet.microsoft.com/en-us/library/bb201658(v=exchg.160).aspx#File)

NEW QUESTION 247

You have an Exchange Server 2013 organization that contains two Mailbox servers named MBX1 and MBX2. You create a database availability group (DAG) named DAG1. DAG1 is configured as shown in the exhibit. (Click the Exhibit button.)

NAME	WITNESS SERVER	MEMBER SERVERS		
dag1	cas1.contoso.com	MBX2,MBX1		
			dag1	
			Member Servers	
			MBX2	
			MBX1	
			Witness Server	
			cas1.contoso.com	
			DAG Network	
			MapiDagNetwork	
			ReplicationDagNetwork01	


You need to ensure that replication only occurs over the replication network.
Which two commands should you run? (Each correct answer presents part of the solution. Choose two.)

- A. Set-DatabaseAvailabilityGroupNetwork ReplicationDagNetwork01 –ReplicationEnabled \$true
- B. Set-DatabaseAvailabilityGroupNetworkMapiDagNetwork –ReplicationEnabled \$false
- C. Set-DatabaseAvailabilityGroup Dag1 –ManualDagNetworkConfiguration \$true
- D. Set-DatabaseAvailabilityGroup Dag1 –ManualDagNetworkConfiguration \$false

Answer: BC

NEW QUESTION 250

You have an Exchange Server 2013 organization that contains several servers. The organization also has two database availability group (DAGs).
You deploy a lagged copy of a mailbox database copy and you set the replay lag time to 10 days. You need to modify the Exchange Server organization to minimize the likelihood that an email message will be lost if a DAG member fails.
What command should you run? (To answer, select the appropriate options in the answer area).



Answer:

Explanation: References: [https://technet.microsoft.com/en-us/library/bb124151\(v=exchg.160\).aspx](https://technet.microsoft.com/en-us/library/bb124151(v=exchg.160).aspx)

NEW QUESTION 253

Your company has a main office and four branch offices.
You have an Exchange Server 2013 organization that contains 2,500 mailboxes. An administrator plans to deploy Microsoft Lync Server 2013.
You need to enable the unified contact store in the Exchange Server 2013 organization. What should you run?

- A. The New-CsPartnerApplication cmdlet
- B. The Set-ClientAccessServer cmdlet
- C. The Configure-EnterprisePartnerApplication.ps1 script
- D. The Set-AuthConfig cmdlet

Answer: C

NEW QUESTION 255

Your network contains an Active Directory forest. The forest contains a single domain.
You have an Exchange Server 2013 organization named Contoso that contains a server named EX01. Split permissions are configured for the organization.
You need to change the permission model to shared permissions.
What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

Setup.exe [] [] []

Answer Area

Setup.exe [] [] []

PrepareAD
PrepareDomain
PrepareSchema

ActiveDirectorySplitPermissions:False
DisableAMFiltering
Role:ManagementTools

/AcceptExchangeServerLicenseTerms
/InstallWindowsComponents
/RemoveProvisionedServer:EX01

Answer:

Explanation: Answer Area



NEW QUESTION 259

You have an Exchange Server 2013 organization.

You have a user named User1 and a user named User2. Both users access their email by using Microsoft Outlook 2013.

You need to ensure that User2 can access all of the email messages in the mailbox of User1 the next time User2 opens Outlook.

What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

Four empty dropdown menus for selecting command options.

Answer Area

Four dropdown menus with the following selected options: Add-ADPermission, Add-MailboxPermission, -Identity User1, -Identity User2, -User User1, -User User2, -AccessRights AutoMapMailbox, -AccessRights ExtendedRight -ExtendedRights "Send As", and -AccessRights FullAccess.

Answer:

Explanation: Answer Area



NEW QUESTION 261

You have an Exchange Server 2013 organization that contains five servers. Several employees plan to use Microsoft Outlook to collaborate on some projects. You need to configure access to Outlook to meet the following requirements:

Several employees must be able to send email messages as a user named User1.

Several employees must be able to send email messages on behalf of a user named User2.

Which cmdlets should you use?

To answer, drag the appropriate cmdlet to the correct requirement in the answer area. Each cmdlet may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Cmdlets	Answer Area
Add-MailboxFolderPermission	Several employees must be able to send email messages as a user named User1. <input type="text" value="Cmdlet"/>
Add-MailboxPermission	
Add-ADPermission	Several employees must be able to send email messages on behalf of a user named User2. <input type="text" value="Cmdlet"/>
Set-Mailbox	

Answer:

Explanation:

Cmdlets	Answer Area
Add-MailboxFolderPermission	Several employees must be able to send email messages as a user named User1. <input type="text" value="Add-ADPermission"/>
Add-MailboxPermission	
Add-ADPermission	Several employees must be able to send email messages on behalf of a user named User2. <input type="text" value="Set-Mailbox"/>
Set-Mailbox	

NEW QUESTION 266

Your network contains an internal network and a perimeter network.

You have an Exchange Server 2010 organization that contains an Edge Transport server named EX3.

You plan to upgrade the organization to Exchange Server 2013. You plan to replace EX3 and its functionalities with a new server named EX6 that has Exchange Server 2013 installed.

EX6 will be used to send all email messages to and receive all email messages from the Internet and to filter spam.

You need to recommend which steps are required to install EX6. EX6 must have the least number of Exchange Server roles installed.

Which three actions should you recommend performing on EX6 in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions	Answer Area
Run the Restart-Service MSExchangeSubmission command.	
Install the Edge Transport server role.	
Run the Install-AntispamAgents.ps1 script.	
Install the Client Access server role.	
Run the Restart-Service MSExchangeTransport command.	
Run the Update-MalwareFilteringServer.ps1 script.	
Install the Mailbox server role.	

Answer:

Explanation:

Actions	Answer Area
Run the Restart-Service MSExchangeSubmission command.	Install the Mailbox server role.
Install the Edge Transport server role.	
Run the Install-AntispamAgents.ps1 script.	
Install the Client Access server role.	Run the Install-AntispamAgents.ps1 script.
Run the Restart-Service MSExchangeTransport command.	
Run the Update-MalwareFilteringServer.ps1 script.	Run the Restart-Service MSExchangeTransport command.
Install the Mailbox server role.	

NEW QUESTION 268

You have an Exchange Server 2013 organization that contains three Client Access servers named EX1, EX2, and EX3. The organization also contains eight Mailbox servers.

All users have client computers that have Microsoft Outlook 2013 installed.

You create a Network Load Balancing (NLB) cluster and add all of the Client Access servers as hosts in the cluster. The cluster has the following configurations:

The default host is set to EX1.

A port rule is configured for HTTPS traffic.

The port rule has the affinity parameter set to Single.

The port rule has the filtering mode set to Single host.

The port rule has the Handling priority set to the default option. You discover that Outlook always connects to EX1.

You need to ensure that client connections are handled by all three Client Access servers. What should you modify?

- A. The affinity parameter of the port rule.
- B. The filtering mode of the port rule.
- C. The default host of the cluster.
- D. The handling priority of the port rule.

Answer: B

Explanation: References:

[https://technet.microsoft.com/en-us/library/cc778263\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc778263(v=ws.10).aspx)

NEW QUESTION 273

Your company has two main offices named Main1 and Main2. Each office has a data center.

You have an Exchange Server 2013 organization. Each data center contains several Exchange servers and connects directly to the Internet. Each office has a Send connector to the Internet.

You configure each office as a separate site and you configure Main1 as a hub site. The company opens a branch office that contains a small data center.

You deploy an Exchange Server 2013 server to the data center. The data center has a direct network link to Main1

Scenario	Through Main1	Through Main2
A user in the branch office sends an email message to a recipient in Main1.	<input type="radio"/>	<input type="radio"/>
A user in the branch office sends an email message to the Internet	<input type="radio"/>	<input type="radio"/>
A user in the branch office sends an email message to a recipient in Main2	<input type="radio"/>	<input type="radio"/>

Answer:

Explanation:

Scenario	Through Main1	Through Main2
A user in the branch office sends an email message to a recipient in Main1.	<input checked="" type="radio"/>	<input type="radio"/>
A user in the branch office sends an email message to the Internet	<input checked="" type="radio"/>	<input type="radio"/>
A user in the branch office sends an email message to a recipient in Main2	<input type="radio"/>	<input type="radio"/>

NEW QUESTION 275

You have an Exchange Server 2013 organization that contains four servers. All users access their email by using Microsoft Outlook 2010. An administrator deploys a shared mailbox named Project. You assign all of the users in the marketing department Full Access permissions to Project. You discover that Project automatically appears in Outlook to all of the marketing department users. You need to ensure that Project only appears in Outlook to the marketing department users who add the mailbox manually to their Outlook profile. Which two cmdlets should you run? (Each correct answer presents part of the solution. Choose two.)

- A. Remove-MailboxPermission
- B. Set-Mailbox
- C. Remove-Mailbox
- D. Add-MailboxPermission
- E. New-Mailbox

Answer: AB

NEW QUESTION 277

You have an Exchange Server 2013 organization. A new policy requires that all iPhone users access their on-premises mailbox by using the OWA for iPhone app. You need to ensure that push notifications for the OWA for iPhone app are configured before the users install the app. Which three actions should you perform? Each correct answer presents part of the solution.

- A. Configure Microsoft Azure Active Directory Sync (Azure AD Sync).
- B. Modify the EWS virtual directory.
- C. Enable push notifications proxy.
- D. Enroll in Microsoft Office 365 for business.
- E. Modify the OWA virtual directory.
- F. Set up on premises Exchange 2013 to Office 365 Authentication.

Answer: CDF

Explanation: Configuring push notifications proxying for OWA for DevicesTo enable push notifications, the admin must:1. (D) Enroll your organization in Office 365 for business.2. Update all on-premises servers to Exchange Server 2013 Cumulative Update 3 (CU3) or later.3. (F) Set up On-premises Exchange 2013 to Office 365 Authentication4. (C) Enable push notifications from the on-premises Exchange Server 2013 to Office 365 and verify that push notifications are working.Illustration below:

NEW QUESTION 282

How would you disable the anti malware filtering and ensure that engine updates from microsoft are downloaded and updated.

- A. Disable-Antimalwareagent.ps1
- B. Set-malwarefilteringserver
- C. Disable-Antimalwarescanning.ps1 (probable option)
- D. Update-MalwareFilteringServer.ps1 (guessed option)

Answer: C

NEW QUESTION 285

Your company has an Exchange Server 2013 organization. The company hires 200 temporary employees. You create a mailbox for each temporary employee.

You create a new management role named CustomBaseOptions that uses MyBaseOptions as a parent. You create a new management role named CustomContactInfo that uses MyContactInfo as a parent.

You plan to apply the new management roles to the temporary employees.

You need to identify which management roles must be modified to prevent the temporary employees from performing the following task:

Adding a user photo

Viewing delivery reports

Viewing the Install Apps feature

Changing the value of the office location

Which management roles should you identify?

To answer, select the appropriate management role for each task in the answer area.

Task	Management Role
Adding a user photo	<input type="text"/>
Viewing delivery reports	<input type="text"/>
Viewing the Install Apps feature	<input type="text"/>
Changing the value of the office location	<input type="text"/>

Task	Management Role
Adding a user photo	<input type="text"/> CustomBaseOption CustomContactInfo
Viewing delivery reports	<input type="text"/> CustomBaseOption CustomContactInfo
Viewing the Install Apps feature	<input type="text"/> CustomBaseOption CustomContactInfo
Changing the value of the office location	<input type="text"/> CustomBaseOption CustomContactInfo

Answer:

Explanation: Box 1: CustomBaseOption

Box 2: CustomBaseOption

Box 3: CustomBaseOption

Box 4: CustomContactInfo

NEW QUESTION 288

Your network contains two Active Directory forests named contoso.com and fabrikam.com. Contoso.com is configured as a user forest. Fabrikam.com is configured as a resource forest.

You deploy an Exchange Server 2013 organization.

You need to recommend a solution to provide five administrators in contoso.com with the ability to manage the Exchange Server resources by using role-based administration.

What should you recommend creating?

- A. a new management role group in fabrikam.com and a new universal security group in contoso.com
- B. a linked role group and a universal security group in contoso.com and linked mailboxes in fabrikam.com
- C. a linked role group in fabrikam.com and a universal security group in contoso.com
- D. linked mailboxes and a role group in fabrikam.com

Answer: C

Explanation: References:

[https://technet.microsoft.com/en-us/library/dd638105\(v=exchg.150\).aspx#Linked](https://technet.microsoft.com/en-us/library/dd638105(v=exchg.150).aspx#Linked)

NEW QUESTION 292

You have an internal network and a perimeter network. On the perimeter network, you deploy two Exchange Server 2013 servers that have the Edge Transport server role installed. On the internal network, you deploy five Exchange Servers that have the Mailbox server role and the Client Access server role installed.

You need to recommend a solution to ensure that email messages are received by the organization if the Edge Transport server fails. The solution must ensure that the server are load balanced.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. For each Edge Transport server, create a host (A) record
- B. Create mail exchanger (MX) records that point to the A record
- C. Set the preference of both MX records to a value of 100.

- D. Create a mail exchanger (MX) record that points to the IP address of each Edge Transport serve
- E. Set the preference of both MX records to a value of 10.
- F. For each Edge Transport server, create a host (A) recor
- G. Create mail exchanger (MX) records that point to the A record
- H. Set the preference of one of the MX records to a value of 11. Set preference of the other MX record to a value of 12.
- I. Create a host (A) record named amil.contoso.com that contains the IP addresses for both Edge Transport server
- J. Create a mail exchanger (MX) record that points to mail.contoso.com.

Answer: A

NEW QUESTION 297

You have an Exchange Server 2013 organization that contains the servers configured as shown in the following table.

Server name	Database availability group (DAG) name	Windows Server version
EX1	DAG1	Windows Server 2008 R2 Enterprise
EX2	DAG1	Windows Server 2008 R2 Enterprise
EX3	DAG2	Windows Server 2012 R2 Datacenter
EX4	DAG2	Windows Server 2012 R2 Datacenter
EX5	None	Windows Server 2008 R2 Standard

You need to add EX2 to DAG2. The solution must maintain redundancy for all mailbox databases.

Which five actions should you perform in sequence before you can add EX2 to DAG2? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Disable DAG replication for DAG1	
On EX2, remove all of the mailbox database copies	
Remove on DAG network from DAG1	
Rename EX5 as EX2	
Remove EX2 from DAG1	
Add EX5 to DAG1	
On EX2 install Windows Server 2012 R2 and Exchange Server 2013	
Create Mailbox database copies on EX5	

Answer:

Explanation: Box 1: Add EX5 to DAG1

Box 2: Create Mailbox database copies on EX5

Box 3: On EX2, remove all of the mailbox database copies. Box 4: Remove EX2 from DAG1

Box 5: On EX2 install Windows Server 2012 R2 and Exchange Server 2013

NEW QUESTION 298

You are evaluating the implementation of a Database Availability Group (DAG).

You need to recommend changes to the planned implementation to minimize the loss of large email messages if a single DAG member fails.

What should you recommend changing?

- A. The preference of the mail exchanger (MX) records
- B. The duration of single item recovery
- C. The intervals of shadow redundancy
- D. The size of the transport dumpster

Answer: C

NEW QUESTION 302

You plan to deploy an Exchange Server 2013 organization. The organization will contain the servers configured as shown in the following table.

Server name	Role	Network
Server1	Client Access, Mailbox	Internal
Server2	Client Access, Mailbox	Internal
Server3	Client Access, Mailbox	Internal

Server1, Server2, and Server3 will be members of a database availability group (DAG) named DAG1. You deploy a firewall between the internal network and the Internet.

You need to recommend a solution to meet the following requirements:

- Ensure that users can access their mailbox from the Internet by using Microsoft Outlook if a server fails.
- Ensure that users can access Unified Messaging (UM) services from the Internet if a server fails.
- Minimize costs.

What should you recommend? To answer, select the appropriate options in the answer area.

Answer area

Firewall ports to open:

80 and 443
80, 5060, and 5061
443, 5060, and 5061
443, 5062, and 5063
5060, 5061, and 5062

Load balancing strategy:

DNS round robin
Hardware load balancer
Network Load Balancing (NLB) cluster

Answer:

Explanation: References: <https://practical365.com/exchange-server/exchange-2013-client-access-server-high-availability/>

NEW QUESTION 304

Your company has five main offices. Each office contains a data center.

You plan to deploy an Active Directory forest and an Exchange Server 2013 organization. Each office will be configured as a separate Active Directory site.

You need to recommend an Exchange Server 2013 deployment strategy that meets the following requirements:

- Replicates user mailboxes across multiple servers
- Creates a temporary copy of outbound email messages
- Minimizes the number of servers deployed to the network

What should you recommend?

- A. In each site, deploy one server that has both the Mailbox server role and the Client Access server role installed.
- B. In each site, deploy two servers that have the Mailbox server role installed and two servers that have the Client Access server role installed.
- C. In each site, deploy two servers that have both the Mailbox server role and the Client Access server role installed.
- D. In one site, deploy two servers that have the Mailbox server role installed.
- E. In all other sites, deploy one server that has the Client Access server role installed.

Answer: A

NEW QUESTION 308

You need to recommend a solution to deploy the Outlook app.

Which three actions should you recommend performing in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the order)

(Apps for Outlook can help you personalize your messages or speed up the way you access information on the web.

For example, the Bing Maps app that comes with Outlook shows an online map whenever you open a message that contains a street address.

<http://office.microsoft.com/en-us/store/apps-for-outlook-FX102804983.aspx> Outlook App Office Store)

Answer Area	
Run the Set-App cmdlet.	
Run the Get-App cmdlet.	
Install the Outlook app.	
Run the \$Data=Get-Content -Path "C:\Apps\SocialMediaApp.xml" -Encoding Byte -ReadCount 0 command.	
Run the New-App -FileData \$Data command.	

Answer:

Explanation:

	Answer Area
Run the Set-App cmdlet.	Run the \$Data=Get-Content -Path "C:\Apps\SocialMediaApp.xml" -Encoding Byte -ReadCount 0 command.
Run the Get-App cmdlet.	
Install the Outlook app.	Run the New-App -FileData \$Data command.
Run the \$Data=Get-Content -Path "C:\Apps\SocialMediaApp.xml" -Encoding Byte -ReadCount 0 command.	
Run the New-App -FileData \$Data command.	Run the Set-App cmdlet.

NEW QUESTION 310

You have an Exchange Server 2013 organization that contains two servers named EX1 and EX2. EX1 and EX2 are the members of a database availability group (DAG) named DAG1.

EX1 and EX2 each contain a copy of a mailbox database named DB1. DB1 is configured to retain deleted items for 120 days.

At the end of each month, the mailbox databases on EX1 are backed up to tape. The monthly backups are retained for two years.

A user named User1 has a mailbox in DB1.

User1 discovers that a mailbox folder that contained important email messages was deleted more than six months ago.

You need to recover the deleted mailbox folder without affecting any other users who have mailboxes in DB1. Which three actions should you perform? (Each correct answer presents part of the solution. Choose three.)

- A. Run the New-MailboxRestoreRequest cmdlet.
- B. Run the New-MailboxDatabase cmdlet and specify the Recovery parameter.
- C. Restore DB1 from the tape backup to an alternate location.
- D. Restore DB1 from the tape backup to the database's original location.
- E. Run the New-Mailbox cmdlet and specify the Recovery parameter.

Answer: ABC

NEW QUESTION 311

You have an Exchange Server 2013 organization named contoso.com that contains 10 servers.

Your company purchases a company named Fabrikam, Inc. Fabrikam has an Exchange Server organization named fabrikam.com. All of the email messages sent between the organizations is routed over the Internet.

You need to ensure that the email messages sent from contoso.com to fabrikam.com are encrypted.

What is best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Create a Send connector of type Partner.
- B. Instruct all of the users in contoso.com to use SMIME.
- C. Modify the Authentication settings for the Send connectors in contoso.com.
- D. Create a federation trust between the organizations.

Answer: A

NEW QUESTION 312

You have an Exchange Server 2013 organization named adatum.com. The organization contains five Mailbox servers and two Client Access servers.

You need to ensure that an administrator named user1 receives a daily email message that contains a log of all the Exchange Server administrative actions.

Which cmdlet should you use in a scheduled task?

- A. Search-AdminAuditLog
- B. Set-Mailbox
- C. New-AdminAuditLogSearch
- D. Set-ExchangeServer
- E. Set-AdminAuditLogConfig

Answer: C

NEW QUESTION 314

You have an Exchange Server 2013 organization named Contoso. The organization is configured to apply a disclaimer to all email messages sent to external recipients.

Your company works with a partner company named A. Datum Corporation. A. Datum has an SMTP domain named adatum.com.

You need to ensure that email messages sent to adatum.com meet the following compliance requirements: ? Messages sent to adatum.com must NOT include the disclaimer.

? Messages that contain credit card numbers must NOT be sent to adatum.com.

? If a user writes a message that contains a credit card number and the message is addressed to a recipient at adatum.com, the user must receive a notification before the message is sent.

What should you configure for each requirement?

To answer, drag the appropriate configuration to the correct requirement in the answer area. Each configuration may be used once, more than once, or not at all.

Additionally, you may need to drag the split bar

between panes or scroll to view content.

Configurations	Answer Area
a data loss prevention policy	Messages sent to adatum.com must NOT include the disclaimer. <input type="button" value="Configuration"/>
a MailTip	Messages that contain credit card numbers must NOT be sent to adatum.com. <input type="button" value="Configuration"/>
a message classification	
a Policy Tip	If a user writes a message that contains a credit card number and the message is addressed to a recipient at adatum.com, the user must receive a notification before the message is sent. <input type="button" value="Configuration"/>
a transport rule exception	

Answer:

Explanation: Box 1: A transport rule exception Box 2: A data loss prevention policy Box 3: a Policy Tip

NEW QUESTION 317

You need to recommend a high-availability deployment strategy for the mailbox servers. The solution must ensure site resiliency. What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Deploy one database availability group (DAG) to each data center. Add the servers to their respective DAG. Deploy a file share witness for each DAG to its respective local data center.
- B. Deploy an alternate file share witness to the other data center.
- C. Deploy one database availability group (DAG). Add the servers to the DAG. Deploy a file share witness in Microsoft Azure. Deploy an alternate file share witness to one of the data center.
- D. Deploy one database availability group (DAG). Add the servers to the DAG. Deploy a file share witness to the New York data center.
- E. Deploy an alternate file share witness to the Miami data center.
- F. Deploy one database availability group (DAG) to each data center. Add the servers to their respective DAG.
- G. Deploy a file share witness in Microsoft Azure.

Answer: B

NEW QUESTION 321

You have an Exchange Server 2013 organization.

You plan to deploy Exchange ActiveSync for mobile devices. Each mobile device will be authenticated by using certificates issued by an internal certification authority (CA).

You need to configure the organization to authenticate the mobile devices by using the certificates. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. From Internet Information Services (IIS) Manager on each Client Access server, configure the Microsoft-Server-ActiveSync virtual directory to require client certificates.
- B. From Exchange Admin Center, configure the Microsoft-Server-ActiveSync virtual directory to require client certificates.
- C. From Internet Information Services (IIS) Manager on each Client Access server, enable Active Directory Client Certificate Authentication.
- D. From Internet Information Services (IIS) Manager on each Mailbox server, enable Active Directory Client Certificate Authentication.


Answer: BC

NEW QUESTION 324

Your company has an Exchange Server 2013 organization. You configure domain security with a partner organization. You configure the required connectors. You plan to verify whether the partner organization configured the required settings for domain security. You enable logging for the Send connectors and the Receive connectors.


You need to verify that the STARTTLS command is issued by an Exchange server when an email message is sent to the partner organization.

Which log folder should you review? (To answer, select the appropriate folder in the answer area.)



Answer:

Explanation:



NEW QUESTION 328

You have an Exchange Server 2013 organization that contains three servers named EX1, EX2, and EX3. The servers are members of a database availability group (DAG) named DAG1. A mailbox database named DB1 is replicated to all the members of DAG1.

EX3 experiences a complete hardware failure. You need to restore EX3 on a new server. You reset the computer account for EX3. Which three actions should you perform next?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
On EX1, run the Set-DatabaseAvailabilityGroup cmdlet and the New-MailboxDatabaseCopy cmdlet.	
On EX1, run the Remove-MailboxDatabaseCopy cmdlet and the Remove-DatabaseAvailabilityGroupServer cmdlet.	
On a new server named EX3, run the setup / m:recoverserver command.	
On EX1, run the Add-DatabaseAvailabilityGroupServer cmdlet and the Add-MailboxDatabaseCopy cmdlet.	
On EX1, run the setup / newprovisionedserver:ex3 command.	

Answer:

Explanation:

Actions	Answer Area
On EX1, run the Set-DatabaseAvailabilityGroup cmdlet and the New-MailboxDatabaseCopy cmdlet.	On EX1, run the Remove-MailboxDatabaseCopy cmdlet and the Remove-DatabaseAvailabilityGroupServer cmdlet.
On EX1, run the Remove-MailboxDatabaseCopy cmdlet and the Remove-DatabaseAvailabilityGroupServer cmdlet.	On a new server named EX3, run the setup / m:recoverserver command.
On a new server named EX3, run the setup / m:recoverserver command.	On EX1, run the Add-DatabaseAvailabilityGroupServer cmdlet and the Add-MailboxDatabaseCopy cmdlet.
On EX1, run the Add-DatabaseAvailabilityGroupServer cmdlet and the Add-MailboxDatabaseCopy cmdlet.	
On EX1, run the setup / newprovisionedserver:ex3 command.	

NEW QUESTION 331

You have an Exchange Server 2013 organization that contains a database availability group (DAG). There are four copies of every mailbox database. One of the copies is a lagged copy configured to have a replay lag time of 14 days.

All mailboxes have single item recovery enabled. All databases are configured to have a deleted item retention period of seven days.

A company executive reports that an email message, which was deleted 10 days ago, must be restored.

You need to ensure that you can recover the email message from the lagged copy of the mailbox database. The solution must preserve the lagged copy of the mailbox database.

Which three actions should you perform?

To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.


Actions	Answer Area
Run the vssadmin command.	
Run the Move-ActiveMailboxDatabase cmdlet and specify the -skiplogchecks parameter.	
Run the eseutil.exe command.	
Run the Suspend-MailboxDatabaseCopy cmdlet.	

Answer:

Explanation: Run the Suspend-MailboxDatabaseCopy cmdlet. Run the vssadmin command. Run the eseutil.exe command.

NEW QUESTION 333

Your company has four offices. Each office connects to two of the other offices by using a direct WAN link. Each office is configured as an Active Directory site. The office connections and the Active Directory site links are configured as shown in the exhibit (Click the Exhibit button.)



You have Exchange Server 2013 organization that contains four servers. The servers are configured as shown in the following table.

Server name	Role	Data availability group (DAG)	Site location
EX1	Mailbox server Client Access server	No	Montreal
EX2	Mailbox server Client Access server	No	New York
EX3	Mailbox server Client Access server	No	Washington
EX4	Mailbox server Client Access server	No	Miami

You discover that email messages sent from the site in Montreal to the site in Miami are routed through the site in New York. You need to ensure that all of the email messages sent from the Montreal site to the Miami site are routed through the Washington site. What should you run?

- A. Set-AdSite1ink Site1inkl -ExchangeCost 25
- B. Set-AdSite Washington' -HubSiteEnabled \$false
- C. Set-AdSite1ink SiteUnkl -ExchangeCost 15
- D. Set-AdSite New York' -Hubsiteenabled \$false

Answer: C

NEW QUESTION 334

You have an Exchange Server 2013 organization. The organization contains four servers in the same Active Directory site. The servers are configured as shown in the following table.

Server name	Role
EX1	Client Access server
EX2	Client Access server
EX3	Mailbox server
EX4	Mailbox server

EXB and EX4 are members of a database availability group (DAG) named DAG1. All users use Microsoft Outlook 2013 to connect to their mailbox. You need to recommend a client access solution to ensure that all of the users can connect to their mailbox if EX1 or EX2 fails. What should you recommend?

- A. Add a layer 4 hardware load balancer that balances RPC traffic
- B. Add a layer 7 hardware load balancer that balances the traffic on port 443.
- C. Add a layer 7 hardware load balancer that balances RPC traffic.
- D. Replicate all of the databases in DAG1 to both DAG1 members.

Answer: B

NEW QUESTION 339

Your company has an Exchange Server 2013 organization. All Exchange servers have the Client Access server role and the Mailbox server role installed. All of the servers are members of a database availability group (DAG) named DAG1.

You need to ensure that a user named User1 can move mailboxes between the servers. The solution must minimize the number of permission assigned to User1. To which role group should you add User1?

- A. Server Management
- B. Organization Management

- C. Help Desk
- D. Recipient Management

Answer: D

NEW QUESTION 344

Your company plans to deploy an Exchange Server 2013 organization.

The network contains an Active Directory forest. The forest contains two domains named contoso.com and child.contoso.com. The forest contains one Active Directory site.

To contoso.com, you plan to deploy two servers that have Exchange Server 2013 installed. To child.contoso.com, you plan to deploy two servers that have Exchange Server 2013 installed.

To the contoso.com domain, you deploy a new member server named Server1 that runs Windows Server 2012. You need to prepare the forest for the planned deployment of Exchange Server 2013.

Which three commands should you run from Server1?

To answer, move the three appropriate commands from the list of commands to the answer area and arrange them in the correct order.

Commands	Answer Area
setup /preparead	
install-windowsfeature rsat-adds	
install-windowsfeature rsat-ad-admincenter	
setup /prepareschema	
setup /preparedomain	

Answer:

Explanation: Box 1: install-windowsfeature rsat-adds
Box 2: setup /preparead
Box 3: setup /preparedomain

NEW QUESTION 349

You deploy an Exchange Server 2013 organization to a test network for evaluation.

You install the Mailbox server role and the Client Access server role on a server named ex01.contoso.com. You do not perform any other configurations.

All of the ports from the Internet to ex01.contoso.com are open. You successfully connect to ex01.contoso.com from the Internet and from the internal network.

You need to identify which types of Exchange Server clients will connect successfully to the organization without any further configurations.

What should you identify?

- A. Internal IMAP clients
- B. Internal Microsoft Outlook connections
- C. Windows RT devices running the Mail app
- D. Android Phones using Activesync

Answer: B

NEW QUESTION 353

You have an Exchange Server 2013 organization that contains several servers in a single site. You run the Get-TransportConfig cmdlet and you receive the following output.

```

AddressBookPolicyRoutingEnabled      : False
AnonymousSenderToRecipientsRatePerHour : 1800
ClearCategories                      : True
ConvertDisclaimerWrapperToEml        : False
DSNConversionMode                    : UseExchangeDSNs
ExternalDelayDsnEnabled               : True
ExternalDsnDefaultLanguage           :
ExternalDsnLanguageDetectionEnabled  : True
ExternalDsnMaxMessageAttachSize      : 10 MB (10,485,760 bytes)
ExternalDsnReportingAuthority        :
ExternalDsnSendHtml                  : True
ExternalPostmasterAddress            :
GenerateCopyOfDSNFor                 : {}
HygieneSuite                         : Standard
InternalDelayDsnEnabled               : True
InternalDsnDefaultLanguage           :
InternalDsnLanguageDetectionEnabled  : True
InternalDsnMaxMessageAttachSize      : 10 MB (10,485,760 bytes)
InternalDsnReportingAuthority        :
InternalDsnSendHtml                  : True
InternalSMTPServers                  : {}
JournalingReportNdrTo                : <>
LegacyJournalingMigrationEnabled      : False
LegacyArchiveJournalingEnabled       : False
LegacyArchiveLiveJournalingEnabled   : False

SafetyNetHoldTime                    : 2.00:00:00
ShadowHeartbeatFrequency              : 00:02:00
ShadowMessageAutoDiscardInterval     : 2.00:00:00
ShadowMessagePreferenceSetting       : PreferRemote
ShadowRedundancyEnabled              : True
ShadowResubmitTimeSpan               : 03:00:00
SupervisionTags                      : {Reject, Allow}
TLSReceiveDomainSecureList           : {}
TLSSendDomainSecureList              : {}
VerifySecureSubmitEnabled             : False
VoicemailJournalingEnabled           : True
HeaderPromotionModeSetting           : NoCreate
Xexch50Enabled                       : True

```

Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

When a server in the organization receives an email message from the Internet, the server will [answer choice].

▼

make a shadow copy of the message on another server
reject the email message and send a non-delivery report (NDR) to the sender
silently reject the email message

If an Exchange server is unavailable for [answer choice] the Exchange server that holds the shadow copy of messages for that server will become the primary server for those email messages.

▼

two hours
three hours
two days
three days

Answer:

Explanation: Box 1: make a shadow copy of the message on another server Box 2: two days

NEW QUESTION 356

You have an Exchange Server 2013 organization.

You create two distribution groups named Group1 and Group2. Group1 and Group2 each contain several hundred users. Group1 contains a user named User1.

You need to configure moderation for Group2. The solution must meet the following requirements: Email sent from the members of Group1 must NOT be moderated unless the sender is User1.

All other email must be moderated by a user named Admin1.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Create a transport rule that has a condition of The recipient is Group2. Configure the transport rule to have an action of Forward the message for approval to Admin1.
- B. Run Set-DistributionGroup Group2 -ModeratedBy Admin1-BypassModerationFromSendersOrMembers Group1 -ModerationEnabled \$true.
- C. Create a transport rule that has the conditions of The sender is User1 and The recipient is Group2. Configure the transport rule to have an action of Forward the message for approval to Admin1.
- D. Create a transport rule that has the conditions of The sender is User1 and The recipient is Group2. Configure the transport rule to have an action of Forward the message for approval to Admin1.

Answer: BC

NEW QUESTION 357

You are planning to implement several servers on virtual machines. The servers have Exchange Server 2013 installed.

The planned implementation must meet the following requirements:

Minimize the amount of overhead required for the virtualization solution.

Minimize the risk of data corruption for the Exchange Server databases.

You need to recommend a storage solution for the Exchange databases and a backup and recovery solution for the planned servers.

Which solutions should you recommend?

To answer, select the appropriate solutions in the answer area.

Storage solution for the Exchange Server databases

Backups from the virtual machine
Dynamically expanding VHDs
Passthrough disks
Virtual machine snapshots

Backup and recovery solution for the planned servers

Backups from the virtual machine
Dynamically expanding VHDs
Passthrough disks
Virtual machine snapshots

Answer:

Explanation:

Storage solution for the Exchange Server databases

Backups from the virtual machine
Dynamically expanding VHDs
Passthrough disks
Virtual machine snapshots

Backup and recovery solution for the planned servers

Backups from the virtual machine
Dynamically expanding VHDs
Passthrough disks
Virtual machine snapshots

NEW QUESTION 360

Your company has four offices. Each office is configured as an Active Directory site.

You have an Exchange Server 2013 organization that contains nine servers. The servers are configured as shown in the following table.

Server name	Role	Site name
CAS1	Client Access	Site1
CAS2	Client Access	Site2
CAS3	Client Access	Site3
CAS4	Client Access	Site4
MBX1	Mailbox	Site1
MBX2	Mailbox	Site2
MBX3	Mailbox	Site3
MBX4	Mailbox	Site3
MBX5	Mailbox	Site4

A user named User1 is in a distribution group named D_Sales. The mailbox of User1 is in a database that is active on MBX4 and is configured to use MBX5 as an expansion server.

You need to ensure that email sent to D_Sales from the Internet is received by CAS1, and then routed from MBX1 to MBX4.

What should you do?

- A. Configure Site1 as a hub site.
- B. Modify the expansion server setting of D_Sales.
- C. Modify the SubmissionServerOverrideList list on MBX1.
- D. Configure Site3 as a hub site.

Answer: D

NEW QUESTION 361

You have an Exchange Server 2013 organization that contains two servers named EX1 and EX2. EX1 and EX2 are members of a database availability group (DAG) named DAG1.

Your organization contains several managed availability overrides.

Both EX1 and EX2 have a copy of a mailbox database named MBX1. B1 is active on EX1. You discover that MBX1 on EX2 has a status of ServiceDown.

You need to restore the status of MBX1 on EX2 to healthy as quickly as possible. What should you do?

- A. Start the Microsoft Exchange Information Store Service.
- B. RunStart-Service MExchangeIS.
- C. RunStart-Service MExchangeRepl.
- D. Start the Microsoft Exchange Mail Replication Service.

Answer: C

Explanation: References:

<http://www.solarwinds.com/documentation/en/flarehelp/sam/content/samagappinsightforexchangemailboxdatab>

[https://technet.microsoft.com/en-us/library/ee423542\(v=exchg.141\).aspx](https://technet.microsoft.com/en-us/library/ee423542(v=exchg.141).aspx)

NEW QUESTION 362

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-341 Exam with Our Prep Materials Via below:

<https://www.certleader.com/70-341-dumps.html>