

## 70-695 Dumps

### Deploying Windows Devices and Enterprise Apps

<https://www.certleader.com/70-695-dumps.html>



### NEW QUESTION 1

You need to assess Windows 8.1 readiness for the test network.

What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Run the Windows Assessment Services client and filter the asset inventory based on Windows 7.
- B. From Microsoft Assessment and Planning Toolkit, open Inventory and Assessment Wizard, and then select the Windows computers inventory scenario check box.
- C. Run the Windows Assessment Services script on all of the client computers.
- D. From the Microsoft Assessment and Planning Toolkit, create a new inventory database for Windows 8.1.

**Answer: B**

### NEW QUESTION 2

HOTSPOT

You need to prepare Server1.

What should you do? To answer, configure the appropriate options in the answer area.

**Answer Area**

Configuration Manager role to add:

Configuration Manager role option to enable:

**Answer Area**

Configuration Manager role to add:

- A distribution point
- An enrollment point
- A management point
- A site server

Configuration Manager role option to enable:

- Data compression
- HTTPS
- PXE

**Answer:**

**Explanation: Answer Area**

Configuration Manager role to add:

- A distribution point
- An enrollment point
- A management point
- A site server

Configuration Manager role option to enable:

- Data compression
- HTTPS
- PXE

### NEW QUESTION 3

HOTSPOT

You need to identify the storage location and the file name of the automation scripts for the kiosk computers.

What should you identify? To answer, select the appropriate storage location and file name in the answer area.

**Answer Area**

Storage location:

File name:

**Answer Area**

Storage location:

- F:\
- F:\Panther\
- F:\Windows\Panther\

File name:

- Autounattend.xml
- Deployment.xml
- Oobe.xml
- Unattend.txt

**Answer:**

**Explanation:** Answer Area

Storage location:

F:\  
F:\Panther\  
F:\Windows\Panther\

File name:

Autounattend.xml  
Deployment.xml  
Oobe.xml  
Unattend.txt

#### NEW QUESTION 4

You need to recommend a solution for activating the kiosk computers. What should you include in the recommendation?

- A. Create a reference image that has a Multiple Activation Key (MAK) located in C:\License.txt.
- B. Create an image of an activated reference computer.
- C. In an answer file, specify a Generic Volume Licensing Key (GVLK).
- D. In an answer file, specify a Multiple Activation Key (MAK).

**Answer:** D

#### NEW QUESTION 5

You need to meet the technical requirements for creating task sequences to upgrade the Windows client computers on the production network. What should you do?

- A. Open Create Task Sequence Wizard and select Create a new custom task sequence.
- B. Install MDT and run Configure ConfigMgr Integration.
- C. Import the System Center Integration Pack for System Center 2012 R2 Configuration Manager.
- D. Add a state migration point site system role.

**Answer:** B

**Explanation:** Topic 2, Fabrikam, Inc.

Case Study Overview

Fabrikam, Inc. is an advertising company that has 100 employees. The company has managers and has users in the sales department, the telemarketing department, and the graphic art department.

Fabrikam plans to purchase a company named Contoso, Ltd.

Fabrikam has a single office in New York City.

Existing Environment

Active Directory Environment

The network contains one Active Directory forest named fabrikam.com. The forest contains a single domain. All servers run Windows Server 2012 R2 and are members of Active Directory.

All client computers, except for the computers in the telemarketing department are Active Directory members.

A user named User1 is a member of the Enterprise Admins group. A user named User2 always is added to the local Administrators group on all of the client computers in the forest.

Current Network and Computer Environment

Fabrikam has the following servers:

- Two domain controllers
- A server named Server2
- A deployment server named Server1
- Two file servers named Server3 and Server4
- Two DHCP servers, one of which is also a Key Management Service (KMS) server
- Two servers that have Microsoft SQL Server installed and are configured in a failover cluster

Server1 has the Microsoft Deployment Toolkit (MDT) 2013 installed and the Windows Deployment Services server role installed. The Windows Deployment Services (WDS) server has an install image named Deployment1

Server3 has a file share named Store. Server3 will be used only to store data for computer migrations.

Server4 has a file share named Software. Microsoft Office Professional Plus 2013 is copied to the Software share. Server4 stores Image1.wim and Image2.wim files. Both WIM files contain generalized images of Windows 8.1 Pro and Windows 8.1 Enterprise.

Remote users cannot establish a VPN connection to the company network.

Types of Users

Fabrikam has the users shown in the following table.

User department	Notes
Sales	The users in the sales department visit customers daily. They work from home and visit the office at least once per year.
Telemarketing	The users in the telemarketing department work from home and use a client computer that runs Windows 7 or later.
Managers	The managers work from the office and use client computers that run Windows 7.
Graphic art	The users in the graphic art department work from the office. They use workstations that run Windows 8.1 Enterprise.

The telemarketing department users use their own Windows client computers. Other users use company-owned computers. All of the users who work from home have a fast and reliable Internet connection.

#### Client Computer Operating Systems

Fabrikam users use the following Windows client operating systems on company-owned computers:

- 64-bit version of Windows 7 Enterprise
- 32-bit version of Windows 7 Professional
- 64-bit version of Windows 7 Professional
- 64-bit version of Windows 8 Pro
- 64-bit version of Windows 8 Enterprise
- 64-bit version of Windows 8.1 Pro
- 64-bit version of Windows 8.1 Enterprise

All of the operating systems are purchased through a volume licensing agreement.

The Telemarketing department users have client computers that run either a 32-bit or a 64-bit operating system.

#### Requirements Business Goals

Fabrikam plans to purchase Contoso and to integrate the new company into the Active Directory forest.

As much as possible, Fabrikam plans to minimize the costs associated with purchasing hardware and software.

#### Planned Changes

Fabrikam plans to implement the following changes to the network:

- Use MDT on Server2.
- Migrate client computers that run Windows 7 to Windows 8.1 Enterprise.
- Add one Active Directory domain named contoso.com to the fabrikam.com forest.
- Deploy a newly purchased 64-bit application named App1 to all of the telemarketing department users.

#### Technical Requirements

Fabrikam identifies the following technical requirements for the planned deployment:

- For administrative tasks, always use the account that has the least amount of privileges.
- Install Office Professional Plus 2013 on the managers' client computers.
- Use the Microsoft Assessment and Planning (MAP) Toolkit to collect computer performance information.
- Update an image in Image1.wim to include several Windows patches.
- Minimize administrative effort, whenever possible.

#### Application Requirements

Fabrikam identifies the following application requirements:

- Ensure that the telemarketing department users can run App1. When App1 is updated, ensure that the users can run the updated version of App1 as soon as it is available.
- Ensure that MDT on Server1 and Server2 uses a centralized repository of deployment configuration settings.
- Automate the deployment of Office Professional Plus 2013. The deployment will include a custom dictionary.

#### Performance Requirements

Fabrikam identifies the following performance requirements:

- After the client computers from the Contoso network are migrated to the new domain, ensure that performance data is collected from the migrated computers.
- Ensure that Server3 has sufficient storage.

#### Image Requirements

Fabrikam identifies the following image requirements:

- For each operating system version currently deployed to the client computers on the Fabrikam network, create a custom image.
- Include an answer file that will be processed when applying images from Image1.wim.
- Create a multicast transmission for Deployment1.
- Add an additional image to the Image2.wim file.

### NEW QUESTION 6

#### DRAG DROP

You need to meet the technical requirements for Image1.wim.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

### Actions

### Answer Area

Apply the image.

Generalize the image.


Run **msiexec.exe** for each update.

Run **dism.exe** for each update.

Mount the image.

Unmount the image.

Capture the image



Answer:

Explanation:

### Actions

Apply the image.

Generalize the image.

Run **msiexec.exe** for each update.

Run **dism.exe** for each update.

Mount the image.

Unmount the image.

Capture the image



### Answer Area

Mount the image.

Run **dism.exe** for each update.

Unmount the image.



### NEW QUESTION 7

You need to meet the image requirements for Image1.wim.  
To which folder should you copy the answer file in Image1.wim?

- A. Windows\System32\Sysprep
- B. Windows\System
- C. Windows\System32\Setup
- D. Windows

Answer: A

Explanation: References:  
[https://technet.microsoft.com/en-gb/library/cc749415\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/cc749415(v=ws.10).aspx)

**NEW QUESTION 8**

After the planned migration, you need to gather data from the client computers on the Contoso network.

Which is the best account to use to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Fabrikam\Administrator
- B. Contoso\Administrator
- C. Fabrikam\User2
- D. Fabrikam\User1

**Answer:** C

**NEW QUESTION 9**

HOTSPOT

You need to identify the minimum number of images required to meet the image requirements for Fabrikam.

How many images should you identify? To answer, select the appropriate number of images for each operating system in the answer area.

**Answer Area**

Windows 7:

Windows 8:

Windows 8.1:

**Answer Area**

Windows 7:

0

1

2

3

Windows 8:

0

1

2

Windows 8.1:

0

1

2

**Answer:**

**Explanation:**

## Answer Area

Windows 7:

▼

0

1

2

3

Windows 8:

▼

0

1

2

Windows 8.1:

▼

0

1

2

### NEW QUESTION 10

#### HOTSPOT

You need to configure Image2.wim to meet the image requirements.

What command should you run from Windows PE? To answer, select the appropriate options in the answer area.

#### Answer Area

▼

▼

#### Answer Area

▼	▼
Dism.exe	/append-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
Imagex.exe	/Capture d:\ Image2.wim "Windows image"
New-WindowsImage	/Capture-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
	-ImagePath e:\Image2.wim -CapturePath d:\ -Name "Windows Image"

Answer:

Explanation:

#### Answer Area

▼	▼
Dism.exe	/append-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
Imagex.exe	/Capture d:\ Image2.wim "Windows image"
New-WindowsImage	/Capture-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
	-ImagePath e:\Image2.wim -CapturePath d:\ -Name "Windows Image"

### NEW QUESTION 10

You need to meet the application requirements for the client computers of the managers. What should you do?

- Create a customization file named Custom.ms
- Copy Custom.msp to \\Server4 \Software\Update
- Run \\Server4\Software\Setup.exe without specifying any parameters.
- Create a customization file named Custom.xml
- Copy Custom.xml to \\Server4 \Software\Proplus.w
- Run \\Server4\Software\Setup.exe without specifying any parameters.
- Create a customization file named Custom.xml
- Copy Custom.xml to \\Server4 \Software\Update
- Run \\Server4\Software\Setup.exe without specifying any parameters.

- J. Create a customization file named Answer.xml
- K. Copy Answer.xml to the managers' computer
- L. Run \\Server4\\Software\\Setup.exe and specify the /admin parameter.

**Answer:** A

**Explanation:** References:  
[https://technet.microsoft.com/en-gb/library/cc178960.aspx#BKMK\\_CreateNIP](https://technet.microsoft.com/en-gb/library/cc178960.aspx#BKMK_CreateNIP)

### NEW QUESTION 13

You need to deploy App1. How should you install App1?

- A. as a Microsoft Application Virtualization (App-V) package
- B. as a RemoteApp program
- C. locally
- D. on a Client Hyper-V virtual machine

**Answer:** B

**Explanation:** Topic 3, Litware, Inc.

Case Study Overview

General Overview

Litware, Inc. is an international manufacturing company that has 1,500 employees. Litware has a main office and a branch office. The main office is located in Montreal. The

branch office is located in Seattle. The offices connect to each other by using a WAN link.

Network Configuration

The environment contains a production network and a development network. The two networks are isolated from one another. The networks use the addressing schemes shown in the following table.

Network address	Location	Network	Number of computers
192.168.1.0/24	Montreal	Development	Eight Hyper-V virtual machines
192.168.2.0/24	Montreal	Development	Four physical desktop computers
192.168.3.0/24	Seattle	Development	Eight physical desktop computers
10.1.0.0/16	Montreal	Production	1,000 physical desktop computers and 400 Hyper-V virtual machines
10.2.0.0/16	Seattle	Production	100 physical desktop computers

Router interfaces are assigned the first IP address on each subnet.

Existing Environment Active Directory

The network contains two Active Directory forests named litware.com and dev.litware.com. Each forest contains a single domain. The functional level of both forests is Windows Server2012 R2.

Management Infrastructure

Litware has a deployment of Microsoft System Center 2012 R2 Configuration Manager. On the production network in the Montreal office, Configuration Manager agents are installed on the client computers that run Windows 8.1 Enterprise. Configuration Manager is used only to deploy Windows updates.

Operating systems are deployed either manually or by using Windows Deployment Services (WDS). Configuration Manager servers and WDS servers have the Microsoft Deployment Toolkit (MDT) 2013 installed Configuration Manager and MDT are integrated.

Windows Server and Client Environment

The network contains servers that run Windows Server 2012 R2.

The network contains the client computers configured as shown in the following table.

Hardware architecture	Network	Operating system
x86 BIOS-based firmware	Development	32-bit version of Windows 7 Enterprise
x64 BIOS-based firmware	Development and production	64-bit version of Windows 7 Enterprise and 64-bit version of Windows 8.1 Enterprise
x64 UEFI-based firmware	Production	64-bit version of Windows 7 Enterprise and 64-bit version of Windows 8.1 Enterprise

The relevant servers in the production network are configured as shown in the following table.

Server name	Location	Description
Server1	Montreal	Configuration Manager primary site server
Server2	Montreal	File server
Server3	Montreal	Microsoft SQL Server 2012 Enterprise
Server101	Seattle	File server

The relevant computers on the development network are configured as shown in the following table.

Server name	Location	Description
Server201	Montreal	Newly installed WDS and MDT
Server301	Seattle	Newly installed WDS and MDT
Client201	Montreal	Windows 7 Enterprise x64
Client202	Montreal	Windows 8.1 Enterprise x64

#### Problem Statements

Litware identifies the following issues on the networks:

- IT administrators report that operating system deployment and license tracking of Windows 8.1 Enterprise are too labor intensive.
- Certain internally developed applications have compatibility issues with Windows 8.1 Enterprise.

CustomSettings.ini

CustomSettings.ini on Server201 and Server301 will contain the following information:

```
[Settings]
Priority= Make, DefaultGateway, Default

[DefaultGateway]
192.168.3.1=Subnet3

[Subnet3]
OSDComputerName=B-%AssetTag%
MachineObjectOU = OU=OU3,DC=dev,DC=Litware,DC=com
SkipComputerName=Y

[Default]
OSInstall=Y
SkipCapture=Y
SkipAdminPassword=N
SkipComputerName=N
OSDComputerName=D-%AssetTag%
MachineObjectOU = OU=OU1,DC=dev,DC=Litware,DC=com
SkipDomainMembership=N

[Microsoft Corporation]
OSDComputerName=A-%AssetTag%
MachineObjectOU = OU=OU2,DC=dev,DC=Litware,DC=com
```

#### Requirements

##### Business Goals

As much as possible, Litware plans to minimize the costs associated with purchasing hardware and software.

##### Planned Changes

Litware plans to implement the following changes to the networks:

- On the production network, implement a Key Management Service (KMS).
- Deploy a Configuration Manager agent to all of the production network computers.
- On the production network, implement a Zero Touch deployment of Windows 8.1 Enterprise.
- On the production network, deploy Windows 8.1 Enterprise to all of the client computers that run Windows 7 Enterprise.
- On the development network, implement a Lite Touch deployment of Windows 7 Enterprise and Windows 8.1 Enterprise.

##### General Requirements

Litware identifies the following general requirements:

- Images deployed by using Configuration Manager and WDS must include Windows updates that are deployed already to the client computers.
- The installation of Microsoft Office 2013 on the production and development networks must include Outlook, Word, and Excel only.
- The deployed operating system must take full advantage of the hardware platform to which it is deployed.
- Network traffic to the Internet and WAN traffic between the offices must be minimized, whenever possible.
- Administrative effort must be minimized, whenever possible.

##### Production Technical Requirements

Litware identifies the following technical requirements for the planned deployments to the production network:

- Operating system deployments must include the latest Windows updates.
- All SQL Server instances must be Standard edition or Enterprise edition.
- Images copied between distribution points must NOT use any network bandwidth.
- The Microsoft Assessment and Planning (MAP) Toolkit must be used for all assessments of the client computers.
- Operating system deployments to the production network computers must use Configuration Manager integrated with MDT.
- Office 2013 must be deployed to the production network computers by using Microsoft
- Application Visualization (App-V).
- Server1 and Server101 must be used for operating system deployments and Windows update deployments to the production network computers.
- All Configuration Manager operating system deployment task sequences must be capable of using the settings configured in Customsettings.ini.
- The capture of reference images on the Configuration Manager servers must be implemented by using the build and capture a reference operating system image task sequence.

#### Development Technical Requirements

Litware identifies the following technical requirements for the planned deployments to the development network:

- When reinstalling computers on the development network, the user state of the administrator account and the local accounts must not be captured. The user state of all other accounts must be captured.
- Application compatibility issues of internally developed applications must be identified by monitoring the execution of each application on the Windows 8.1 Enterprise computers.
- Server201 and Server301 must be used for operating system deployments to the development network computers by using WDS integrated with MDT.
- All new systems on the development network must run Windows 7 Enterprise x86/x64 or Windows 8.1 Enterprise x86/x64.
- Office 2013 must be deployed to the development network by using Windows Installer (MSI) package-based installations.
- All computers deployed to the development network must be periodically reinstalled.

#### NEW QUESTION 15

You need to use Configuration Manager to deploy operating systems to the production network. The solution must meet the technical requirements. Which two actions should you perform? Each correct answer presents part of the solution.

- A. Add an operating system image.
- B. Run the Create Automatic Deployment Rule Wizard.
- C. Add an operating system installer.
- D. Run the Create Task Sequence Wizard.
- E. Run the Schedule Updates Wizard.

**Answer:** AD

#### NEW QUESTION 20

##### HOTSPOT

You need to identify which executable and which parameter must be used to meet the technical requirements for the development network. Which executable and parameter should you identify? To answer, select the appropriate executable and parameter in the answer area.

#### Answer Area

Executable:

Parameter:

#### Answer Area

Executable:

Loadstate.exe  
Scanstate.exe  
Usmtutils.exe

Parameter:

/efs  
/nocompress  
/targetxp  
/ue

**Answer:**

**Explanation:**

## Answer Area

Executable:

▼

Loadstate.exe

Scanstate.exe

Usmtutils.exe

Parameter:

▼

/efs

/nocompress

/targetxp

/ue

### NEW QUESTION 23

You need to recommend a solution to automate the deployment of Office 2013 on the development network computers. Which two actions should you include in the recommendation? Each correct answer presents part of the solution.

- A. Modify the Setup.xml file in the ProPlus.wv folder.
- B. Create a network installation point.
- C. Run setup.exe and specify the /download parameter.
- D. Run setup.exe and specify the /admin parameter.
- E. Download the Office Deployment Tool.

**Answer:** BD

**Explanation:** References: <https://technet.microsoft.com/en-us/library/cc179121.aspx>

### NEW QUESTION 24

DRAG DROP

You need to recommend a procedure for configuring the deployment of Office 2013 on the production network.

Which four actions should you recommend be performed in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

#### Actions

Run **setup.exe** /admin.

Run **setup.exe** and specify the /packager parameter.

Download the Office Customization Tool (OCT).

Run **setup.exe** and specify the /download parameter.

Modify the Configuration.xml file.

Download the Office Deployment Tool.



#### Answer Area



**Answer:**

**Explanation:**

**Actions**

Run **setup.exe /admin.**

Run **setup.exe** and specify the */packager* parameter.

Download the Office Customization Tool (OCT).

Run **setup.exe** and specify the */download* parameter.

Modify the Configuration.xml file.

Download the Office Deployment Tool.



**Answer Area**

Download the Office Deployment Tool.

Modify the Configuration.xml file.

Run **setup.exe** and specify the */download* parameter.

Run **setup.exe** and specify the */packager* parameter.



**NEW QUESTION 25**

**HOTSPOT**

You are evaluating CustomSettings.ini.

Use the drop-down menus to select the answer choice that completes each statement.

**Answer Area**

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in **[answer choice]**

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with **[answer choice]**

**Answer Area**

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in **[answer choice]**

OU1 or OU2  
OU1 or OU3  
OU2 or OU3

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with **[answer choice]**

A-  
B-  
C-  
D-

**Answer:**

**Explanation:**

### Answer Area

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in **[answer choice]**

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with **[answer choice]**

OU1 or OU2

OU1 or OU3

OU2 or OU3

A-

B-

C-

D-

#### NEW QUESTION 30

You need to identify which step must be included in all of the operating system deployment task sequences created on Server1. Which step should you identify?

- A. Validate
- B. Set Task Sequence Variable.
- C. Gather
- D. Use MDT Package.

**Answer:** D

#### NEW QUESTION 35

DRAG DROP

You need to prepare Server2 to perform a Windows 8.1 readiness assessment of the production network computers. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
From MAP, create a hardware library.		
Install the SQL Server Native Client.		
From MAP, create a new database.		
Run <b>mapsetup.exe</b> .	➤	
Install SQL Server by using a named instance.	➡	⬆
Install SQL Server by using the default instance.		⬇

**Answer:**

**Explanation:**

Actions		Answer Area
From MAP, create a hardware library.		Install SQL Server by using a named instance.
Install the SQL Server Native Client.		
From MAP, create a new database.		
Run <b>mapsetup.exe</b> .	➤	Run <b>mapsetup.exe</b> .
Install SQL Server by using a named instance.	➤	
Install SQL Server by using the default instance.		From MAP, create a new database.

**NEW QUESTION 38**

**DRAG DROP**

You need to configure an unattended file for operating system deployments from Server201 and Server301.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
From Windows System Image Manager, create a new file.		
Install Windows Assessment and Deployment Kit (Windows ADK) for Windows 8.1.		
From Windows System Image Manager, select a Windows image.	➤	
From Deployment Workbench, import an operating system.	➤	
From Deployment Workbench, create a deployment share.		
From Deployment Workbench, create a task sequence.		

**Answer:**

**Explanation:**

### Actions

From Windows System Image Manager, create a new file.

Install Windows Assessment and Deployment Kit (Windows ADK) for Windows 8.1.

From Windows System Image Manager, select a Windows image.

From Deployment Workbench, import an operating system.

From Deployment Workbench, create a deployment share.

From Deployment Workbench, create a task sequence.

### Answer Area

Install Windows Assessment and Deployment Kit (Windows ADK) for Windows 8.1.

From Deployment Workbench, import an operating system.

From Windows System Image Manager, select a Windows image.

From Windows System Image Manager, create a new file.



### NEW QUESTION 39

#### HOTSPOT

You need to identify the minimum number of boot images required for the operating system deployment to the production and development networks. How many images should you identify? To answer, select the appropriate number of images for each boot image type in the answer area.

## Development network

Number of 32-bit boot images:

Number of 64-bit boot images:

## Production network

Number of 32-bit boot images:

Number of 64-bit boot images:

Answer:

Explanation:

## Development network

Number of 32-bit boot images:

Number of 64-bit boot images:

## Production network

Number of 32-bit boot images:

Number of 64-bit boot images:

### NEW QUESTION 44

You need to recommend a procedure for applying Windows updates to the operating system images stored in WIM files on the development network. What should you include in the recommendation?

- A. Approve-WsusUpdate with the -Update parameter
- B. Add-WindowsPackage with the -Online and -PackagePath parameters
- C. Add-WindowsPackage with the -Path and -PackagePath parameters
- D. Msiexec with the /p and /q parameters

**Answer:** C

### NEW QUESTION 48

DRAG DROP

You need to prepare Server1 and Server101 for an operating system deployment.

What should you configure on each server? To answer, drag the appropriate actions to the correct servers. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Actions		Answer Area	
Create a distribution point.	• • • •	Server1:	Action
Create a PXE service point.		Server101:	Action
Enable PXE support for clients.			Action
Enable as a branch distribution point.			

**Answer:**

**Explanation:**

Actions		Answer Area	
Create a distribution point.	• • • •	Server1:	Enable PXE support for clients.
Create a PXE service point.		Server101:	Enable as a branch distribution point.
Enable PXE support for clients.			Enable PXE support for clients.
Enable as a branch distribution point.			

Topic 4, Proseware Inc.

Case Study Overview

General Overview

Proseware Inc., is a manufacturing company that has 3,000 employees. The company has a sales department a marketing department, a research department, a customer service department, and a human resources department.

Physical Locations

Proseware has two main offices and five branch offices. The main offices are located in New York City and Paris. The branch offices are located throughout North America.

All offices have a high-speed connection to the Internet. The offices connect to each other through the Internet by using VPN appliances.

Existing Environment Active Directory

The network contains two Active Directory forests named na.proseware.com and fr.proseware.com. Each forest contains a single domain. All domain controllers run Windows Server 2012 R2.

The main office in New York City and all the branch offices each contain a domain controller for the na.proseware.com forest. The main office in Paris contains domain controllers for the fr.proseware.com forest only.

Due to legal requirements, the na.proseware.com and fr.proseware.com forests must remain separate. Administrators from each forest are allowed to manage the resources in their respective forest only.

Users from all of the departments are located in each office. Users in the research department store their research data in local folders on their computer. The data can be up to 100 GB on each computer.

Each office is configured as an Active Directory site. All of the domain controllers are configured as DNS servers. All of the client computers are configured to connect to the DNS servers in their respective office only. All of the domain controllers are configured as DHCP servers.

New York Office

The computers in the New York City office are managed by using Microsoft System Center 2012 R2 Configuration Manager. The New York City office has the following servers and client computers:

- A Key Management Service (KMS) server host
- Client computers that run Windows 7 and Microsoft Office 2010
- Five file servers that host multiple shared folders and run Windows Server 2012 R2
- A server that runs Windows Server 2012 R2 and is configured as a Configuration Manager site server

Branch Offices

Each branch office has the following servers and client computers:

- Client computers that run Windows 7 and Office 2010
- A file server that hosts multiple shared folders and runs Windows Server 2012 R2

Currently, the branch offices are not managed by using the Configuration Manager deployment in the New York City office.

Paris Offices

The Pans office has the following servers and client computers:

- Client computers that run Windows 7 and Office 2010
  - Five file servers that host multiple shared folders and run Windows Server 2012 R2
- Currently, the activation of the client computers in the Pans office is performed manually. Deployments

Currently, all new client computers are shipped initially to and imaged in the New York City office, and then shipped to the other offices. There are multiple images for both 32-bit and 64-bit computers. The images contain specific drivers for each type of computer. All of the computers are PXE-compatible.

If a client computer must be reimaged, the reimaging is performed locally at each office by using a boot disk and a USB hard drive that contains multiple images.

USB hard drives storing updated images are sent to each office every six months.

Applications

A third-party desktop application named App1 is used by the sales department.

All of the users in the human resources department use an application named HR1. HR1 is installed by using a Windows Installer (MSI) package. HR1 is compatible with Windows 7 only.

Problem Statements

Proseware identifies the following issues:

- Users in the branch offices report that it can take up to four weeks to receive a requested new client computer, which is too long.
- If a client computer must be reimaged, it can take several hours before the computer is ready for use again due to the updates that must be applied.
- Currently, the hardware used for the client computers in the Paris office is undocumented. All of the computers in the customer service department and the research department were replaced during the past year.

Requirements Business Goals

As much as possible, Proseware plans to minimize the costs associated with purchasing hardware and software.

Planned Changes

Proseware plans to deploy a new version of its standard operating environment (SOE). The new SOE will contain the following:

- A volume license edition of Windows 8.1 Enterprise (64-bit)
- A volume license edition of Office 2013 (32-bit)

A new line-of-business Windows Store app named App2 will be deployed. App2 will be used by all users.

New client computers will be delivered directly from the hardware vendor to each office. As a result, Proseware plans to change the imaging process.

Technical Requirements

Proseware identifies the following technical requirements:

- Minimize the size of desktop images.
- Centralize the activation of all the client computers.
- Minimize the amount of network traffic over the VPN.
- Minimize the number of desktop images that must be maintained.
- Ensure that only the users in the human resources department can access HR1.
- Ensure that the data of the research department users is retained while deploying the new image.
- Minimize the amount of time it takes to upgrade the research department computers in the Paris office.
- Ensure that a branch office administrator can deploy a new image to new client computers with minimal delay.
- Ensure that the French language is configured as the default language for the client computers in the Paris office.
- A network technician will visit each client computer in the Paris office to start the operating system deployments.
- Gather a detailed hardware inventory of all the client computers in the Paris office without installing any additional software on the computers.
- Users in the research and customer service departments in the Paris office will have the new image deployed to their current computer. The current Windows installation will not be preserved during the upgrade.
- All of the other client computers in the Paris office will be replaced with new computers during the next two years. During this time, some computers may need to be reimaged by using the current Windows image.

## NEW QUESTION 52

You need to recommend a solution for activation. What should you include in the recommendation?

- A. a Multiple Activation Key (MAK) proxy on a domain controller in the Paris office
- B. a cross-forest trust relationship
- C. Active Directory-Based Activation (ADBA) in the fr.proseware.com forest
- D. a service location (SRV) record in the fr.proseware.com domain

**Answer: D**

## NEW QUESTION 53

You need to recommend a method to deploy the images to the new client computers in the Paris office.

What should you include in the recommendation?

- A. a Configuration Manager secondary site
- B. a Windows Deployment Services (WDS) server
- C. a Windows To Go installation
- D. a cloud distribution point

**Answer: B**

## NEW QUESTION 57

You are evaluating deploying the new image to na.proseware.com in the branch offices by using Configuration Manager.

You need to recommend changes to the existing environment to meet the technical requirements.

What should you recommend deploying to each branch office?

- A. a software update point
- B. Windows Deployment Services (WDS)
- C. a secondary site
- D. an enrollment point

**Answer: C**

## NEW QUESTION 60

You need to identify the correct configuration pass to modify in an answer file for the client computers in the Paris office.  
Which configuration pass should you identify?

- A. auditUser
- B. generalize
- C. offlineServicing
- D. oobeSystem

**Answer:** D

**Explanation:** References:  
[https://technet.microsoft.com/en-gb/library/cc749307\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/cc749307(v=ws.10).aspx)

#### NEW QUESTION 64

You need to recommend a solution to generate a report for the client computers in the Paris office.  
What should you include in the recommendation?

- A. Deploy the Configuration Manager client.
- B. Install and configure the Microsoft Deployment Toolkit (MDT).
- C. Install and configure the Microsoft Assessment and Planning (MAP) Toolkit.
- D. Install and configure the Windows Assessment and Deployment Kit (Windows ADK).

**Answer:** C

#### NEW QUESTION 67

You need to capture the SOE image.  
You deploy Windows 8.1 Enterprise and all of the required applications to a new client computer in the New York City office.  
What should you do next?

- A. Run sysprep.exe /unattend:sysprep.xml.
- B. Create a Windows Deployment Services (WDS) capture image.
- C. Run sysprep.exe /oobe.
- D. Create a Configuration Manager capture task sequence.

**Answer:** C

#### NEW QUESTION 68

You need to recommend a solution for the research department computers in the Paris office.  
Which action should you include in the recommendation?

- A. a User State Migration Tool (USMT) script that uses a remote migration store
- B. a User State Migration Tool (USMT) script that performs a hard-link migration
- C. a Configuration Manager package that performs a hard link migration
- D. a Configuration Manager package that uses remote configuration storage

**Answer:** B

**Explanation:** Topic 5, Mix Questions

#### NEW QUESTION 73

##### DRAG DROP

Your company purchases 32-bit and 64-bit BIOS-based computers.  
You plan to deploy Windows 8.1 Enterprise to the new computers by using a Windows Deployment Services (WDS) server named WDS1.  
The company has several departments. The requirements of each department are described in the following table.

Department	Requirement
Sales	When working remotely, the users in the sales department will use DirectAccess to connect to network resources. The sales department users run 64-bit Microsoft Application Virtualization (App-V) applications.
IT	The users in the IT department will create Windows To Go drives manually that may be used on any client computer in the office.
Development	The client computers in the development department will have 16 GB of RAM, so that development department users can run multiple virtual machines locally. Administrators will sideload apps on the development department computers.
Warehouse	The users in the warehouse department will each use a 32-bit tablet device. Administrators must ensure a consistent Start screen experience for the warehouse department users.

You need to identify the minimum number of images that must be added to WDS1 to meet the department requirements.  
How many boot images and install images should you identify? To answer, drag the appropriate numbers to the correct images. Each number may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

## Number

1	2
3	4

## Answer Area

Boot images:

Install images:

Answer:

Explanation:

## Number

1	2
3	4

## Answer Area

Boot images:

Install images:

## NEW QUESTION 75

### HOTSPOT

Your company has a Microsoft Office 365 subscription.

From a network share, you plan to deploy Office 365 ProPlus to the client computers in a branch office by using the Office Deployment Tool. The share is located at \\Server1\Office.

Some of the users in the branch office are consultants who often work for extended periods in customer locations. All other users in the branch office work in the customer service department.

During testing, you discover that Internet traffic spikes excessively during the installation of updates.

From the Office Deployment Tool, you create a configuration file named Config1.xml for the consultants and you create a configuration file named Config2.xml for the customer service department.

You need to ensure that the Office applications on all of the client computers are updated regularly. The solution must minimize the amount of Internet traffic, whenever possible.

Which configuration file should you modify and which configuration element should you add to the configuration file? To answer, select the appropriate options in the answer area.

## Answer Area

Configuration file to modify:

Configuration element to add:

## Answer Area

Configuration file to modify:


Configuration element to add:


  
  
  
  


Answer:

Explanation:


**Answer Area**

Configuration file to modify:



Config1.xml  
Config2.xml

Configuration element to add:



```
<Updates Enabled="TRUE" />
<Updates Enabled="FALSE" />
<Display Level="None" AcceptEULA="TRUE" />
<Updates Enabled="TRUE" UpdatePath="\\\\server1\\office" />
<Updates Enabled="FALSE" UpdatePath="\\\\server1\\office" />
```

**NEW QUESTION 79**

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager that is used to perform Windows 8.1 installations. You have a Task sequence named TS1. TS1 is only available to client computers that have the Configuration Manager client installed and are in a collection named Collection1. You need to use TS1 to perform bare-metal deployments to new client computers. What should you do?

- A. Redeploy TS1.
- B. Modify the deployments of TS1.
- C. Modify the properties of TS1.
- D. Modify the security scope of TS1.

**Answer:** A**NEW QUESTION 81**

You have a server named Server1 that runs Windows Server 2012 R2. You install the Windows Assessment and Deployment Kit (Windows ADK) and the Microsoft Deployment Toolkit (MDT) 2013 on Server1. You need to create a standard client task sequence from the Deployment Workbench. What should you do first?

- A. Configure a deployment share.
- B. Add an operating system.
- C. Create a Customsettings.ini file.
- D. Import an operating system package.

**Answer:** A**Explanation:** References: <https://technet.microsoft.com/en-us/library/dn781086.aspx>**NEW QUESTION 86**

Your company deploys Microsoft Office Professional 2013 and installs all of the Office 2013 Professional applications to 100 computers. You need to automate the removal of Access 2013 from some of the computers. What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Modify the Config.xml file, and then run msixexec.exe.
- B. Create an MSP file, and then run setup.exe.
- C. Modify the Config.xml file, and then run setup.exe.
- D. Create an MSP file, and then run msixexec.exe

**Answer:** C**Explanation:** References: <https://technet.microsoft.com/en-us/library/cc179195.aspx>**NEW QUESTION 90**

You have a Windows Deployment Services (WDS) server named WDS1. WDS1 is used to deploy an image of Windows 8.1 Pro named Image1 to the computers in a classroom. The computers are redeployed every day. WDS1 only contains one install image. Every morning on each computer, a technician must press F12, and then choose Image1. You need to automate the process of deploying Image1 to the computers. Image1 must be deployed automatically to the computers when they are turned on. Which two actions should you perform on WDS1? Each correct answer presents part of the solution.

- A. Configure a Multicast Transmission.
- B. Configure the Network settings.
- C. Configure the Boot settings.
- D. Configure the PXE Response settings.

E. Configure the Client settings.

**Answer:** CD

**Explanation:** References:

[https://technet.microsoft.com/en-us/library/cc771788\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc771788(v=ws.10).aspx)

#### NEW QUESTION 91

Your company has 1,000 users. Ten percent of the users work from home and connect to the corporate network by using a VPN connection. All of the users have client computers that run Windows 7 Enterprise.

You have a file server named FS1.

You plan to perform new installations of Window 8.1 Enterprise on all of the client computers. You will preserve existing application data and user settings.

You need to recommend a solution to migrate application data and user settings. The solution must minimize hard disk space usage and network traffic.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. For all of the computers, use a USB disk as a compressed migration store.
- B. For all of the computers, use a hard-link migration store.
- C. For the computers of the users who work from home, use a USB disk as a compressed migration stor
- D. For all other computers, use FS1 as a compressed migration store.
- E. For the computers of the users who work from home, use a hard-link migration stor
- F. For all other computers, use FS1 as a compressed migration store.

**Answer:** B

**Explanation:** References:

[https://technet.microsoft.com/en-us/library/dd560753\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd560753(v=ws.10).aspx) [https://technet.microsoft.com/en-GB/library/dd560795\(v=ws.10\).aspx](https://technet.microsoft.com/en-GB/library/dd560795(v=ws.10).aspx)

#### NEW QUESTION 95

##### HOTSPOT

Your network contains one Active Directory domain named contoso.com. You have the users shown in the following table.

User type	Work habit	Platform
Sales	Connect to the network at least once every three months.	Use laptops that run Windows 8.1 Pro.
Finance	Always work from the office.	Use desktop computers that run Windows 7 Enterprise.
Executives	Work from the office three days a week.	Use laptops that run Windows 8 Enterprise.

All computers are joined to the domain.

You are evaluating the implementation of the Key Management Service (KMS) and Active Directory-Based Activation (ADBA).

You need to identify which activation method can be used for each user type.

What should you identify for each user type? To answer, select the appropriate activation methods for each user type in the answer area.

##### Answer Area

Sales:

Finance:

Executives:

##### Answer Area

Sales:   
ADBA only  
KMS only  
Both ADBA and KMS

Finance:   
ADBA only  
KMS only  
Both ADBA and KMS

Executives:   
ADBA only  
KMS only  
Both ADBA and KMS

**Answer:**

**Explanation:** **Answer Area**

Sales:	<div style="border: 1px solid black; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; margin-bottom: 2px;">▼</div> <div style="padding: 2px;">ADBA only</div> <div style="padding: 2px;">KMS only</div> <div style="padding: 2px; border: 2px solid green;">Both ADBA and KMS</div> </div>
Finance:	<div style="border: 1px solid black; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; margin-bottom: 2px;">▼</div> <div style="padding: 2px;">ADBA only</div> <div style="padding: 2px; border: 2px solid green;">KMS only</div> <div style="padding: 2px;">Both ADBA and KMS</div> </div>
Executives:	<div style="border: 1px solid black; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; margin-bottom: 2px;">▼</div> <div style="padding: 2px;">ADBA only</div> <div style="padding: 2px;">KMS only</div> <div style="padding: 2px; border: 2px solid green;">Both ADBA and KMS</div> </div>

#### NEW QUESTION 100

You have a client computer named Computer1 that runs Windows 8.1 Enterprise.  
You install the Windows Assessment and Deployment Kit (Windows ADK) on Computer1.  
You sign in to Computer1 as a local user named User1. You insert the Windows 8.1 installation media into the DVD drive on Computer1.  
You need to use Windows ADK to create an answer file for the deployment of Windows 8.1 Enterprise.  
What should you do first?

- A. From Windows PowerShell, run Copy-Item
- B. From Windows System Image Manager, click Import Package(s).
- C. From Windows System Image Manager, click Create Configuration Set...
- D. From Deployment and Imaging Tools Environment run dism.exe and specify the Mount- Wim parameter.

**Answer:** A

**Explanation:** You need to copy the Windows base-image file from the DVD to the local hard disk.  
References: <https://technet.microsoft.com/en-GB/library/dn621904.aspx>

#### NEW QUESTION 104

You have an image named Image1 that contains an installation of Windows 8.1 Pro. Image1 will be deployed by using Windows Deployments Services (WDS).  
You need to ensure that all of the Internet Information Services components are installed when Image1 is deployed.  
Which tool should you run before you deploy the image?

- A. Enable-WindowsOptionalFeature
- B. Add-WindowsPackage
- C. imagex.exe
- D. wdsutil.exe

**Answer:** B

**Explanation:** References: <https://technet.microsoft.com/en-us/library/hh852172.aspx>

#### NEW QUESTION 106

Your company plans to migrate all client computers to Windows 8.1 Enterprise.  
You test the company's line-of-business applications on Windows 8.1 Enterprise and discover the information listed in the following table.

Application name	Information
App1	App1 contains some critical functionality required for business operations.
App2	App2 is a new application that will phase out App1 during the next six months. App2 fails to install if App1 is installed on the same computer.
App3	App3 has an install dependency with App2.

All of the applications must run successfully at all times, regardless of network connectivity. You need to recommend a solution for deploying the applications?  
What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Publish App1 as a RemoteApp progra
- B. Deploy App2 and App3 to a virtual machine.
- C. Publish App1, App2, and App3 as RemoteApp programs.
- D. Deploy App2 and App3 as a Microsoft Application Virtualization (App-V) packag
- E. Deploy App1 as an App-V package.
- F. Deploy App2 and App3 to a virtual machin
- G. Deploy App1 as a Microsoft Application Virtualization (App-V) package.

**Answer:** D

#### NEW QUESTION 109

You have a Windows Deployment Services (WDS) server.

You have a custom install image of Windows 8.1 Enterprise named Image1. The image is in an image group named ImageGroup1 and is the only image in the group.

You need to ensure that only users who are the members of a security group named Admins can deploy Image1 by using PXE.

What should you use?

- A. the Remove-WdsInstallImageGroup cmdlet and the Name parameter
- B. the Set-WdsInstallImageGroup cmdlet and the SecurityDescriptorSDDL parameter
- C. the Set-WdsClient cmdlet and the Group parameter
- D. the Set-WdsBootImage cmdlet and the ImageName parameter

**Answer:** B

**Explanation:** References:

[https://technet.microsoft.com/en-us/library/dn283418\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn283418(v=wps.630).aspx)

#### NEW QUESTION 110

HOTSPOT

You manage a deployment of Microsoft System Center 2012 R2 Configuration Manager. Configuration Manager is integrated with the Microsoft Deployment Toolkit (MDT) 2013.

You create an MDT Zero Touch Installation (ZTI) client task sequence named TS1 and deploy TS1 to a test computer named Client1. TS1 continually fails on Client1.

You need to add a task to TS1 to allow you to troubleshoot TS1 from Client1 interactively. Which type of task should you add to TS1 and which ZTI component should the task

reference? To answer, select the appropriate task type and ZTI component in the answer area.

**Answer Area**

Task type:

ZTI component:

**Answer Area**

Task type:   
Capture Windows Settings  
Gather  
Run Command Line  
Use Toolkit Package

ZTI component:   
Customsettings.ini  
Serviceui.exe  
Ztigather.wsf  
Ztisetvariable.wsf

**Answer:**

**Explanation:**

## Answer Area

Task type:

▼

- Capture Windows Settings
- Gather
- Run Command Line
- Use Toolkit Package

ZTI component:

▼

- Customsettings.ini
- Serviceui.exe
- Ztigather.wsf
- Ztisetvariable.wsf

### NEW QUESTION 112

Your company has a main office and 10 branch offices.

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager at the main office that is used to deploy applications to internal users. The applications include Microsoft Office 365 ProPlus.

Users in the sales department have laptops that run a corporate image of Windows 8.1 Enterprise. The Configuration Manager client is installed on each user's computer. The sales department users typically work remotely from customer sites, which are located in different cities around the world.

You need to recommend a solution to deploy the applications to the sales department users.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. a VPN profile
- B. a boundary group
- C. a cloud distribution point
- D. a remote connection profile

**Answer: C**

**Explanation:** References: <https://technet.microsoft.com/en-gb/library/gg712321.aspx>

### NEW QUESTION 117

HOTSPOT

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager that is integrated with the Microsoft Deployment Toolkit (MDT) 2013.

You plan to replace an existing client computer that runs Windows 7 with a new computer and to install Windows 8.1 Enterprise on the new computer. The user data stored on the Windows 7 computer must be copied to the new computer.

You need to identify how many objects must be created from the Configuration Manager console to automate the replacement of the Windows 7 computer. The solution must minimize administrative effort.

How many objects of each type should you identify? To answer, select the appropriate number of objects of each type in the answer area.

Task sequences:

0

1

2

3

▲▼

MDT file packages:

0

1

2

3

▲▼

Computer associations:

0

1

2

3

▲▼

**Answer:**

**Explanation:**



#### NEW QUESTION 119

You have a Windows Server Update Services (WSUS) server named WSUS1.

You deploy Microsoft System Center 2012 R2 Configuration Manager to a server named Server1. You add an operating system image of Windows 8.1 Enterprise named Image1 to Configuration Manager.

You need to maintain Image1 so that when deployed, the image always contains the most recent Windows updates.

What should you do first?

- A. Create a configuration baseline.
- B. Specify WSUS1 as the intranet Microsoft update service location by using a Group Policy object (GPO).
- C. Install the software update point site system role on WSUS1.
- D. Install the distribution point site system role on Server1.

**Answer:** C

**Explanation:** References:

<https://technet.microsoft.com/en-us/library/gg712312.aspx>

#### NEW QUESTION 120

HOTSPOT

You have a server named Server1 that runs Windows Server 2012 R2. Server1 is a Windows Deployment Services (WDS) server.

You add an x86 capture image named Image1 and an x64 capture image named Image2 to WDS on Server1.

The network contains the client computers configured as shown in the following table.

Computer name	Architecture
Computer1	32-bit UEFI
Computer2	32-bit BIOS
Computer3	64-bit UEFI
Computer4	64-bit BIOS

You need to identify which capture image can be used on each computer.

What should you identify? To answer, select the appropriate images for each computer in the answer area.

**Answer Area**

Computer name	Can use Image1	Can use Image2
Computer1	<input type="checkbox"/>	<input type="checkbox"/>
Computer2	<input type="checkbox"/>	<input type="checkbox"/>
Computer3	<input type="checkbox"/>	<input type="checkbox"/>
Computer4	<input type="checkbox"/>	<input type="checkbox"/>

**Answer:**

**Explanation:** **Answer Area**

Computer name	Can use Image1	Can use Image2
Computer1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Computer2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Computer3	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Computer4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**NEW QUESTION 121**

Your company uses the computer builds shown in the following table.

Build name	CPU type	Firmware	Storage type	Notes
Build1	X64 Intel i5	BIOS	Hard disk drive (HDD)	Requires a vendor-supplied software for a network card driver
Build2	X64 Intel i7	UEFI	Solid-state drive (SSD)	Requires that BitLocker Drive Encryption (BitLocker) be configured
Build3	X64 AMD A4	UEFI	Solid-state drive (SSD)	Requires a vendor-supplied software for a video card driver
Build4	X86 Intel Atom	BIOS	Hard disk drive (HDD)	Requires a separate disk partition for data

You plan to deploy Windows 8.1 Enterprise to the different computer builds by using Windows Deployment Services (WDS).

You need to recommend how many images must be created.

How many images is the best recommendation? More than one answer choice may achieve the goal. Select the BEST answer.

- A. 1
- B. 2
- C. 3
- D. 4

**Answer:** D

**NEW QUESTION 124**

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager. You have a client computer named Computer1 that runs Windows 8.1.

You need to identify which property of Computer1 you can use to create a device object in Configuration Manager.

What should you identify?

- A. an IPv6 address
- B. an IPv4 address

- C. a Configuration Manager UUID
- D. a MAC address

**Answer:** D

#### NEW QUESTION 126

You maintain a base operating system image for your company. The image does not contain hardware-specific drivers. The image is distributed to the desktop support team, which is responsible for maintaining a driver repository on a file share named Share1.

You have a client computer named Client1 that runs Windows 8.1 Enterprise. Client1 will be used as the reference computer for the next version of the base image.

You plan to generalize Client1, capture an image of Client1, and then distribute the image to the desktop support team.

You need to configure a Sysprep answer file to ensure that the next time the image starts, device drivers from Share1 are added to the local driver repository. The solution must ensure that the drivers are added without entering the Out-of-Box-Experience (OOBE) phase.

Which configuration pass in the unattended file should you configure?

- A. specialize
- B. auditSystem
- C. generalize
- D. windowsPE

**Answer:** D

**Explanation:** References:

[https://technet.microsoft.com/en-gb/library/cc749307\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/cc749307(v=ws.10).aspx)

#### NEW QUESTION 127

HOTSPOT

Your company has a main office and a branch office. The main office is located in Montreal. The branch office is located in Seattle. The offices connect to each other by using a WAN link. The WAN link is congested during business hours. Each office has a high-bandwidth connection to the Internet.

The network contains one Active Directory domain named contoso.com. The relevant servers in the domain are configured as shown in the following table.

Server name	Location	Role
Server1	Montreal	Microsoft System Center 2012 R2 Configuration Manager site server
Server2	Seattle	File server

You need to use Server2 to perform an operating system deployment. The solution must minimize the amount of bandwidth used on the WAN link during business hours.

What should you do? To answer, select the appropriate options in the answer area.

#### Answer Area

Site role to deploy:

Server1 setting to enable:

#### Answer Area

Site role to deploy:   
Branch distribution point on Server2  
Cloud distribution point  
Distribution point on Server2

Server1 setting to enable:   
BITS  
Pull distribution point  
Rate limits

**Answer:**

**Explanation:** **Answer Area**

Site role to deploy:   
Branch distribution point on Server2  
Cloud distribution point  
Distribution point on Server2

Server1 setting to enable:   
BITS  
Pull distribution point  
Rate limits

**NEW QUESTION 130**

**DRAG DROP**

You deploy the Microsoft Deployment Toolkit (MDT) to a server named Server1.

You plan to deploy Windows 8.1 Enterprise to client computers by using MDT. You also plan to deploy two applications named App1 and App2.

You need to ensure that all of the client computers install App1 as part of their deployment of Windows 8.1 Enterprise. The solution must provide users with the ability to choose to install App2.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Modify Customsettings.ini.		
Create a task sequence.		
Modify the properties of App1 and App2.	➤	⬆
Add a task sequence variable.	⬅	⬇
Add App1 and App2 to the task sequence.		

**Answer:**

**Explanation:**

Actions		Answer Area
Modify Customsettings.ini.		Create a task sequence.
Create a task sequence.		
Modify the properties of App1 and App2.	➤	Add a task sequence variable.
Add a task sequence variable.	⬅	⬆
Add App1 and App2 to the task sequence.		Add App1 and App2 to the task sequence.

**NEW QUESTION 134**

**DRAG DROP**

You have a client computer that runs Windows 8.1 Enterprise. The client computer has the Windows Assessment and Deployment Kit (Windows ADK) installed.

You plan to capture images from Windows PE by running the New-WindowsImage cmdlet. You mount a custom image of Windows PE.


You need to identify which three components must be added to the image.

Which three components should you add in sequence? To answer, move the appropriate components from the list of components to the answer area and arrange them in the correct order.

Components		Answer Area
WinPE-PowerShell		
WinPE-NetFX		
WinPE-StorageWMI	➤	⬆
WinPE-EnhancedStorage	⬅	⬇
WinPE-DismCmdlets		

**Answer:**

**Explanation:**



#### NEW QUESTION 136

You plan to deploy a Windows 8.1 Enterprise image that contains a volume license version of Microsoft Office 2013. The image will be captured from a reference computer. Office is activated by using the Key Management Service (KMS).

On the reference computer, you install Office 2013 and you verify that all of the Office applications start properly.

You need to ensure that when the image is deployed, users are not prompted for activation when they first start an Office application.

What is the best action to perform before you capture the image? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Rearm Office 2013 on the reference computer.
- B. Run setup.exe and specify the /modify switch.
- C. Modify the Config.xml file.
- D. Reinstall Office 2013 on the reference computer.

**Answer:** A

**Explanation:** References: <https://technet.microsoft.com/en-gb/library/dn385362.aspx>

#### NEW QUESTION 140

Your network contains one Active Directory forest named contoso.com.

You plan to deploy Windows 8.1 Enterprise to all client computers. As part of the deployment, the operating system volumes of the client computers will be encrypted by using BitLocker Drive Encryption (BitLocker).

You need to ensure that when Windows 8.1 Enterprise is deployed, each operating system volume can be encrypted only when the recovery key information is backed up successfully to Active Directory.

Which Group Policy setting should you configure?

- A. Store BitLocker recovery information in Active Directory Domain Services (Windows Server 2008 and Windows Vista).
- B. Choose default folder for recovery password.
- C. Configure TPM platform validation profile (Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2).
- D. Choose how BitLocker-protected operating system drives can be recovered.

**Answer:** D

**Explanation:** References:  
[https://technet.microsoft.com/en-gb/library/ee424303\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/ee424303(v=ws.10).aspx)

#### NEW QUESTION 141

You have a client computer that has Microsoft Office 2013 installed. You need to identify whether Office 2013 is activated.

Which command should you run?

- A. ospp.vbs /dstatus
- B. ospp.vbs /dhistoryacterr
- C. ospp.vbs /remhst
- D. ospp.vbs /dcmid

**Answer:** A

**Explanation:** References:  
<https://technet.microsoft.com/en-us/library/ee624350.aspx#section1>

#### NEW QUESTION 146

You plan to deploy Windows 8.1 Enterprise to new client computers.

You have a Microsoft System Center 2012 R2 Configuration Manager site that is configured to deploy operating system images to computers.

Currently, any user can install any image.

You need to ensure that images can be downloaded by authorized users only. What should you modify?

- A. the security scope of the boot images
- B. the properties of the boot images
- C. the properties of the distribution points

D. the security scope of the install images

**Answer:** D

**Explanation:** References:

[https://technet.microsoft.com/en-us/library/cc732961\(v=ws.10\).aspx#BKMK\\_4](https://technet.microsoft.com/en-us/library/cc732961(v=ws.10).aspx#BKMK_4)

#### NEW QUESTION 148

You have a Windows Deployment Services (WDS) server.

You have a custom install image of Windows 8.1 Enterprise named Image1. The image is in an image group named ImageGroup1 and is the only image in the group.

You need to ensure that only users who are the members of a security group named Admins can deploy Image1 by using PXE.

What should you use?

- A. the Deny-WdsClient cmdlet and the RequestID parameter
- B. the Set-WdsClient cmdlet and the Group parameter
- C. the Set-WdsInstallImage cmdlet and the UserFilter parameter
- D. the Approve-WdsClient cmdlet and the RequestID parameter

**Answer:** C

**Explanation:** References:

[https://technet.microsoft.com/en-us/library/dn283438\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn283438(v=wps.630).aspx)

#### NEW QUESTION 149

In Sources.wim, you have a Windows 8.1 image named Image1.

You have an application named App1.exe. App1.exe is a self-contained application that does not require installation.

You mount Image1.

You need to add App1.exe to Image1. What should you run first?

- A. Add-ProvisionedAppxPackage and the Path and FolderPath parameters
- B. imagex.exe and the Append and Config parameters
- C. dism.exe and the Image and AddPackage parameters
- D. Copy-Item and the Path and Destination parameters

**Answer:** D

#### NEW QUESTION 152

DRAG DROP

Your network contains one Active Directory domain named contoso.com. The domain contains the servers configured as shown in the following table.

Server name	Role
Server1	Microsoft System Center 2012 R2 Configuration Manager site server
Server2	DNS server providing external name resolution for contoso.com
Server3	Enterprise certification authority (CA)

All contoso.com clients are allowed access to cloud-based distribution points. You need to deploy a cloud-based distribution point.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions**

On Server1, export the CER files.

On Server2, create an alias (CNAME) record.

On Server2, create a text (TXT) record.

On Server1, request two certificates for server authentication.

On Server1, export the PFX files.

On Server1, run the Create Cloud Distribution Point Wizard.

**Answer Area**



**Answer:**

**Explanation:** **Actions**

- On Server1, export the CER files.
- On Server2, create an alias (CNAME) record.
- On Server2, create a text (TXT) record.
- On Server1, request two certificates for server authentication.
- On Server1, export the PFX files.
- On Server1, run the Create Cloud Distribution Point Wizard.

**Answer Area**

- On Server1, request two certificates for server authentication.
- On Server1, export the PFX files.
- On Server1, run the Create Cloud Distribution Point Wizard.
- On Server2, create an alias (CNAME) record.

#### NEW QUESTION 156

You plan to sequence a 32-bit application named App1. App1 is compatible with Windows 7 and Windows 8.1. You have the following operating systems deployed to the network:

- 64-bit version of Windows 8.1 Enterprise
  - 64-bit version of Windows 8.1 Pro
  - 32-bit version of Windows 8.1 Pro
  - 64-bit version of Windows 7 Enterprise
  - 32-bit version of Windows 7 Pro
  - 64-bit version of Windows 7 Pro
  - You need to identify the minimum number of Microsoft Application Virtualization (App-V) packages that must be created to ensure that App1 can run on all of the client computers on the network.
- How many App-V packages should you identify?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 6

**Answer:** A

#### NEW QUESTION 161

You have a server named Server1 that runs Windows Server 2012 R2. Server1 is a Windows Deployment Services (WDS) server. You add a boot image and an install image to Server1. You need to create a capture image. Which tool should you use?

- A. Windows System Image Manager (Windows SIM)
- B. the Windows PowerShell module for WDS
- C. Oscdimg
- D. the Windows Deployment Services console

**Answer:** D

**Explanation:** References: <http://social.technet.microsoft.com/wiki/contents/articles/11680.creating-a-capture-image-in-wds.aspx>

#### NEW QUESTION 162

Your network contains one Active Directory forest named contoso.com that has two sites named Site1 and Site2. The contoso.com domain contains two servers named Server1 and Server2 that run Windows Server 2012 R2. The Microsoft Deployment Toolkit (MDT) is installed on both of the servers. Server1 is located in Site1 and Server2 is located in Site2. You perform the following actions on Server1:

- Import an operating system.
- Import drivers.
- Create a task sequence.

You copy the deployment share from Server1 to Server2 and you open the share on Server2 as MDTShare2. You discover that clients that connect to MDTShare2 are deployed from Server1. You need to ensure that the clients that connect to MDTShare2 are deployed from Server2. What should you modify on Server2?

- A. Bootstrap.ini
- B. Customsettings.ini
- C. The Rules properties of MDTShare2
- D. the General properties of MDTShare2

**Answer:** A

**Explanation:** References: <http://www.toddlamothe.com/deployment/customizing-bootstrap-mdt.htm>

**NEW QUESTION 163**

You have a Windows Deployment Services (WDS) server named Server1.

You plan to deploy an image of Windows 8.1 Enterprise to 50 new client computers.

You need to create a multicast deployment of an image of Windows 8.1 Enterprise. The solution must ensure that the deployment of Windows 8.1 Enterprise immediately starts on each client computer once the computer discovers the WDS server.

Which command should you run?

A. WDSUtil.exe /Start-MulticastTransmission /Image:"Win8.1-Enterprise" /ImageType:Boot/Achitecture:x64

B. WDSUtil.exe /New-MulticastTransmission /FriendlyName: "Multicast" /Image:"Win8.1- Enterprise" /ImageType:Boot /TransmissionType:AutoCast /Architecture:x64

C. WDSUtil.exe /Start-MulticastTransmission /Image:"Win8.1-Enterprise"/ImageType:Install /Achitecture:x64

D. WDSUtil.exe /New-MulticastTransmission /FriendlyName:"Multicast" /Image:"Win8.1- Enterprise" /ImageType:Install /TransmissionType:AutoCast /Architecture:x64

**Answer:** D

**Explanation:** References: <https://technet.microsoft.com/en-us/library/cc794874.aspx>

**NEW QUESTION 167**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 70-695 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/70-695-dumps.html>