

Microsoft

Exam Questions 70-695

Deploying Windows Devices and Enterprise Apps



NEW QUESTION 1

HOTSPOT

You need to identify the storage location and the file name of the automation scripts for the kiosk computers. What should you identify? To answer, select the appropriate storage location and file name in the answer area.

Answer Area

Storage location:

File name:

Answer Area

Storage location:
 F:\
 F:\Panther\
 F:\Windows\Panther\

File name:
 Autounattend.xml
 Deployment.xml
 Oobe.xml
 Unattend.txt

Answer:

Explanation: **Answer Area**

Storage location:
 F:\
 F:\Panther\
 F:\Windows\Panther\

File name:
 Autounattend.xml
 Deployment.xml
 Oobe.xml
 Unattend.txt

NEW QUESTION 2

HOTSPOT

You need to configure Image2.wim to meet the image requirements. What command should you run from Windows PE? To answer, select the appropriate options in the answer area.

Answer Area

Answer Area

Dism.exe	/append-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
Imagex.exe	/Capture d:\ Image2.wim "Windows image"
New-WindowImage	/Capture-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
	-ImagePath e:\Image2.wim -CapturePath d:\ -Name "Windows Image"

Answer:

Explanation: **Answer Area**

Dism.exe	/append-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
Imagex.exe	/Capture d:\ Image2.wim "Windows image"
New-WindowImage	/Capture-Image /ImageFile:Image2.wim /CaptureDir:d:\ /Name:"Windows Image"
	-ImagePath e:\Image2.wim -CapturePath d:\ -Name "Windows Image"

NEW QUESTION 3

You need to meet the application requirements for the client computers of the managers. What should you do?

A. Create a customization file named Custom.ms

- B. Copy Custom.msp to \\Server4 \Software\Update
- C. Run \\Server4\Software\Setup.exe without specifying any parameters.
- D. Create a customization file named Custom.xml
- E. Copy Custom.xml to \\Server4 \Software\Proplus.w
- F. Run \\Server4\Software\Setup.exe without specifying any parameters.
- G. Create a customization file named Custom.xml
- H. Copy Custom.xml to \\Server4 \Software\Update
- I. Run \\Server4\Software\Setup.exe without specifying any parameters.
- J. Create a customization file named Answer.xml
- K. Copy Answer.xml to the managers' computer
- L. Run \\Server4\Software\Setup.exe and specify the /admin parameter.

Answer: A

Explanation: References:
https://technet.microsoft.com/en-gb/library/cc178960.aspx#BKMK_CreateNIP

NEW QUESTION 4

You need to deploy App1. How should you install App1?

- A. as a Microsoft Application Virtualization (App-V) package
- B. as a RemoteApp program
- C. locally
- D. on a Client Hyper-V virtual machine

Answer: B

Explanation: Topic 3, Litware, Inc.

Case Study Overview

General Overview

Litware, Inc. is an international manufacturing company that has 1,500 employees. Litware has a main office and a branch office. The main office is located in Montreal. The

branch office is located in Seattle. The offices connect to each other by using a WAN link.

Network Configuration

The environment contains a production network and a development network. The two networks are isolated from one another. The networks use the addressing schemes shown in the following table.

Network address	Location	Network	Number of computers
192.168.1.0/24	Montreal	Development	Eight Hyper-V virtual machines
192.168.2.0/24	Montreal	Development	Four physical desktop computers
192.168.3.0/24	Seattle	Development	Eight physical desktop computers
10.1.0.0/16	Montreal	Production	1,000 physical desktop computers and 400 Hyper-V virtual machines
10.2.0.0/16	Seattle	Production	100 physical desktop computers

Router interfaces are assigned the first IP address on each subnet.

Existing Environment Active Directory

The network contains two Active Directory forests named litware.com and dev.litware.com. Each forest contains a single domain. The functional level of both forests is Windows Server2012 R2.

Management Infrastructure

Litware has a deployment of Microsoft System Center 2012 R2 Configuration Manager. On the production network in the Montreal office, Configuration Manager agents are installed on the client computers that run Windows 8.1 Enterprise. Configuration Manager is used only to deploy Windows updates.

Operating systems are deployed either manually or by using Windows Deployment Services (WDS). Configuration Manager servers and WDS servers have the Microsoft Deployment Toolkit (MDT) 2013 installed Configuration Manager and MDT are integrated.

Windows Server and Client Environment

The network contains servers that run Windows Server 2012 R2.

The network contains the client computers configured as shown in the following table.

Hardware architecture	Network	Operating system
x86 BIOS-based firmware	Development	32-bit version of Windows 7 Enterprise
x64 BIOS-based firmware	Development and production	64-bit version of Windows 7 Enterprise and 64-bit version of Windows 8.1 Enterprise
x64 UEFI-based firmware	Production	64-bit version of Windows 7 Enterprise and 64-bit version of Windows 8.1 Enterprise

The relevant servers in the production network are configured as shown in the following table.

Server name	Location	Description
Server1	Montreal	Configuration Manager primary site server
Server2	Montreal	File server
Server3	Montreal	Microsoft SQL Server 2012 Enterprise
Server101	Seattle	File server

The relevant computers on the development network are configured as shown in the following table.

Server name	Location	Description
Server201	Montreal	Newly installed WDS and MDT
Server301	Seattle	Newly installed WDS and MDT
Client201	Montreal	Windows 7 Enterprise x64
Client202	Montreal	Windows 8.1 Enterprise x64

Problem Statements

Litware identifies the following issues on the networks:

- IT administrators report that operating system deployment and license tracking of Windows 8.1 Enterprise are too labor intensive.
- Certain internally developed applications have compatibility issues with Windows 8.1 Enterprise.

CustomSettings.ini

CustomSettings.ini on Server201 and Server301 will contain the following information:

```
[Settings]
Priority= Make, DefaultGateway, Default

[DefaultGateway]
192.168.3.1=Subnet3

[Subnet3]
OSDComputerName=B-%AssetTag%
MachineObjectOU = OU=OU3,DC=dev,DC=Litware,DC=com
SkipComputerName=Y

[Default]
OSInstall=Y
SkipCapture=Y
SkipAdminPassword=N
SkipComputerName=N
OSDComputerName=D-%AssetTag%
MachineObjectOU = OU=OU1,DC=dev,DC=Litware,DC=com
SkipDomainMembership=N

[Microsoft Corporation]
OSDComputerName=A-%AssetTag%
MachineObjectOU = OU=OU2,DC=dev,DC=Litware,DC=com
```

Requirements

Business Goals

As much as possible, Litware plans to minimize the costs associated with purchasing hardware and software.

Planned Changes

Litware plans to implement the following changes to the networks:

- On the production network, implement a Key Management Service (KMS).
- Deploy a Configuration Manager agent to all of the production network computers.
- On the production network, implement a Zero Touch deployment of Windows 8.1 Enterprise.
- On the production network, deploy Windows 8.1 Enterprise to all of the client computers that run Windows 7 Enterprise.
- On the development network, implement a Lite Touch deployment of Windows 7 Enterprise and Windows 8.1 Enterprise.

General Requirements

Litware identifies the following general requirements:

- Images deployed by using Configuration Manager and WDS must include Windows updates that are deployed already to the client computers.
- The installation of Microsoft Office 2013 on the production and development networks must include Outlook, Word, and Excel only.
- The deployed operating system must take full advantage of the hardware platform to which it is deployed.
- Network traffic to the Internet and WAN traffic between the offices must be minimized, whenever possible.
- Administrative effort must be minimized, whenever possible.

Production Technical Requirements

Litware identifies the following technical requirements for the planned deployments to the production network:

- Operating system deployments must include the latest Windows updates.
- All SQL Server instances must be Standard edition or Enterprise edition.
- Images copied between distribution points must NOT use any network bandwidth.
- The Microsoft Assessment and Planning (MAP) Toolkit must be used for all assessments of the client computers.
- Operating system deployments to the production network computers must use Configuration Manager integrated with MDT.
- Office 2013 must be deployed to the production network computers by using Microsoft
- Application Visualization (App-V).
- Server1 and Server101 must be used for operating system deployments and Windows update deployments to the production network computers.
- All Configuration Manager operating system deployment task sequences must be capable of using the settings configured in Customsettings.ini.
- The capture of reference images on the Configuration Manager servers must be implemented by using the build and capture a reference operating system image task sequence.

Development Technical Requirements

Litware identifies the following technical requirements for the planned deployments to the development network:

- When reinstalling computers on the development network, the user state of the administrator account and the local accounts must not be captured. The user state of all other accounts must be captured.
- Application compatibility issues of internally developed applications must be identified by monitoring the execution of each application on the Windows 8.1 Enterprise computers.
- Server201 and Server301 must be used for operating system deployments to the development network computers by using WDS integrated with MDT.
- All new systems on the development network must run Windows 7 Enterprise x86/x64 or Windows 8.1 Enterprise x86/x64.
- Office 2013 must be deployed to the development network by using Windows Installer (MSI) package-based installations.
- All computers deployed to the development network must be periodically reinstalled.

NEW QUESTION 5

HOTSPOT

You need to identify which executable and which parameter must be used to meet the technical requirements for the development network. Which executable and parameter should you identify? To answer, select the appropriate executable and parameter in the answer area.

Answer Area

Executable:

Parameter:

Answer Area

Executable:

Loadstate.exe
Scanstate.exe
Usmtutils.exe

Parameter:

/efs
/nocompress
/targetxp
/ue

Answer:

Explanation:

Answer Area

Executable:

▼

Loadstate.exe

Scanstate.exe

Usmtutils.exe

Parameter:

▼

/efs

/nocompress

/targetxp

/ue

NEW QUESTION 6

You need to recommend a solution to automate the deployment of Office 2013 on the development network computers. Which two actions should you include in the recommendation? Each correct answer presents part of the solution.

- A. Modify the Setup.xml file in the ProPlus.wv folder.
- B. Create a network installation point.
- C. Run setup.exe and specify the /download parameter.
- D. Run setup.exe and specify the /admin parameter.
- E. Download the Office Deployment Tool.

Answer: BD

Explanation: References: <https://technet.microsoft.com/en-us/library/cc179121.aspx>

NEW QUESTION 7

HOTSPOT

You need to identify which actions must be performed to distribute the boot images from Server1 to Server101, once Server101 is configured as a distribution point.

What should you identify? To answer, select the appropriate server to perform each action in the answer area.

Answer Area

Run extractcontent.exe: ▼

Run the Distribute Content Wizard: ▼

Run the Create Prestaged Content File Wizard: ▼

Modify the Distribution Settings of the boot images: ▼

Enable the distribution point for the prestaged content: ▼

Answer Area

Run extractcontent.exe: ▼
 Server1
 Server101

Run the Distribute Content Wizard: ▼
 Server1
 Server101

Run the Create Prestaged Content File Wizard: ▼
 Server1
 Server101

Modify the Distribution Settings of the boot images: ▼
 Server1
 Server101

Enable the distribution point for the prestaged content: ▼
 Server1
 Server101

Answer:

Explanation: **Answer Area**

Run extractcontent.exe:	<div> <div>▼</div> <div>Server1</div> <div>Server101</div> </div>
Run the Distribute Content Wizard:	<div> <div>▼</div> <div>Server1</div> <div>Server101</div> </div>
Run the Create Prestaged Content File Wizard:	<div> <div>▼</div> <div>Server1</div> <div>Server101</div> </div>
Modify the Distribution Settings of the boot images:	<div> <div>▼</div> <div>Server1</div> <div>Server101</div> </div>
Enable the distribution point for the prestaged content:	<div> <div>▼</div> <div>Server1</div> <div>Server101</div> </div>

NEW QUESTION 8

HOTSPOT

You are evaluating CustomSettings.ini.

Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in **[answer choice]**

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with **[answer choice]**

Answer Area

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in **[answer choice]**

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with **[answer choice]**

<div> <div>▼</div> <div>OU1 or OU2</div> <div>OU1 or OU3</div> <div>OU2 or OU3</div> </div>
<div> <div>▼</div> <div>A-</div> <div>B-</div> <div>C-</div> <div>D-</div> </div>

Answer:

Explanation:

Answer Area

Once the deployment infrastructure is implemented, the client computers deployed to the development network in the Montreal office will have their computer account in [answer choice]

Once the deployment infrastructure is implemented, the client computers deployed to the Seattle office will each have a computer name that starts with [answer choice]

OU1 or OU2

OU1 or OU3

OU2 or OU3

A-

B-

C-

D-

NEW QUESTION 9

DRAG DROP

You need to recommend a procedure for capturing a reference image from the production network. Which three objects should you recommend be created in sequence? To answer, move the appropriate objects from the list of objects to the answer area and arrange them in the correct order.

Objects

An operating system installer

A boot image

An operating system image

A Sysprep package

A deployment

A task sequence

Answer Area

Answer:

Explanation:

Objects

An operating system installer

A boot image

An operating system image

A Sysprep package

A deployment

A task sequence

Answer Area

A task sequence

A boot image

A Sysprep package

NEW QUESTION 10

DRAG DROP

You need to prepare Server2 to perform a Windows 8.1 readiness assessment of the production network computers. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From MAP, create a hardware library.
- Install the SQL Server Native Client.
- From MAP, create a new database.
- Run **mapsetup.exe**.
- Install SQL Server by using a named instance.
- Install SQL Server by using the default instance.



Answer Area



Answer:

Explanation:

Actions

- From MAP, create a hardware library.
- Install the SQL Server Native Client.
- From MAP, create a new database.
- Run **mapsetup.exe**.
- Install SQL Server by using a named instance.
- Install SQL Server by using the default instance.



Answer Area

- Install SQL Server by using a named instance.
- Run **mapsetup.exe**.
- From MAP, create a new database.



NEW QUESTION 10

HOTSPOT

You need to identify the minimum number of boot images required for the operating system deployment to the production and development networks. How many images should you identify? To answer, select the appropriate number of images for each boot image type in the answer area.

Development network

Number of 32-bit boot images:

Number of 64-bit boot images:

Production network

Number of 32-bit boot images:

Number of 64-bit boot images:

Answer:

Explanation:

Development network

Number of 32-bit boot images:

Number of 64-bit boot images:

Production network

Number of 32-bit boot images:

Number of 64-bit boot images:

NEW QUESTION 13

You need to recommend a procedure for applying Windows updates to the operating system images stored in WIM files on the development network. What should you include in the recommendation?

- A. Approve-WsusUpdate with the -Update parameter
- B. Add-WindowsPackage with the -Online and -PackagePath parameters
- C. Add-WindowsPackage with the -Path and -PackagePath parameters
- D. Msiexec with the /p and /q parameters

Answer: C

NEW QUESTION 14

You need to recommend a solution for activation. What should you include in the recommendation?

- A. a Multiple Activation Key (MAK) proxy on a domain controller in the Paris office
- B. a cross-forest trust relationship
- C. Active Directory-Based Activation (ADBA) in the fr.proseware.com forest
- D. a service location (SRV) record in the fr.proseware.com domain

Answer: D

NEW QUESTION 16

You need to identify the correct configuration pass to modify in an answer file for the client computers in the Paris office. Which configuration pass should you identify?

- A. auditUser

- B. generalize
- C. offlineServicing
- D. oobeSystem

Answer: D

Explanation: References:
[https://technet.microsoft.com/en-gb/library/cc749307\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/cc749307(v=ws.10).aspx)

NEW QUESTION 18

You need to recommend a solution to generate a report for the client computers in the Paris office. What should you include in the recommendation?

- A. Deploy the Configuration Manager client.
- B. Install and configure the Microsoft Deployment Toolkit (MDT).
- C. Install and configure the Microsoft Assessment and Planning (MAP) Toolkit.
- D. Install and configure the Windows Assessment and Deployment Kit (Windows ADK).

Answer: C

NEW QUESTION 23

You need to recommend a solution for the research department computers in the Paris office. Which action should you include in the recommendation?

- A. a User State Migration Tool (USMT) script that uses a remote migration store
- B. a User State Migration Tool (USMT) script that performs a hard-link migration
- C. a Configuration Manager package that performs a hard link migration
- D. a Configuration Manager package that uses remote configuration storage

Answer: B

Explanation: Topic 5, Mix Questions

NEW QUESTION 27

You have a server named Server1 that runs Windows Server 2012 R2. You install the Windows Assessment and Deployment Kit (Windows ADK) and the Microsoft Deployment Toolkit (MDT) 2013 on Server1. You need to create a standard client task sequence from the Deployment Workbench. What should you do first?

- A. Configure a deployment share.
- B. Add an operating system.
- C. Create a Customsettings.ini file.
- D. Import an operating system package.

Answer: A

Explanation: References: <https://technet.microsoft.com/en-us/library/dn781086.aspx>

NEW QUESTION 30

Your company deploys Microsoft Office Professional 2013 and installs all of the Office 2013 Professional applications to 100 computers. You need to automate the removal of Access 2013 from some of the computers. What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Modify the Config.xml file, and then run msiexec.exe.
- B. Create an MSP file, and then run setup.exe.
- C. Modify the Config.xml file, and then run setup.exe.
- D. Create an MSP file, and then run msiexec.exe

Answer: C

Explanation: References: <https://technet.microsoft.com/en-us/library/cc179195.aspx>

NEW QUESTION 32

You have a Windows Deployment Services (WDS) server named WDS1. WDS1 is used to deploy an image of Windows 8.1 Pro named Image1 to the computers in a classroom. The computers are redeployed every day. WDS1 only contains one install image. Every morning on each computer, a technician must press F12, and then choose Image1. You need to automate the process of deploying Image1 to the computers. Image1 must be deployed automatically to the computers when they are turned on. Which two actions should you perform on WDS1? Each correct answer presents part of the solution.

- A. Configure a Multicast Transmission.
- B. Configure the Network settings.
- C. Configure the Boot settings.
- D. Configure the PXE Response settings.
- E. Configure the Client settings.

Answer: CD

Explanation: References:

[https://technet.microsoft.com/en-us/library/cc771788\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc771788(v=ws.10).aspx)

NEW QUESTION 33

Your company has 1,000 users. Ten percent of the users work from home and connect to the corporate network by using a VPN connection. All of the users have client computers that run Windows 7 Enterprise.

You have a file server named FS1.

You plan to perform new installations of Window 8.1 Enterprise on all of the client computers. You will preserve existing application data and user settings.

You need to recommend a solution to migrate application data and user settings. The solution must minimize hard disk space usage and network traffic.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. For all of the computers, use a USB disk as a compressed migration store.
- B. For all of the computers, use a hard-link migration store.
- C. For the computers of the users who work from home, use a USB disk as a compressed migration stor
- D. For all other computers, use FS1 as a compressed migration store.
- E. For the computers of the users who work from home, use a hard-link migration stor
- F. For all other computers, use FS1 as a compressed migration store.

Answer: B

Explanation: References:

[https://technet.microsoft.com/en-us/library/dd560753\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd560753(v=ws.10).aspx) [https://technet.microsoft.com/en-GB/library/dd560795\(v=ws.10\).aspx](https://technet.microsoft.com/en-GB/library/dd560795(v=ws.10).aspx)

NEW QUESTION 38

You have a client computer named Computer1 that runs Windows 8.1 Enterprise.

You install the Windows Assessment and Deployment Kit (Windows ADK) on Computer1.

You sign in to Computer1 as a local user named User1. You insert the Windows 8.1 installation media into the DVD drive on Computer1.

You need to use Windows ADK to create an answer file for the deployment of Windows 8.1 Enterprise.

What should you do first?

- A. From Windows PowerShell, run Copy-Item
- B. From Windows System Image Manager, click Import Package(s).
- C. From Windows System Image Manager, click Create Configuration Set...
- D. From Deployment and Imaging Tools Environment run dism.exe and specify the Mount- Wim parameter.

Answer: A

Explanation: You need to copy the Windows base-image file from the DVD to the local hard disk.

References: <https://technet.microsoft.com/en-GB/library/dn621904.aspx>

NEW QUESTION 39

Your company plans to migrate all client computers to Windows 8.1 Enterprise.

You test the company's line-of-business applications on Windows 8.1 Enterprise and discover the information listed in the following table.

Application name	Information
App1	App1 contains some critical functionality required for business operations.
App2	App2 is a new application that will phase out App1 during the next six months. App2 fails to install if App1 is installed on the same computer.
App3	App3 has an install dependency with App2.

All of the applications must run successfully at all times, regardless of network connectivity. You need to recommend a solution for deploying the applications?

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Publish App1 as a RemoteApp progra
- B. Deploy App2 and App3 to a virtual machine.
- C. Publish App1, App2, and App3 as RemoteApp programs.
- D. Deploy App2 and App3 as a Microsoft Application Virtualization (App-V) packag
- E. Deploy App1 as an App-V package.
- F. Deploy App2 and App3 to a virtual machin
- G. Deploy App1 as a Microsoft Application Virtualization (App-V) package.

Answer: D

NEW QUESTION 40

You have a Windows Deployment Services (WDS) server.

You have a custom install image of Windows 8.1 Enterprise named Image1. The image is in an image group named ImageGroup1 and is the only image in the

group.

You need to ensure that only users who are the members of a security group named Admins can deploy Image1 by using PXE.
What should you use?

- A. the Remove-WdsInstallImageGroup cmdlet and the Name parameter
- B. the Set-WdsInstallImageGroup cmdlet and the SecurityDescriptorSDDL parameter
- C. the Set-WdsClient cmdlet and the Group parameter
- D. the Set-WdsBootImage cmdlet and the ImageName parameter

Answer: B

Explanation: References:

[https://technet.microsoft.com/en-us/library/dn283418\(v=wps.630\).aspx](https://technet.microsoft.com/en-us/library/dn283418(v=wps.630).aspx)

NEW QUESTION 41

You have five Microsoft System Center 2012 R2 Configuration Manager Servers. The servers are configured as shown in the following table.

Server name	Location	Role
Server1	Seattle	Primary site server
Server2	Montreal	Primary site server
Server3	Paris	Primary site server
Server4	New York City	Primary site server
Server5	Munich	Primary site server

You need to ensure that the servers in the Seattle, Montreal, and New York City sites contain the same application packages. The solution must minimize administrative effort. Which cmdlet should you run first?

- A. New-CMBoundaryGroup
- B. Add-CMDistributionPoint
- C. New-CMDistributionPointGroup
- D. Add-CMBoundaryToGroup

Answer: C

Explanation: References: <https://technet.microsoft.com/en-gb/library/hh427335.aspx>

NEW QUESTION 42

Your company has a main office and 10 branch offices.

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager at the main office that is used to deploy applications to internal users. The applications include Microsoft Office 365 ProPlus.

Users in the sales department have laptops that run a corporate image of Windows 8.1 Enterprise. The Configuration Manager client is installed on each user's computer. The sales department users typically work remotely from customer sites, which are located in different cities around the world.

You need to recommend a solution to deploy the applications to the sales department users.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. a VPN profile
- B. a boundary group
- C. a cloud distribution point
- D. a remote connection profile

Answer: C

Explanation: References: <https://technet.microsoft.com/en-gb/library/gg712321.aspx>

NEW QUESTION 46

Your network contains one Active Directory domain named contoso.com. The domain contains computers that have Microsoft Office 2007 and Office 2010 installed.

You plan to upgrade all of the versions of Office to Office 365 ProPlus.

You need to recommend a solution to identify which Office add-ins are in use.

What is the best recommendation to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Install the Office Deployment Tool for Click-to-Run on all of the computer
- B. Install the Microsoft Application Compatibility Toolkit (ACT) on one of the computers.
- C. Install the Telemetry Processor on all of the computer
- D. Install the Telemetry Agent on one of the computers.
- E. Install the Telemetry Agent on all of the computer
- F. Install the Telemetry Processor on one of the computers.
- G. Install the Microsoft Application Compatibility Toolkit (ACT) on all of the computer
- H. Install the Office Deployment Tool for Click-to -Run on one of the computers.

Answer: C

Explanation: References: <https://technet.microsoft.com/en-us/library/jj863580.aspx>

NEW QUESTION 50

You have a deployment of Microsoft System Center 2012 R2 Configuration Manager. You plan to deploy a Click-to-Run installation of Microsoft Office 365 ProPlus.

On a client computer named Computer1, you download the installation files by using the Office Deployment Tool for Click-to-Run.

You need to deploy Office 365 ProPlus to all of the client computers as a Microsoft Application Visualization (App-V) package by using Configuration Manager.

What is the best action to perform first? More than one answer choice may achieve the goal. Select the BEST answer.

- A. From Configuration Manager, import a package.
- B. Run appv_sequencer_setup.exe.
- C. Run setup.exe.
- D. From Configuration Manager, import an application.

Answer: A

Explanation: References: <http://blogs.technet.com/b/pauljones/archive/2013/08/28/office-2013-click-to-run-with-configuration-manager-2012.aspx>

NEW QUESTION 55

Your network contains one Active Directory forest named contoso.com.

You plan to deploy Windows 8.1 Enterprise to all client computers. As part of the deployment, the operating system volumes of the client computers will be encrypted by using BitLocker Drive Encryption (BitLocker).

You need to ensure that when Windows 8.1 Enterprise is deployed, each operating system volume can be encrypted only when the recovery key information is backed up successfully to Active Directory.

Which Group Policy setting should you configure?

- A. Store BitLocker recovery information in Active Directory Domain Services (Windows Server 2008 and Windows Vista).
- B. Choose default folder for recovery password.
- C. Configure TPM platform validation profile (Windows Vista, Windows Server 2008, Windows 7, Windows Server 2008 R2).
- D. Choose how BitLocker-protected operating system drives can be recovered.

Answer: D

Explanation: References:

[https://technet.microsoft.com/en-gb/library/ee424303\(v=ws.10\).aspx](https://technet.microsoft.com/en-gb/library/ee424303(v=ws.10).aspx)

NEW QUESTION 57

You have a server named Server1 that runs Windows Server 2012 R2 server.

You deploy a Microsoft System Center 2012 R2 Configuration Manager site server to Server1.

You need to ensure that Server1 can support Zero Touch Installation (ZTI) deployments. The deployments must minimize the amount of network bandwidth used.

Which two actions should you perform? Each correct answer presents part of the solution.

- A. From Server Manager, install the Windows Deployment Services server role.
- B. From the Windows Deployment Services console, configure the PXE Response settings.
- C. From the Configuration Manager console, add the distribution point site system role.
- D. From the Configuration Manager console, enable multicast on Server1.
- E. From the Configuration Manager console, enable PXE support for the clients on Server1.

Answer: CE

Explanation: References:

<https://technet.microsoft.com/en-us/library/dn744272.aspx>

NEW QUESTION 62

You have a server named Server1 that runs Windows Server 2012 R2 and a 64-bit UEFI- based computer named Computer1 that runs Windows 8.1 Enterprise. Server1 is a Windows Deployment Services (WDS) server.

From the installation media of the 32-bit version of Windows 8.1, you add a boot image named Image1 to WDS.

You need to use WDS to capture an image of Computer1. What should you do first on Server1?

- A. Add an install image from the Windows 8.1 installation media.
- B. Run wdsutil.exe and specify the New-CaptureImage and the Architecture:x64 parameters.
- C. Add a boot image from the Windows Server 2012 R2 installation media.
- D. Run wdsutil.exe and specify the New-CaptureImage and the Architecture:x86 parameters.

Answer: C

Explanation: References:

[https://technet.microsoft.com/en-us/library/hh290675\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/hh290675(v=ws.10).aspx)

NEW QUESTION 64

You have a client computer that has Microsoft Office 2013 installed. You need to identify whether Office 2013 is activated.

Which command should you run?

- A. ospp.vbs /dstatus
- B. ospp.vbs /dhistoryacterr
- C. ospp.vbs /remhst
- D. ospp.vbs /dcmid

Answer: A

Explanation: References:
<https://technet.microsoft.com/en-us/library/ee624350.aspx#section1>

NEW QUESTION 65

In Sources.wim, you have a Windows 8.1 image named Image1.
You have an application named App1.exe. App1.exe is a self-contained application that does not require installation.
You mount Image1.
You need to add Appl.exe to Image1. What should you run first?

- A. Add-ProvisionedAppxPackage and the Path and FolderPath parameters
- B. imagex.exe and the Append and Config parameters
- C. dism.exe and the Image and AddPackage parameters
- D. Copy-Item and the Path and Destination parameters

Answer: D

NEW QUESTION 67

You have a server named Server1 that runs Windows Server 2012 R2. Server1 has the Microsoft Deployment Toolkit (MDT) installed and a deployment share is created.
You need to add an application named App1.exe to the deployment share by using Windows PowerShell.
You plan to run the following command:

```
Import-MDTApplication -Path "DS001:\Applications" -Name "App1" -ApplicationSourcePath "\\Server1\Source$\App1" -DestinationFolder "App1"
```

Which cmdlet should you run before you run the Import-MDTApplication command?

- A. Import-MDTPackage
- B. Update-MDTDeploymentShare
- C. Set-ExecutionPolicy
- D. New-PSDrive

Answer: D

NEW QUESTION 72

Your network contains one Active Directory forest named contoso.com. The forest has a deployment of Microsoft System Center 2012 R2 Configuration Manager.
You plan to add a server named Server1 as a distribution point. Server1 will be used only by client computers on the internal network that run Windows 8.1 Enterprise. The Windows Deployment Services server role will NOT be installed on Server1.
You need to identify which firewall port on Server1 must be open to ensure that Configuration Manager clients can download application packages from Server1.
Which TCP port should you identify?

- A. 139
- B. 80
- C. 1433
- D. 8080

Answer: B

Explanation: References: <https://technet.microsoft.com/en-gb/library/hh427328.aspx>

NEW QUESTION 76

You have a server named Server1 that runs Windows Server 2012 R2. Server1 is a Windows Deployment Services (WDS) server.
You add a boot image and an install image to Server1. You need to create a capture image.
Which tool should you use?

- A. Windows System Image Manager (Windows SIM)
- B. the Windows PowerShell module for WDS
- C. Oscdimg
- D. the Windows Deployment Services console

Answer: D

Explanation: References: <http://social.technet.microsoft.com/wiki/contents/articles/11680.creating-a-capture-image-in-wds.aspx>

NEW QUESTION 78

Your network contains one Active Directory forest named contoso.com that has two sites named Site1 and Site2.
The contoso.com domain contains two servers named Server1 and Server2 that run Windows Server 2012 R2. The Microsoft Deployment Toolkit (MDT) is installed on both of the servers. Server1 is located in Site1 and Server2 is located in Site2.
You perform the following actions on Server1:

- Import an operating system.
- Import drivers.
- Create a task sequence.

You copy the deployment share from Server1 to Server2 and you open the share on Server2 as MDTShare2.

You discover that clients that connect to MDTShare2 are deployed from Server1.
 You need to ensure that the clients that connect to MDTShare2 are deployed from Server2. What should you modify on Server2?

- A. Bootstrap.ini
- B. Customsettings.ini
- C. The Rules properties of MDTShare2
- D. the General properties of MDTShare2

Answer: A

Explanation: References: <http://www.toddlamothe.com/deployment/customizing-bootstrap-mdt.htm>

NEW QUESTION 82

HOTSPOT

You create the following configuration file that will be used to migrate content by using the User State Migration Tool (USMT):

```
<?xml version="1.0"?>
<migration urlid="http://www.microsoft.com/migration/1.0/migxmlext/excludefiles">
  <component type="System" context="System">
    <displayName>Files</displayName>
    <role role="Data">
      <rules>
        <unconditionalExclude>
          <objectSet>
            <Script>MigXmlHelper.GenerateDrivePatterns ("* [*.*mp3]", "Fixed") </Script>
          </objectSet>
          <objectSet>
            <pattern type="File">C:\Data\* [*]</pattern>
            <pattern type="File">C:\Windows\* [*]</pattern>
          </objectSet>
        </unconditionalExclude>
        <include>
          <objectSet>
            <Script>MigXmlHelper.GenerateDrivePatterns ("* [*.*pdf]", "Fixed") </Script>
          </objectSet>
        </include>
      </rules>
    </role>
  </component>
</migration>
```

Use the drop-down menus to select the answer choice that completes each statement.

Answer Area

DOCX files will [answer choice]

MP3 files will [answer choice]

Answer Area

DOCX files will [answer choice]

be excluded.
 be gathered from any location.
 only be gathered from C:\Data and C:\Windows.
 only be gathered from locations other than C:\data and C:\Windows.

MP3 files will [answer choice]

be excluded.
 be gathered from any location.
 only be gathered from C:\Data and C:\Windows.
 only be gathered from locations other than C:\data and C:\Windows.

Answer:

Explanation:

Answer Area

DOCX files will [answer choice]

be excluded.
be gathered from any location.
only be gathered from C:\Data and C:\Windows.
only be gathered from locations other than C:\data and C:\Windows.

MP3 files will [answer choice]

be excluded.
be gathered from any location.
only be gathered from C:\Data and C:\Windows.
only be gathered from locations other than C:\data and C:\Windows.

NEW QUESTION 86

DRAG DROP

Your network contains one Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2 and a client computer named Computer1 that runs Windows 8.1 Enterprise. You create a share on Server1 named Share1. On Computer1, you need to perform a Click-to-Run installation of Microsoft Office 365 ProPlus from Share1. You extract the Office Deployment Tool for Click-to-Run on Server1. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Run **setup.exe** and specify the */download* parameter and an XML file.

Modify an XML file.

Run **setup.exe** and specify the */configure* parameter and an XML file.

Run **setup.exe** and specify the */packager* parameter and an XML file.

Copy the Office 2013 Professional Plus source files from the installation media.

Answer Area

Answer:

Explanation:

Actions

Run **setup.exe** and specify the */download* parameter and an XML file.

Modify an XML file.

Run **setup.exe** and specify the */configure* parameter and an XML file.

Run **setup.exe** and specify the */packager* parameter and an XML file.

Copy the Office 2013 Professional Plus source files from the installation media.

Answer Area

Modify an XML file.

Run **setup.exe** and specify the */download* parameter and an XML file.

Run **setup.exe** and specify the */configure* parameter and an XML file.

NEW QUESTION 87

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

70-695 Practice Exam Features:

- * 70-695 Questions and Answers Updated Frequently
- * 70-695 Practice Questions Verified by Expert Senior Certified Staff
- * 70-695 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 70-695 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 70-695 Practice Test Here](#)