

Exam Questions 2V0-651

VMware Certified Professional 6 - Desktop and Mobility Beta

<https://www.2passeasy.com/dumps/2V0-651/>



NEW QUESTION 1

An administrator needs to ensure that the Horizon View environment accounts for single points of failure. Which type of server should the administrator install in addition to the Horizon View Connection server?

- A. vCenter Operations for Horizon server
- B. Security server
- C. Replica server
- D. Mirage server

Answer: C

NEW QUESTION 2

A View environment includes a View Connection Server and View Security Server.

The View Connection Server has the following configuration:

? DNSName: view.company.com

? IP Address: 192.168.1.1

The View Security Server has the following configuration:

? DNSName: security.company.com

? IP Address: 10.10.10.1

An administrator needs to set up View to allow external access for users via PCoIP.

Which option represents the format in which information must be entered into the PCoIP External URL field in View Administrator?

- A. <https://security.company.com:443>
- B. <https://10.10.10.1:4172>
- C. 10.10.10.1:4172
- D. security.company.com:4172

Answer: C

NEW QUESTION 3

An administrator has a list of users who should not have access to Workspace Portal services. Some users need access to other services using their directory services account. Other users no longer need access to any services on the corporate network.


Which two steps should the administrator take to restrict access to Workspace Portal services? (Choose two.)

- A. A.Disable or delete the account in Active Directory for those accounts that no longer cess to Workspace Portal.
- B. Disable the Virtual Users feature in the Class of Service (CoS).
- C. Create filters with the Workspace Portal connector that filter out existing users who no longer need access to Workspace PD.
- D. Disable or delete the account in Active Directory for those accounts that no longer cess to any corporate network services.

Answer: C

NEW QUESTION 4

Refer to the Exhibit.



Based on the exhibit, which pathway is used for RDP traffic?

- A. Path A
- B. Path B
- C. Path C
- D. Path D

Answer: B

NEW QUESTION 5

An administrator is creating a pool of desktops for a group of developers. The administrator needs to provide control to a user from the group to manage the recompose and refresh operations. The user's controls must apply only to the developer pool. What should the administrator do?

- A. Create a developer folder, add the developer pool, and assign a user with the Inventory Administrators role to the folder.
- B. Create the developer pool and assign the Manage Desktops global privilege to the virtual desktops.
- C. Create the developer pool and assign the Inventory Control global privilege to the virtual desktops.
- D. Create a developer folder, add the desktops, and assign a user with the Manage Desktops role to the folder.

Answer: A

NEW QUESTION 6

Users at a branch office are experiencing poor virtual desktop performance. The branch office has ten users and a 2Mbps link to the datacenter. Some of the users frequently access video content, but the performance issues began occurring after a recent Group Policy Object (GPO) change. The performance issues do not occur when the same users connect from the main office, which has a 10Mbps link to the data center. Which PCoIP GPO change is most likely the cause of the performance issues?

- A. Turn off Build-to-Lossless = Enabled
- B. PCoIP session audio bandwidth limit = 100kbps
- C. PCoIP client image cache size = 260MB
- D. Maximum PCoIP session bandwidth = 4Mbps

Answer: D

NEW QUESTION 7

Which virtual disk type should an administrator use to reclaim unused space in a Linked Clone?

- A. Thin Provisioned Disk
- B. SE Sparse Disk
- C. Monolithic Sparse Disk
- D. Flat Disk

Answer: B

NEW QUESTION 8

An administrator is adding a new desktop pool for a business unit that has recently started using Virtual Desktops. A new Organizational Unit (OU) has been created beside the original OU.

During provisioning of this new pool, the administrator receives an error message stating that creation of the computer accounts failed. The same View Composer domain account is being used for the existing pool and the new pool. The existing View Composer domain account is still functioning correctly for the original desktop pool.

What is causing the failure to create the computer accounts?

- A. The Parent virtual machine being used for the pool has not been enabled for use in the new OU.
- B. The new OU does not have the correct View-specific GPO settings applied.
- C. The existing domain account is being used by the original OU and is locked for use on the new OU.
- D. The new OU does not have the correct permissions applied for the View Composer domain account.

Answer: D

NEW QUESTION 9

An administrator has completed upgrading the View pods in two datacenters to Horizon 6. To facilitate the new Continuity of Operations initiative, the administrator needs to implement global entitlements via the new Cloud Pod Architecture.

Which capability of the administrator's current environment is incompatible with Cloud Pod Architecture?

- A. Dedicated Full Clone Pools
- B. HTML Access
- C. ThinApp Entitlements
- D. Persona Management

Answer: B

NEW QUESTION 10

What should the administrator do first when configuring vCenter Operations Manager for Horizon to monitor their View deployment?

- A. Add Adapter from the View Configuration > Servers page in View.
- B. Add Adapter from the Custom Dashboard page > Configuration in vCenter Operations Manager.
- C. Configure the Adapter from the Administration > Solutions page in vCenter Operations Manager.
- D. Configure the Adapter from the View Configuration > Global Settings page in View.

Answer: C

NEW QUESTION 10

A desktop environment is configured to provision on demand. Users report that login is taking longer than expected when they sign in. The administrator determines that significant I/O is being generated each morning when users are logging in.

What should the administrator do to resolve the issue?

- A. Deploy a replica View Composer server to load balance provisioning operations.
- B. Increase the minimum number of desktops in the pool.
- C. Edit the pool settings so that desktops refresh on logoff.
- D. Enable SE Sparse disk to reduce initial provisioning time.

Answer: B

NEW QUESTION 12

An administrator is performing a silent installation of a security server and needs to ensure that clients can remotely access their desktops using View's default protocol.

Which parameter should the administrator use?

- A. VDM_SERVER_SS_BSG_EXTURL
- B. VDM_SERVER_SS_EXTURL
- C. VDM_SERVER_SS_PCOIP_IPADDR
- D. VDM_SERVER_SS_PCOIP_TCPPOINT

Answer: C

NEW QUESTION 17

An administrator is building a new View parent image to boot the operating system (OS) from an .ISO file that is loaded with the virtual machine's CD-ROM. When the virtual machine boots, the .ISO does not load and instead, attempts a PXE boot. What should the administrator verify the CD-ROM is set to in order to correct this issue?

- A. is set to Emulate IDE.
- B. is set to Connect at Power On.
- C. is set to Device Type - Client Device.
- D. is set to Device Type - Host Device.

Answer: B

NEW QUESTION 22

An administrator deployed a linked-clone pool with virtual desktops running Windows XP for a branch office. The Active Directory server supporting the office is a Windows Server 2008 Read Only Domain Controller (RODC). The administrator makes the following changes to Sysprep:

? Join the Domain

? Use the Virtual Machine name for the NetBIOS name

When the administrator attempts to provision the desktops using View Composer, the following error message is displayed:

View Composer agent initialization state error (18): Failed to join the domain (waited 565 seconds)

What should the administrator do to provision the virtual desktops?

- A. Configure the desktop pool to use Quickprep instead of Sysprep to provision the Linked Clones.
- B. Log in to the parent virtual machine and apply the RODC compatibility update for X
- C. Take a new snapshot and recompose the pool.
- D. Configure the virtual desktops to synchronize time from another domain controller that is available on the network.
- E. Log in to the parent virtual machine and reinstall the View Agent
- F. Take a new snapshot and recompose the pool.

Answer: B

NEW QUESTION 27

After creating an Upload policy for a group of users, an administrator has found a significant increase in storage usage by Mirage. After further investigation, the administrator finds that the increase is a result of users storing personal MP3 libraries on the system.

What should the administrator do to prevent these files from being protected while allowing the users to store the files on the system?

- A. Add a Rule to the User Area for MP3 files in the Upload policy.
- B. Create a Collection labeled Exclude MP3s.
- C. Add a Rule Exception to the Unprotected Area for MP3 files in the Upload policy.
- D. Add a Rule to the Unprotected Area for MP3 files in the Upload policy.

Answer: A

NEW QUESTION 31

In addition to the default user attributes, which specific Active Directory attribute is required for integrating View with Workspace Portal?

- A. User Distinguished Name
- B. SAMAccountName
- C. SAMAccountType
- D. User Principal Name

Answer: D

NEW QUESTION 35

An administrator has installed a View security server and needs to verify that the installation was successful.

In addition to the security server, which three services should be installed? (Choose three.)

- A. VMware View Framework
- B. VMware View Security Framework
- C. VMware View PCoIP Secure Gateway
- D. VMware View Security Gateway
- E. VMware View Framework Gateway

Answer: ACD

NEW QUESTION 38

While deploying a View desktop pool, an administrator determines that the virtual desktops remain at a status of Customizing.

In the debug-timestamp.txt log file of the View Agent, the administrator finds the error message:

Debug - Unable to connect to JMS Server.com.vmware.vdi.agent.messageserver.Jmsmanager.a(SourceFile:238) javax.jms.JMSEException:Unable to create a connection to:[ServerEntry, hostname, port=4001]

What should the administrator do to troubleshoot the connection problem?

- A. Verify that the View Composer Guest Agent Server service is set Started on the virtual desktops.
- B. Verify that the View Agent can communicate with the View Connection Server over port 4001.
- C. Verify that the View Connection Server can resolve the DNS name of the vCenter Server.
- D. Verify that the View Security Server can establish a connection using the AJP13 protocol over port 4001.

Answer: B

NEW QUESTION 39

An administrator needs to backup the View LDAP Configuration and View Composer database. What are three ways this can be accomplished? (Choose three.)

- A. Schedule automatic backups by using the View Manager Configuration Backup feature.
- B. Initiate a backup immediately by using the Backup Now feature in View Administrator.
- C. Use a replicated instance of View Connection Server as the backup.
- D. Take a snapshot of the View Connection server.
- E. Manually export the View data by using the vdmexport utility.

Answer: ABE

NEW QUESTION 42

An administrator is installing View Connection server and stops at the Authorize a View Administrators account step. Which user or group is the default suggestion at this stage?

- A. The Domain Admins group
- B. The local user performing the install
- C. The local Administrators group
- D. The domain user performing the install

Answer: D

NEW QUESTION 44

An administrator is deploying a pool of virtual desktops and receives the following message when testing a desktop connection from a View Client machine:
The Desktop Currently Has No Desktop Sources Available. The administrator has confirmed that:
? The desktops are built and are visible in the View Administrator console.
? The desktops display a Agent Unreachable status in the View Administrator.
After logging in to the vCenter Server, what should the administrator ensure to troubleshoot the issue?

- A. The virtual desktops are powered on.
- B. There are no Memory reservations.
- C. There are no CPU reservations.
- D. The View Composer service is running.

Answer: A

NEW QUESTION 48

An administrator is configuring the View Connection Broker Agent. The Adapter instance is properly configured within vCenter Operations Manager for Horizon. When the administrator clicks on the Test button to pair the server, the test fails. IP address and name resolution are validated and working for both servers. What should the administrator do to verify connectivity between both servers?

- A. Verify that a proper Fully Qualified Domain Name exists for the vCenter Operations for Horizon servers.
- B. Verify that the certificate on the vCenter Operations for Horizon server is recognized by the View server.
- C. Login with a domain admin account, instead of a local account on the View server.
- D. Verify that the proper port is open between vCenter Operations for Horizon and the View server.

Answer: D

NEW QUESTION 53

During the process of pairing a View security server, the administrator aborts the operation and attempts to run the pairing process again. The security server status displayed in the View Administrator dashboard is down, and remote users receive the following message when attempting to connect:
The View Connection Server authentication failed. No gateway is available to provide a secure connection to a desktop. Contact your network Administrator.
What should the administrator do to resolve the issue?

- A. In the View Connection Server instance click More Commands>Specify a Security Server Pairing Password then enter a new password and install the security server again.
- B. Run vdmadmin -S security_server_name and then install the security server again.
- C. In the View Connection Server instance click More Commands>Specify a Security Server Pairing Passwords then enter a password and restart the View Connection Server service.
- D. Run vdmadmin -S security_server_name and restart the View Connection Server service.

Answer: A

NEW QUESTION 54

An administrator needs to create 1000 virtual machines with minimal shared disk space. Additionally, the administrator needs to be able to update the images while ensuring that the users' information is managed in a central location. Which VMware components should be used to meet the requirements?

- A. VMware Horizon View with Persona Management
- B. VMware Horizon View with vSphere Data Protection
- C. VMware Workspace with vSphere Data Protection
- D. VMware Workspace with Persona Management

Answer: A

NEW QUESTION 56

An administrator needs to configure virtual printing to allow users to access locally attached printers. What must the administrator do to enable this functionality?

- A. Ensure virtual printing is enabled in the View Agent installation options.
- B. Install printer drivers in the base image for the pool.
- C. Register the TPVMGPOACmap.dll file on the base image for the pool.
- D. Import the vdm_client.adm template to the Active Directory server and enable local printing.

Answer: A

NEW QUESTION 58

Users report poor performance over a wide area network. Ten users share a 5Mbps link for this site. The administrator suspects a PCoIP configuration issue and locates the following PCoIP configuration settings:

? Turn off Build-to-Lossless feature = Enabled

? PCoIP Session Bandwidth Floor = 1000

? Maximum Frame Rate = 24

? PCoIP Client Image Cache Size Policy = 250

Which setting is likely causing the performance issue?

- A. Turn off Build-to-Lossless feature = Enabled
- B. PCoIP Session Bandwidth Floor = 1000
- C. Maximum Frame Rate = 24
- D. PCoIP Client Image Cache Size Policy = 250

Answer: B

NEW QUESTION 61

An administrator has installed View and needs to configure the PCoIP settings via a Group Policy Object (GPO). What should the administrator do first?

- A. Create a GPO and apply the required policy settings.
- B. Add pcoip.adm to the Administrative Templates on a View Connection server.
- C. Link the GPO to the Organizational Unit (OU) that contains the virtual desktops.
- D. Add pcoip.adm to the Administrative Templates on an Active Directory server.

Answer: D

NEW QUESTION 63

An administrator is overcommitting storage in an attempt to more efficiently use the available capacity. The administrator needs to ensure that linked-clones are evenly distributed across available datastores.

Which feature of View should the administrator use?

- A. Storage DRS
- B. Storage vMotion
- C. Rebalance
- D. View Storage Accelerator

Answer: C

NEW QUESTION 65

An administrator has set the default display protocol for a desktop to PCoIP to support 1080p quality video on the LAN. Group Policy Object (GPO) settings are applied to the virtual desktops to enforce the following settings:

? PCoIP session bandwidth floor = 0

? Enable Build to Lossless = Enabled

? PCoIP Maximum Frame Rate = 20

? Minimum Initial Image Quality = 90

Which configuration option is responsible for users reporting that video playback is choppy?

- A. PCoIP session bandwidth floor
- B. Enable Build to Lossless
- C. Minimum Initial Image Quality
- D. PCoIP Maximum Frame Rate

Answer: D

NEW QUESTION 70

An administrator is planning a Floating Linked-Clone desktop pool using local solid state drives. A stateless configuration is suitable for this group of users. Local solid state drive capacity is limited. The administrator plans to use the storagetiringcapabilities of View Composer to place the Linked-Clones on shared storage and place only the Replica on local disk.

Why will the administrator be prevented from using this configuration?

- A. Storagetiringis supported only when using Full Clone desktops.
- B. Replica and Linked-Clone disks must reside on the same datastore when using local disks.
- C. Replica disks must always reside on shared storage for Linked-Clone pools.
- D. Storagetiringis supported only for Dedicated Assignment Linked-Clone desktops.

Answer: B

NEW QUESTION 72

A recompose operation on a linked-clone pool has failed. An error on the pool indicates the Computer Account in Active Directory is missing, but a search for the account in Active Directory verifies that it is present.
 What condition would cause this error in View?

- A. The Computer Account has been moved out of the Organizational Unit in which it was created.
- B. The Quickprep domain user account has been moved to a different Organizational Unit.
- C. A new GPO has been applied to the Computer Account.
- D. The Quickprep domain user account does not have the Administrator role in View Administrator.

Answer: A

NEW QUESTION 75

An administrator is planning the capture of a reference machine for two departments: Finance and Information Technology.
 Which two applications should the administrator include in the common base layer? (Choose two.)

- A. Finance Accounting Application
- B. Anti-Virus software
- C. Admin Script Editor
- D. VPN Software

Answer: BD

NEW QUESTION 79

Refer to the Exhibit.

User Profile Service	This service ...	Started	Automatic	Local System
vCenter Operations for View Agent	This service ...	Started	Automatic	Local System
VMware Blast	Provides HT...	Started	Automatic	Local System
VMware Tools Service	Provides su...	Started	Automatic	Local System
VMware USB Arbitration Service	Arbitration ...	Started	Automatic	Local System
VMware View Agent	Provides Vie...	Started	Automatic	Local System
VMware View Composer Guest Agent Server	Provides V...	Started	Automatic	Local System
VMware View Persona Management	This service ...	Started	Automatic	Local System
Windows Audio	Manages au...	Started	Automatic	Local Service
Windows Audio Endpoint Builder	Manages au...	Started	Automatic	Local System
Windows Event Log	This service ...	Started	Automatic	Local Service
Windows Firewall	Windows Fi...	Started	Automatic	Local Service
Windows Font Cache Service	Optimizes p...	Started	Automatic	Local Service
Windows Management Instrumentation	Provides a c...	Started	Automatic	Local System
Workstation	Creates and...	Started	Automatic	Network S...
Microsoft .NET Framework NGEN v4.0.30319_X86	Microsoft ...		Automatic (D...	Local System
Software Protection	Enables the ...		Automatic (D...	Network S...
Windows Search	Provides co...	Started	Automatic (D...	Local System
TP AutoConnect Service	ThinPrint .p...		Disabled	Local System
BitLocker Drive Encryption Service	BDESVC hos...		Disabled	Local System
Block Level Backup Engine Service	The WBENG...		Disabled	Local System
Desktop Window Manager Session Manager	Provides De...		Disabled	Local System
Disk Defragmenter	Provides Dis...		Disabled	Local System

An administrator recently updated a linked-clone desktop pool with optimizations to improve performance. After the desktop pool is recomposed, users are unable to connect to their client printers. The administrator examines the services on the desktop, as shown in the exhibit.
 Based on the exhibit, which Windows service is causing the client printers to fail to connect to virtual desktops?

- A. Desktop Window Manager Session Manager
- B. VMware USB Arbitration Service
- C. TP AutoConnect Service
- D. Windows Firewall

Answer: C

NEW QUESTION 84

An administrator needs to add Location-Based Printing to five virtual desktops.
 Which two steps must the administrator take to accomplish this task? (Choose two.)

- A. Create a GPO containing the AutoConnect Map Additional Printers for VMware View group policy setting.
- B. Create a GPO containing the Enable Printer Location Tracking for VMware View group policy setting.
- C. Add the computer names of the desktops using Security Filtering.

D. Add the MAC addresses of the desktops using Security Filtering.

Answer: AC

NEW QUESTION 85

A View environment consists of a Connection Server named connect-01 and a security server named security-01.

An administrator needs to configure RSA SecurID authentication for external users. Internal users must not be prompted for the RSA SecurID token code. What should the administrator do?

- A. Configure 2-factor authentication on the security-01 security server.
- B. Configure 2-factor authentication on the connect-01 Connection Server.
- C. Add a new Connection Server named connect-02 for internal user
- D. Configure 2-factor authentication on the connect-01 Connection Server.
- E. Add a new security server named security-02 for internal user
- F. Configure 2-factor authentication on the security-01 security server.

Answer: C

NEW QUESTION 86

An administrator is preparing a Windows 7 virtual machine for View and is reviewing Windows services as part of the optimization process.

Which Windows service must the administrator ensure is started?

- A. Windows Firewall
- B. Disk Defragmenter
- C. Windows Defender
- D. Routing and Remote Access

Answer: A

NEW QUESTION 90

An administrator is creating a full clone desktop pool for 150 users. All of the desktops will be accessed at 9:00 a.m. on weekdays. The administrator needs to minimize the effect on storage performance during simultaneous desktop logins.

What step can the administrator take to help meet the requirement?

- A. Enable View Storage Accelerator
- B. Enable Space Efficient Sparse Disks (SEsparse)
- C. Redirect disposable files to a non-persistent disk
- D. Select a separate datastore for the replica and OS disks

Answer: A

NEW QUESTION 91

A View administrator needs to ensure that an environment is ready to use Smart Cards. The cards use certificates generated by a third-party Certificate Authority (CA). The administrator has verified that each certificate contains a UPN.

What must the administrator do to complete the preparation of the environment?

- A. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities group policy in Active Directory.
- B. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities store on the View Connection server.
- C. Import the root and intermediate CA certificates into each user's Smart Card.
- D. Enable Smart Card Authentication in the authentication settings in View Administrator.

Answer: A

NEW QUESTION 92

If an application depends on explorer.exe, which option ensures the application will open inside of a RDS application pool?

- A. Set runonce.exe to execute at login with a GPO.
- B. Configure the application to run as Local System.
- C. Package the application with VMware ThinApp.
- D. Disable User Access Control on the server.

Answer: A

NEW QUESTION 96

A Cloud Pod Architecture environment has datacenters in New York and Los Angeles. Users have a Global Home Site configured for the datacenter geographically closest to their home office. When users travel, they connect to the VPN for the datacenter closest to their current geographic location. When users log into Horizon to access their desktops, which statement is correct regarding the desktop they will connect to?

- A. Users will always be connected to a desktop in their Global Home Site
- B. If no desktops are available in that site, users will receive a message stating no desktop resources are available.
- C. Users will be connected to an entitled desktop in the site for the VPN they selected, if one is available.
- D. Users will be connected to a desktop in the site configured for the security group of which they are a member
- E. If no desktops are available in that site, one will be provided from their Global Home Site.
- F. Users will be connected to a desktop in their Global Home Site
- G. If none are available, users will be connected to a desktop in the other site.

Answer: D

NEW QUESTION 98

An administrator creates a new Application pool for Chrome on a Windows 2008 R2 SP1 pool. Users report that they cannot browse the Internet. What must the administrator do to enable Internet access for Chrome?

- A. Use vmxnet3 virtual device driver.
- B. Edit the parameters for Chrome to use --allow-no-sandbox-job.
- C. Use e1000e virtual device driver.
- D. Edit the parameters for Chrome to use --safe-browse-network.

Answer: B

NEW QUESTION 102

An administrator needs to prevent specific application-related setting files from being overwritten during a base layer update. What should the administrator do?

- A. Use Base Layer Override Policy to exclude application configuration files if they exist.
- B. Use Upload Policy to exclude application configuration files in the User Area section of the policy.
- C. Use Base Layer rules to exclude files from being deployed to workstations.
- D. Use Upload Policy to exclude application configuration files in the Unprotected Area of the policy.

Answer: A

NEW QUESTION 103

An administrator increases the number of virtual desktops in a desktop pool and finds that the provisioning task fails with an error. The error indicates that an Active Directory object already exists with the name of the virtual machine being created. After reviewing the error, the administrator checks the inventory of the pool and finds that there are two virtual machines with the same name in the inventory list. What is causing the issue?

- A. The naming pattern configured for the pool has been modified since the pool was created.
- B. The Computer Account in Active Directory was moved out of the Organization Unit in which it was created.
- C. An existing virtual machine with the same name was moved out of the desktop pool folder in vCenter Server.
- D. The Allow re-use of pre-existing computer accounts setting is selected in the pool settings.

Answer: C

NEW QUESTION 105

An administrator needs to configure Persona Management with a Dedicated Linked Clone Pool. The administrator is aware that users save large files to their user profiles and needs to avoid long load times of the user data. What should the administrator do to enhance performance of Persona Management when loading the user data?

- A. Enable the Remove local persona at log off policy.
- B. Configure Persistent Disks with Persona Management.
- C. Enable View Storage Accelerator.
- D. Configure Non-Persistent Disks with Persona Management.

Answer: B

NEW QUESTION 109

An administrator identifies PCoIP packet fragmentation on the network. The following items have been discovered:
? Network Path Maximum Transmission Unit (MTU) is 1200
? PCoIP Traffic has Quality of Service (QoS)
What should the administrator do?

- A. Set router buffers to tail drop.
- B. Set router buffers to Weighted Random Early Detection (WRED).
- C. Set PCoIP MTU to 1500
- D. Set PCoIP MTU to 1100

Answer: D

NEW QUESTION 112

An administrator has enabled ThinApp integration for Workspace Portal and needs to ensure applications are streamed from a network file share. The administrator has enabled the ThinApp module in Workspace Portal and configured the ThinApp repository. Which additional steps does the administrator need to take to enable ThinApp application streaming using Workspace Portal?

- A. Use Command Line Option when installing the Workspace Portal Client on Mac device
- B. Ensure ThinApp packages are enabled for Workspace Portal.
- C. Use Command Line Option when installing the Workspace Portal Client on Windows devices.Ensure ThinApp packages are enabled for Workspace Portal.
- D. Use Command Line Option when installing the Workspace Portal Client on Windows devices.Set MSIStreaming=0 in the ThinApp package.ini file.
- E. Use Command Line Option when installing the Workspace Portal Client on Mac device
- F. Set MSIStreaming=1 in the ThinApp package.ini file.

Answer: B

NEW QUESTION 117

In which interface component should an administrator set up an external Oracle database for Workspace Portal?

- A. Configurator Database setup page
- B. Configurator Database connection page
- C. Connector Database setup page
- D. Connector Database connection page

Answer: B

NEW QUESTION 122

An administrator is planning a new pool for a group of users.

The pool requirements are:

- ? User data must be portable between desktops.
- ? User-installed applications must persist between sessions.
- ? SE Sparse disk will be used to reclaim storage capacity.
- ? Linked-clones will be used to conserve storage capacity.
- ? Desktops will be refreshed on log off.

The administrator plans to use View Composer persistent disks to support the requirements for this pool.

Which requirement will prevent the use of View Composer persistent disks?

- A. User data must be portable between desktops.
- B. User-installed applications must persist between sessions.
- C. SE Sparse disk will be used to reclaim storage capacity.
- D. Linked-clones will be used to conserve storage capacity.

Answer: B

NEW QUESTION 124

An organization's ThinApp packaged applications are being delivered to both physical and virtual desktops using a login script.

The administrator has implemented Workspace Portal across the organization. Instead of using login scripts, the administrator needs to provide the applications to users from the Workspace Portal application catalog.

Which ThinApp utility and parameter should the administrator use?

- A. relink.exe -a
- B. vregtool.exe -h
- C. vregtool.exe -a
- D. relink.exe -h

Answer: D

NEW QUESTION 125

An organization has deployed View to the majority of its workforce. The organization also uses blade PCs for some users who need RDP access to high-powered workstations. The administrator needs to manage access to both environments through View.

Which configuration steps should the administrator complete to enable access through View?

- A. Install the View Agent in each system and create a terminal services pool using the physical PCs as desktop sources.
- B. Install the View Agent in each system and create a manual pool using the physical PCs as desktop sources.
- C. Create a manual pool and enter the IP address of each physical desktop source.
- D. Create a terminal services pool and enter the IP address of each physical desktop source.

Answer: B

NEW QUESTION 128

An administrator is configuring RADIUS authentication for a View implementation and enters the RADIUS server host name into the View Administrator console.

Which additional information must be entered into View Administrator to properly configure RADIUS?

- A. Port number, authentication type, and shared secret
- B. DNS server, port number, and shared secret
- C. Authentication type, shared secret, and public key
- D. Public key, authentication type, and shared secret

Answer: A

NEW QUESTION 130

An administrator is building a parent virtual machine for a View desktop pool and needs to enable users to log onto the virtual desktops.

To which group should the administrator assign the users?

- A. Global Terminal Server Users group
- B. Local Remote Desktop Users group
- C. Local Terminal Server Users group
- D. Global Remote Desktop Users group

Answer: B

NEW QUESTION 134

An administrator needs to view Windows 7 Virtual Desktops from the vSphere Console while a user has a PCoIP session to the Virtual Desktop. When the administrator opens a vSphere Console to a Virtual Desktop, the Console screen is black.

The administrator enables the Session Variable Enable access to a PCoIP session from a vSphere console. After this change, a black screen still appears when the administrator opens a vSphere Console to the Virtual Desktops.

What is preventing the Virtual Desktop from showing in the vSphere Console?

- A. The Virtual Desktop Hardware Version is 7.
- B. The Virtual Desktop Hardware Version is 8.
- C. The Virtual Desktop Hardware Version is 9.
- D. The Virtual Desktop Hardware Version is 10.

Answer: A

NEW QUESTION 135

An administrator is preparing a virtual machine guest OS for a View pool deployment. A security policy requires that non-VMware View Clients must not be able to connect directly to virtual desktops using RDP.

Which configuration option should the administrator choose to meet the requirement?

- A. Set Allow users to choose protocol to No
- B. Set Default display protocol to PCoIP
- C. Set AllowDirectRDP to Disabled
- D. Set Default display protocol to RDP

Answer: C

NEW QUESTION 137

An administrator is configuring Kiosk mode in View. The administrator completes the following tasks:

? Verifies that clients on the Windows machines that are being used can connect with a normal username and password.

? Creates accounts with appropriate Active Directory attributes for the machines that will operate as kiosks.

When the clients are tested, they do not automatically log in after connecting to the Connection Server.

What is causing this issue?

- A. The Kiosk mode user account was not added to the Connection Server to which the client is connecting.
- B. The Connection Server to which the client is connecting has not been enabled for Kiosk mode clients.
- C. The Kiosk mode user account was created in the wrong Organizational Unit.
- D. The View Client machine has not been enabled for Kiosk mode using the client registry settings.

Answer: B

NEW QUESTION 138

Refer to the Exhibit.

Identifier 3	Identifier 5	Resource Kind	Collecti	Health	Workload	Sta
vmwaremlasetur	vsan-Floating Win 8.1	VDI Desktop Session	100	7		
vmwaremlflamm	Persistent Win8.1 Pool	VDI Desktop Session	100	4		
vmwaremlsindhik	Persistent Win7 Pool	VDI Desktop Session	100	10		
vmwaremlkharteker	RDS-2012-APPS	Application Session	75	?		
vmwaremlwenhua...	Persistent Win7 Pool	VDI Desktop Session	100	11		
vmwaremlahorne	RDS-2012-APPS	Application Session	75	?		
vmwaremliyul	Persistent Win7 Pool	VDI Desktop Session	100	5		
vmwaremlrude	RDS-2012-APPS	Application Session	75	?		
vmwaremlkit	Persistent Win7 Pool	VDI Desktop Session	75	2		
vmwaremlpewang	Persistent Win7 Pool	VDI Desktop Session	100	2		
vmwaremlizhang	RDS-2012-APPS	Application Session	75	?		

An administrator has successfully deployed vCenter Operations for Horizon. The administrator logs into the custom dashboard, finds a list of active users on the View Users tab, and clicks on one of them.

The Health tree widget does not update, as shown in the exhibit.

What has been changed in vCenter Operations for Horizon configuration to result in this dashboard issue?

- A. Interaction between the Active User Sessions widget and the Health tree widget was removed.
- B. Reporting in the Health tree widget was changed from on to off.
- C. Interaction between the Metric Sparkline widget and the Health tree widget was removed.
- D. Reporting in the Active User Sessions widget was changed from on to off.

Answer: A

NEW QUESTION 142

An administrator is performing the post-installation configuration of Workspace Portal.

While running the setup wizard, the administrator receives an error message. The error message appears during configuration of the Directory settings and indicates that the user account cannot be found.

The administrator has confirmed the following:

? The user account exists in Active Directory.

? The user account has all of the required attributes.

What is causing the error?

- A. The user account is located below the Base DN.

- B. The user account has not been entered into the Global Catalog.
- C. The user account is located above the Base DN.
- D. The user account name is too long.

Answer: C

NEW QUESTION 147

An administrator needs to install View Composer. The current environment uses a vCenter Server appliance and four ESXi hosts. Which two steps should the administrator take to complete the installation? (Choose two.)

- A. Log in using a domain user account with local Administrator privileges.
- B. Install the View Composer server on the vCenter Server.
- C. Log in using Administrator@vsphere.local.
- D. Install the View Composer server on a standalone Windows server.

Answer: AD

NEW QUESTION 150

A corporate policy requires that all external connections use port 444. The administrator needs to ensure that the View environment meets corporate security policy.

What does the administrator need to configure to meet the policy requirement?

- A. Install a signed certificate on the View Security Server.
- B. Modify the External URL default setting in the GPO.
- C. Edit the locked.properties file in the SSL Gateway Configuration folder.
- D. Edit the certificate to force https only connections.

Answer: C

NEW QUESTION 154

An administrator installed compatible physical GPUs in all ESXi hosts specified for a View desktop pool. The administrator needs to configure the desktop pool with Virtual Shared Graphics Acceleration (vSGA).

Which virtual machine configuration should the administrator use to meet this requirement?

- A. Virtual machine hardware version 9 or later
- B. Video card > Auto-detect settings
- C. Video memory = 512MB
- D. Virtual machine hardware version 8 or later

Answer: A

NEW QUESTION 158

An administrator has asked the help desk to reset a virtual desktop in newly created Desktop Pool B. The help desk user logs in to the View Administrator, but only the previously existing Desktop Pool A is available.

What is causing this issue?

- A. Help desk user accounts can only be assigned to a single pool at a time.
- B. The help desk user's account does not have the appropriate permissions in vCenter Server.
- C. The help desk user cannot see Desktop Pool B because provisioning is disabled on the pool.
- D. The help desk user's account has only been granted privileges to see Desktop Pool A.

Answer: D

NEW QUESTION 159

An administrator creates a Windows 7 parent virtual machine for a linked-clone pool but finds that some of the virtual machines fail to customize. The administrator has confirmed that the View Agent is installed with the correct components. The virtual machines are configured with the following hardware specifications:

- ? 1 vCPU
- ? 4GB RAM
- ? VMXNET3 NIC
- ? 64MB Video RAM

What is causing the problem?

- A. The Receive Side Scaling (RSS) setting for the VMXNET3 driver is set to 2.
- B. Parent virtual machines for a linked-clone pool require a minimum of 2 vCPUs.
- C. The parent virtual machine does not have enough video RAM configured.
- D. The Microsoft Windows 7 patch for the VMXNET3 driver has not been installed.

Answer: D

NEW QUESTION 164

An administrator needs to configure a user for View Composer to add computers to the domain. Company policy restricts the administrator account from being used.

Which three non-default permissions must be added to the account to accomplish this? (Choose three.)

- A. Delete Computer Objects
- B. Create Computer Objects
- C. List Contents

- D. Write All Properties
- E. Read Permissions

Answer: ABD

NEW QUESTION 167

At a minimum, which three Datastore permissions must be added to a vCenter Server role to work with View Composer? (Choose three.)

- A. Allocate Space
- B. Update Virtual Machine Files
- C. Browse Datastore
- D. Low Level File Operations
- E. Remove File

Answer: ACD

NEW QUESTION 170

An administrator enables the Block Storage Volume option in order to prevent a storage volume from reaching full capacity. Which two statements describe the volume's functionality once this option is enabled? (Choose two.)

- A. New Centralized Virtual Desktops (CVDs) will not be able to be centralized to the volume.
- B. New base layers will be able to be centralized to the volume.
- C. Existing Centralized Virtual Desktops (CVDs) and base layers will continue to function as expected.
- D. Existing base layers on the volume will not be able to be moved to other volumes.

Answer: AC

NEW QUESTION 174

An administrator is configuring a Group Policy Object (GPO) for an Organizational Unit (OU) that contains virtual Windows 7 desktops. The administrator needs several user settings to apply only to users accessing desktops in this OU.

After configuring the GPO, the administrator notices that the group policy user settings are not being applied.

Why are the user settings not being applied?

- A. The Loopback processing GPO setting was not enabled on the Computers OU.
- B. The OU does not contain both User and Computer objects.
- C. The Windows 7 desktops were not restarted after GPO was configured.
- D. The user settings must also be applied to the default Users OU.

Answer: A

NEW QUESTION 175

Which two settings are required to prevent RDP access to a group of View desktops? (Choose two.)

- A. Disable AllowDirectRDP.
- B. Enable AllowDirectRDP.
- C. Select the PoolSettings tab and select PCoIP as the default display protocol.
- D. Select the Pool Settings tab and disable RDP as a possible display protocol.

Answer: AC

NEW QUESTION 177

An administrator is creating a View full clone desktop pool and needs to enable the 3D Rendering feature. However, the option to select the 3D Renderer is unavailable.

What should the administrator do to enable this feature to be selected?

- A. Set the default display protocol to RDP.
- B. Install the latest View Feature Pack.
- C. Enable the 3D Rendering option on the ESXi hosts.
- D. Set Allow users to choose protocol to No.

Answer: D

NEW QUESTION 182

An administrator finds that some desktop pools fail to report metrics back to vCenter Operations Manager for Horizon, while other desktops are reporting metrics as expected.

Which condition could cause this behavior?

- A. The vCenter Operations Manager for Horizon server is not paired with a View Connection server.
- B. The vCenter Operations Manager for Horizon adapter is running version 1.0.1.
- C. HKLM\SOFTWARE\VMware, Inc.\vCenter Operations Manager\Client is disabled.
- D. The vCenter Operations Manager agent is disabled in the virtual desktops.

Answer: D

NEW QUESTION 187

An administrator has built a Centralized Virtual Desktop (CVD) using the Mirage default CVD policy, but finds that the D drive on all users' machines are not centralized correctly.

Which changes should the administrator make to include the additional volume?

- A. Create a new Upload policy that includes the D drive in backup and restore.
- B. Add a Protected Volume in the Upload policy.
- C. Modify the CVD to include all system drives.
- D. Add %ANYVOLUME% to the User Area of the Upload policy.

Answer: B

NEW QUESTION 188

An administrator needs to increase the number of desktop resources in a dedicated assignment manual pool. This pool is made of unmanaged virtual machines. What should the administrator do?

- A. Create additional virtual machines and add them to the pool as desktop sources.
- B. Edit the pool settings to increase the minimum number of desktops.
- C. Change the vCenter Server settings in the pool to Provision on demand.
- D. Increase the number of available replica virtual machines in View Composer.

Answer: A

NEW QUESTION 193

An application was packaged using ThinApp and access is restricted to an Active Directory group called Customer Services. An administrator needs to remove this restriction.

What should the administrator do to remove this restriction with the least effort?

- A. Repackage the application, selecting Everyone from the Setup Capture wizard.
- B. Remove the PermittedGroups section from package.ini and execute build.bat.
- C. Change PermittedGroups=1 to 0 within package.ini and execute sbmerge.exe.
- D. Change PermittedGroups=0 to 1 within package.ini and execute sbmerge.exe.

Answer: B

NEW QUESTION 196

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 2V0-651 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 2V0-651 Product From:

<https://www.2passeasy.com/dumps/2V0-651/>

Money Back Guarantee

2V0-651 Practice Exam Features:

- * 2V0-651 Questions and Answers Updated Frequently
- * 2V0-651 Practice Questions Verified by Expert Senior Certified Staff
- * 2V0-651 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 2V0-651 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year