

2V0-602 Dumps

vSphere 6.5 Foundations

<https://www.certleader.com/2V0-602-dumps.html>



NEW QUESTION 1

When a vSphere Administrator powers on a VM with the following configuration, what will be the resulting swap file size?

▼  *Memory			
RAM (*)	4	▼	GB ▼
Reservation (*)	2	▼	GB ▼
	<input type="checkbox"/> Reserve all guest memory (All locked)		
Limit (*)	3	▼	GB ▼
Shares	Normal	▼	40960 ▼

- A. 4 GB
- B. 2 GB
- C. 3 GB
- D. 1 GB

Answer: B

NEW QUESTION 2

Which file format supports the exchange of virtual appliances across products and platforms?

- A. FAT32
- B. OVF
- C. VMDK
- D. NTFS

Answer: B

NEW QUESTION 3

After reconfiguring VUM in the vCenter Server Appliance, a vSphere Administrator must restart the Update Manager service. Which VMware recommended action will let the Administrator accomplish this task?

- A. On the vSphere Web Client Home page, click System Configuration, then Node
- B. Select vCenter Server and, from the Actions menu, select Reboot.
- C. On the vSphere Web Client Home page, click System Configuration, then Service
- D. Select VMware vSphere Update Manager service, and from the Actions menu select Restart.
- E. On the vSphere Web Client Home page, click Update Manage
- F. Select the Update Manager server and use the Actions menu to restart it.
- G. Log in to the vCenter Server Appliance Management UI and reboot the VCSA.

Answer: B

NEW QUESTION 4

Which two databases are supported for the vCenter Server Appliance 6.x? (Choose two.)

- A. PostgreSQL
- B. Oracle
- C. DB2
- D. Microsoft SQL Server

Answer: AB

NEW QUESTION 5

Which statement is a requirement for Storage vMotion?

- A. The source and destination VMDKs must be of the same provisioning type.
- B. The virtual machine cannot contain any raw device mappings (RDMs).
- C. Virtual disks must not be larger than 2TB.
- D. The host on which the virtual machine is running must have access to the source and target datastore

Answer: D

NEW QUESTION 6

Which two options can be leveraged to configure a remote syslog server for an ESXi 6.x host? (Choose two.)

- A. vRealize Configuration Manager
- B. vRealize Automation
- C. Host Profiles

D. vSphere Web Client

Answer: CD

NEW QUESTION 7

What three steps are necessary to enable Jumbo Frames for use with an iSCSI storage array? (Choose three.)

- A. Configure the MTU on the physical switch.
- B. Configure the MTU on the virtual switch.
- C. Configure the MTU on the VTEP.
- D. Configure the MTU on the LAG group.
- E. Configure the MTU on the VMKernel port

Answer: ABE

NEW QUESTION 8

What two utilities provide a VMware vSphere 6.x Administrator a detailed look at how ESXi uses resources in real time? (Choose two.)

- A. Esxtop
- B. Vim-cmd
- C. Resxtop
- D. Esxcli

Answer: AC

NEW QUESTION 9

Which two statements are correct when licensing an ESXi 6.x host? (Choose two.)

- A. ESXi licenses can be assigned utilizing the ESXi host client.
- B. Bulk licensing requires vSphere PowerCLI.
- C. Bulk licensing requires vSphere Auto Deploy to be enabled.
- D. ESXi licenses can only be applied to ESXi hosts connected to a vCenter Server

Answer: AB

NEW QUESTION 10

Which two statements are true when configuring a virtual flash resource (vFlash)? (Choose two.)

- A. Virtual Machines cannot reside on the virtual flash resource.
- B. Only Shared Storage can be configured as a virtual flash resource.
- C. vSphere DRS does not support vFlash resources.
- D. vFlash resources are managed at the ESXi host level

Answer: AD

NEW QUESTION 10

What is the VMware recommended way to distribute storage I/O loads across multiple paths to minimize downtime and remove potential bottlenecks?

- A. Enable Storage I/O Control.
- B. Configure storage replication.
- C. Configure multipathing.
- D. Enable storage DRS and configure datastore cluster

Answer: C

NEW QUESTION 14

Which three object types can be stored in the Content Library? (Choose three.)

- A. vDS backups
- B. VM templates
- C. vAPP templates
- D. ISO files

Answer: BCD

NEW QUESTION 15

What are two requirements for Guest Operating System Customizations? (Choose two.)

- A. The ESXi host that the virtual machine is running on must be version 5.5 or later.
- B. Microsoft Sysprep tools must be installed on the Windows VM to be cloned.
- C. VMware Tools must be installed on the virtual machine or template.
- D. The guest operating system being customized must be installed on a disk attached as SCSI node 0:0 in the virtual machine configuration.

Answer: CD

NEW QUESTION 16

A VMware vSphere 6.x Administrator is creating an Alarm Action. What are three configurable actions? (Choose three.)

- A. Shutdown Guest
- B. Restart Guest
- C. Send a notification email
- D. Migrate VM
- E. Run a command

Answer: CDE

NEW QUESTION 18

A vSphere Administrator recently introduced a new shared storage solution for the ESXi hosts. Despite good device specifications, this new storage solution is not performing well.

What are two VMware-recommended troubleshooting steps for fixing this? (Choose two.)

- A. Restart the vCenter Server.
- B. Check the VMware Hardware Compatibility List.
- C. Verify that vCenter Server is running the latest patched version.
- D. Verify that the drivers and firmware are at the recommended versions.
- E. Restart the Platform Services Controlle

Answer: AE

NEW QUESTION 22

What is required to create a vSphere Distributed Switch? (Choose two.)

- A. A minimum of two physical uplinks is required.
- B. vSphere Enterprise Plus licensing is required.
- C. The host is added to a vCenter Server.
- D. Login to the ESXi Host with the Root accoun

Answer: AC

NEW QUESTION 27

A vSphere Administrator notices that one of the virtual machines has been configured for VMDirectPath I/O, and a physical NIC has been assigned to the VM. What feature is not available to this VM?

- A. Storage DRS
- B. VMware Tools upgrades
- C. vMotion
- D. Virtual Machine Compatibility version upgrades

Answer: C

NEW QUESTION 30

Which two options are available when migrating a powered off VM and relocating the attached disks? (Choose two.)

- A. Thick Provision Eager Zeroed
- B. Raw Device Mapping Physical Compatibility
- C. Same format as source
- D. Raw Device Mapping Virtual Compatibility

Answer: AC

Explanation: Reference <https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.vcenterhost.doc%2FGUID-EA>

NEW QUESTION 34

Which Distributed Switch Load Balancing option requires configuration of the physical Ethernet switch to operate properly?

- A. Route based on originating virtual port
- B. Use explicit failover
- C. Route based on IP hash
- D. Route based on physical NIC load
- E. Route based on source MAC hash

Answer: C

NEW QUESTION 36

What are two valid iSCSI discovery methods? (Choose two.)

- A. Assigned Discovery
- B. Automatic Discovery
- C. Static Discovery

- D. LUN Masking
- E. Dynamic Discovery

Answer: CE

Explanation: Reference <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-66215AF3-2D81-4>

NEW QUESTION 37

Which three options are available when applying a Customization Specification to an existing virtual machine? (Choose three.)

- A. Modify a specification
- B. Select an existing specification
- C. Import a specification
- D. Create a specification from an existing specification
- E. Create a specification

Answer: BDE

NEW QUESTION 40

A vSphere Administrator has been tasked with configuring Jumbo Frames and the current environment is based on vSphere Standard Switch. Which three steps are required? (Choose three.)

- A. Verify the physical switches in the environment have been properly configured.
- B. Configure the Switch MTU.
- C. Configure the Port Group MTU.
- D. Migrate to a Distributed vSwitch.
- E. Configure the Distributed vSwitch MT

Answer: ABC

NEW QUESTION 42

Which virtual switch load balancing method should be used when teaming network interfaces with EtherChannel?

- A. Route based on originating virtual port.
- B. Route based on IP hash.
- C. Route based on physical NIC load.
- D. Route based on source MAC hash.
- E. Use explicit failover orde

Answer: B

NEW QUESTION 45

When adding a new VLAN to an existing virtual distributed switch, which three steps are necessary? (Choose three.)

- A. Right click the vDS and select Distributed Port Group, then select New Distributed Port Group.
- B. Right click on the data center, select Distributed Switch, select New Distributed Switch.
- C. Specify the VLAN ID and VLAN type.
- D. Provide a name for the Distributed Port Group.
- E. Specify the number of physical uplinks form the vDS to the VLA

Answer: ACD

NEW QUESTION 48

Which option was added to the load balancing calculations of DRS in vSphere 6.5?

- A. Network
- B. Memory
- C. Storage
- D. CPU

Answer: B

Explanation: Memory Metric for Load Balancing: DRS uses Active memory + 25% as its primary metric when calculating memory load on a host.

The Consumed memory vs active memory will cause DRS to use the consumed memory metric rather than Active. This is beneficial when memory is not over-allocated. As a side effect, the UI show the hosts be more balanced.

NEW QUESTION 50

Which two options can change the thin provisioned disk to thick provisioned? (Choose two.)

- A. Use vMotion to migrate the VM to another ESXi host without moving the disks.
- B. Use Storage vMotion of the running VM to the same datastore and select Thick Provision.
- C. Power off the VM, locate the VMDK disk in the Datastore browser, right-click that and select Inflate.
- D. Use Storage vMotion of the running VM to another datastore and select Thick Provision.

Answer: CD

Explanation: Reference https://pubs.vmware.com/vsphere-65/index.jsp?topic=%2Fcom.vmware.vsphere.vm_admin.doc%2FGUID-E8F

NEW QUESTION 54

What two options are available when configuring a virtual flash resource on a virtual machine? (Choose two.)

- A. Block Size
- B. Limit
- C. SCSI Controller
- D. Reservation

Answer: AD

NEW QUESTION 59

Which virtual SCSI controller would be recommended when deploying a Windows Server 2012 R2 VM that will host a database server which is expected to generate high I/O?

- A. LSI Logic
- B. PVSCSI
- C. LSI Logic SAS
- D. BusLogic

Answer: B

NEW QUESTION 61

What two files are created when the Take snapshot operation is executed? (Choose two.) A. .delta.vmdk

- A. .nvram
- B. .vmsn
- C. .lck

Answer: AC

NEW QUESTION 66

Which actions take place when DRS Automation is set to Partially Automated?

- A. Initial placement: Recommended host(s) is displayed.Migration: Recommendation is executed automatically.
- B. Initial placement: Automatic.Migration: Recommendation is displayed.
- C. Initial placement: Recommended host(s) is displayed.Migration: Recommendation is displayed.
- D. Initial placement: Automatic.Migration: Recommendation is executed automaticall

Answer: B

NEW QUESTION 67

What is true about a virtual machine with (orphaned) appended to the display name?

- A. The virtual machine has been cloned and removed from vCenter Server's inventory.
- B. The template that the virtual machine was created from no longer exists.
- C. The virtual machine creator no longer wants the virtual machine and has marked it for deletion.
- D. The virtual machine exists in the vCenter Server database, but the ESXi hosts no longer recognize i

Answer: D

NEW QUESTION 71

Which three actions are available in Troubleshooting Mode in the ESXi Direct Console User Interface (DCUI)? (Choose three.)

- A. Enable ESXi Shell.
- B. Modify DCUI idle timeout.
- C. Modify Password.
- D. Restart Management Network.
- E. Modify SSH timeou

Answer: ABE

NEW QUESTION 76

Which three IP addresses may be pinged by the Test Management Network feature in the ESXi hosts DCUI? (Choose three.)

- A. NTP server
- B. Secondary DNS server
- C. DHCP server
- D. Default gateway
- E. Primary DNS server

Answer: BDE

NEW QUESTION 77

After enabling iSCSI port binding on ESXi hosts, a vSphere Administrator can no longer reach an iSCSI Array Target from the configured software iSCSI initiators. Which can be the root cause for the failure?

- A. All VMkernel ports used for iSCSI connectivity reside in the same broadcast domain and IP subnet.
- B. LACP other link aggregation was used on the ESXi hosts uplinks to connect to the physical switches.
- C. All VMkernel ports used for iSCSI connectivity reside in the same vSwitch.
- D. Array Target iSCSI ports reside in the same broadcast domain and IP subnet as the VMkernel port

Answer: B

NEW QUESTION 80

A VMware vSphere 6.x Administrator is tasked with expanding a current vRealize Log Insight Deployment. What two steps will accomplish this task? (Choose two.)

- A. Run the startup wizard and select Join Existing Deployment.
- B. Login to the vRealize Log Insight Management UI and select Add New Node.
- C. Deploy another vRealize Log Insight server from the OVF.
- D. Deploy and install vRealize Log Insight on a new Linux virtual machin

Answer: AB

NEW QUESTION 85

A vSphere Administrator sees the alarm: vSphere HA virtual machine failed to failover

This occurred for a number of virtual machines on a particular ESXi host in a cluster with vSphere High Availability (HA) enabled. The virtual machines guest operating systems never reported a power event. What happened?

- A. The virtual machines were vMotioned off of the ESXi host.
- B. The ESXi host is still running but has disconnected from the network.
- C. The ESXi host failed and vSphere HA successfully failed over the virtual machines.
- D. The previous virtual machine cloning operations failed to complet

Answer: C

NEW QUESTION 88

What is the maximum supported number of Virtual SCSI adapters per VM in vSphere 6.5?

- A. 8
- B. 4
- C. 2
- D. 6

Answer: B

NEW QUESTION 91

A virtual machine loses network connectivity after vMotion. Which two troubleshooting tasks can be performed? (Choose two.)

- A. Verify virtual switch option Notify Switches is set to Yes.
- B. Ensure that Enhanced vMotion Compatibility has been configured.
- C. Change the teaming policy to active/standby mode.
- D. Ensure that the virtual machine is in the proper VLAN I

Answer: AD

NEW QUESTION 93

Which are two requirements for vMotion without shared storage? (Choose two.)

- A. The source host must have access to the destination storage.
- B. The hosts must be licensed with vSphere Enterprise Plus.
- C. The destination host must have access to any RDM LUNs.
- D. The source and destination hosts must have identical CPUs.
- E. Hosts must be running vSphere 5.1 or late

Answer: CE

NEW QUESTION 94

A Primary Fault Tolerant VM is performing poorly despite its ESXi host having adequate resources and CPUs are idle. Other hosts in the cluster are much more heavily utilized.

What is the cause?

- A. The Secondary VM is assigned to a different portgroup than the Primary.
- B. The Secondary VM is running more applications than the Primary.
- C. The Secondary VM is running on an ESXi host that is overcommitted.
- D. The vMotion network has not been configured for Jumbo Frame

Answer: C

NEW QUESTION 99

What three steps are necessary to configure Virtual Volumes (vVOLs) on an ESXi hosts? (Choose three.)

- A. Create and manage Protocol Endpoints.
- B. Create a virtual datastore.
- C. Create a LUN.
- D. Register Storage Providers.
- E. Format the volume with VMFS6.

Answer: ABD

NEW QUESTION 102

Which three factors should an Administrator take into account when determining the required VDP appliance size and number of appliances? (Choose three.)

- A. retention periods (daily, weekly, monthly, yearly)
- B. VMs guest OS family and version
- C. typical change rate
- D. Number and type (database, file system) of VMs

Answer: ACD

NEW QUESTION 106

ESXi 6.x can be installed upon which three supported hardware configurations? (Choose three.)

- A. Local disk connected through Serial ATA (SATA)
- B. Intel NX/XD disabled for the CPU in the system BIOS
- C. 1 GbE network adapter
- D. 2 GB of physical RAM
- E. Intel NX/XD enabled for the CPU in the system BIOS

Answer: ACE

NEW QUESTION 109

VM Components Protection (VMCP) can provide automated recovery for which two virtual machine failures? (Choose two.)

- A. All Paths Down
- B. Permanent Device Loss
- C. Firmware failures
- D. Driver Failures

Answer: AB

NEW QUESTION 111

Which three features can be configured during the initial creation of a cluster? (Choose three.)

- A. Proactive HA
- B. EVC
- C. DRS
- D. vSAN

Answer: BCD

NEW QUESTION 114

What three steps must be taken when removing a host from a vSAN-enabled cluster? (Choose three.)

- A. Remove disks from diskgroups, remove disk groups.
- B. Create at least one vSphere Standard Switch.
- C. Remove VMKernel port with vSAN traffic checkbox checked.
- D. Remove the host from vSAN cluster.
- E. Place the host into maintenance mode with Full Migration option selecte

Answer: CDE

NEW QUESTION 115

Which two choices are VMware-recommended ESXi syslog configurations? (Choose two.)

- A. Remote logging to a central host.
- B. Store logs in the in-memory filesystem.
- C. Configure persistent logging to a datastore.
- D. Configure logging to the vCenter Server.

Answer: AC

Explanation: Take the following measures to increase the security of the host.

Configure persistent logging to a datastore. By default, the logs on ESXi hosts are stored in the in-memory file system. Therefore, they are lost when you reboot the host, and only 24 hours of log data is stored. When you enable persistent logging, you have a dedicated record of server activity available for the host.

Remote logging to a central host allows you to gather log files onto a central host, where you can monitor all hosts with a single tool. You can also do aggregate analysis and searching of log data, which might reveal information about things like coordinated attacks on multiple hosts.

Configure remote secure syslog on ESXi hosts using a remote command line such as vCLI or PowerCLI, or using an API client.

Query the syslog configuration to make sure that a valid syslog server has been configured, including the correct port.

NEW QUESTION 117

Which three options are available for remediation with Proactive HA? (Choose three.)

- A. Quarantine mode for moderate and Power off for severe failure.
- B. Quarantine mode for all failures.
- C. Power off for all failures.
- D. Quarantine mode for moderate and Maintenance mode for severe failure.
- E. Maintenance mode for all failure

Answer: BDE

NEW QUESTION 120

ESXi supports which three iSCSI adapters? (Choose three.)

- A. Software
- B. Protocol Endpoint
- C. FCoE
- D. Dependent Hardware
- E. Independent Hardware

Answer: ADE

NEW QUESTION 123

When trying to export the vApp to the OVF, the option is grayed out. What solution allows for the export of a vApp?

- A. PowerOff the vApp.
- B. The vApp is marked as Non-Exportable.
- C. Logout of the vSphere Client and use the vSphere WebClient.
- D. Change the portgroup where the VMs are connected t

Answer: A

NEW QUESTION 124

Which is a valid requirement for deploying the vCenter Server Appliance 6.x to a DRS cluster?

- A. One ESXi host in the cluster must not be in maintenance mode or lockdown mode.
- B. At least one host in the cluster must not be in maintenance mode or lockdown mode.
- C. One ESXi host in the cluster must not be in lockdown mode.
- D. All ESXi hosts in the cluster must not be in maintenance mod

Answer: B

NEW QUESTION 128

A vSphere Administrator notices that they cannot login to vCenter Server with the vSphere Web Client, although the server is responding to pings.

What is the next step in troubleshooting the login problem?

- A. /etc/init.d/hostd restart
- B. connect-viserver-server
- C. vim-cmd vmsvc/getallvms
- D. service-control --status vmware-vpxd

Answer: D

NEW QUESTION 129

Which two network failure detection options are available when using a vSphere Standard Switch? (Choose two.)

- A. Fixed with preferred path
- B. Dynamic
- C. Link status with Beacon probing
- D. Link status only

Answer: CD

NEW QUESTION 133

Which password meets the default password requirements in ESXi 6.x?

- A. Xqavntthi3
- B. xQA!3h
- C. xTaMEhb!
- D. Xqa_hin3

Answer: C

NEW QUESTION 134

Which key combination will let a vSphere Administrator revert to the previous version or build of ESXi?

- A. Shift+R
- B. Ctrl+R
- C. Shift+V
- D. Ctrl+Z

Answer: A

NEW QUESTION 138

A Long-Distance vMotion migration cannot complete. Which three situations could cause this? (Choose three.)

- A. The license currently in use for the two hosts in vSphere Enterprise Edition.
- B. The round-trip time between the hosts is greater than 150 milliseconds.
- C. The virtual machine is configured to use Virtual NVMe disks.
- D. The vMotion traffic to the destination host is on the default TCP/IP stack.
- E. The license currently in use for the two hosts is vSphere Enterprise Plus Editio

Answer: ABD

NEW QUESTION 142

VMware vRealize Log Insight can be configured to send notification events to which endpoint?

- A. vRealize Infrastructure Navigator
- B. vRealize Configuration Manager
- C. vRealize Operations Manager
- D. vCenter Server

Answer: C

NEW QUESTION 143

What is the maximum supported RAM per virtual machine (VM) in vSphere 6.5?

- A. 6128 GB
- B. 2048 GB
- C. 8192 GB
- D. 4096 GB

Answer: A

NEW QUESTION 148

A VMware vSphere 6.x Administrator is tasked with configuring vRealize Log Insight. What three ports can be used for syslog? (Choose three.)

- A. 514/UDP
- B. 1514/TCP
- C. 8443/TCP
- D. 514/TCP
- E. 123/UDP

Answer: ABD

NEW QUESTION 149

What are two uses of the vRealize Log Insight Agents for Windows and Linux? (Choose two.)

- A. Monitor the state of syslog/eventmgr services
- B. Collect events from flat text files
- C. Control the state of the syslog/eventmgr services
- D. Monitor directories with the filesystem

Answer: AB

NEW QUESTION 152

A vSphere Administrator notices that upgrading VMware Tools on a single VM fails. Upon closer inspection, the summary tab shows that the VMware Tools status is unmanaged.

What is true about this virtual machine?

- A. There are not any vSphere users that have permissions for the virtual machine.

- B. The VMware Tools are so old that ESXi fails to upgrade the tools.
- C. The VMware Tools were installed with non-default options chosen.
- D. The VMware tools installed is an Operating System specific Package (OSP).

Answer: D

NEW QUESTION 156

A VMware vSphere 6.x Administrator is implementing a new eight-node cluster for business critical applications. Each server will be configured with two 10 GbE network adapters and will utilize iSCSI for storage on one subnet. Which feature is required to implement this solution?

- A. Storage DRS
- B. LACP
- C. Network I/O Control
- D. VMkernel Port Binding

Answer: D

NEW QUESTION 157

What three shares are available when configuring a Resource Pool? (Choose three.)

- A. Custom
- B. Low
- C. Maximum
- D. Normal
- E. None

Answer: ABD

NEW QUESTION 160

By default, how many login attempts will an ESXi host allow before locking out the account?

- A. 7
- B. 8
- C. 10
- D. 5

Answer: C

NEW QUESTION 162

A vSphere Administrator notices that the newly deployed ESXi hosts cannot stay in a connected state in vCenter Server for more than 60 seconds at a time. The Administrator knows that the hardware is in good health and that the ESXi hypervisors are properly configured. What is the source of the problem?

- A. The hosts are not a part of a vSphere Distributed Switch.
- B. Firewall rules that have too many ports open.
- C. Firewall rules preventing hosts from sending heartbeats to vCenter Server.
- D. The hosts do not have persistent logging configure

Answer: C

NEW QUESTION 167

Which two choices are valid ways to patch an ESXi host? (Choose two.)

- A. utilizing the esxcli Command Line Interface
- B. vSphere Update Manager
- C. vRealize Operations Manager
- D. configuring a Host Profile

Answer: AB

NEW QUESTION 169

What are two requirements needed to enable a 4 vCPU virtual machine with Fault Tolerance? (Choose two.)

- A. vSphere Enterprise Plus license
- B. 10 GbE uplink for FT logging network
- C. vSphere Standard license
- D. 1 GbE uplink for FT logging network

Answer: AB

NEW QUESTION 170

Which three items should be validated prior to installing ESXi 6.x? (Choose three.)

- A. Remote Storage has been disconnected.

- B. Installation media is available.
- C. Server hardware clock is set to UTC.
- D. Storage has been partitioned with a VMFS volume.
- E. Network cards have been setup to use Jumbo Frame

Answer: ABC

NEW QUESTION 173

Which vSphere 6.x feature will allow an organization to utilize native snapshots?

- A. Virtual Volumes
- B. Virtual SAN
- C. VMFS3
- D. VMFS5

Answer: A

NEW QUESTION 176

An organization has a number of virtual machines that would benefit from Fault Tolerance. These include: A single vCPU Apache Server A dual vCPU vCenter Server A quad vCPU SQL Server

An eight vCPU Hadoop Server

Which two virtual machines can be configured to use VMware Fault Tolerance? (Choose two.)

- A. Apache Server
- B. vCenter Server
- C. SQL Server
- D. Hadoop Server

Answer: AC

NEW QUESTION 179

A company has decided to implement Virtual SAN within their vSphere 6.x environment.

The Virtual SAN cluster will be composed of three ESXi 6.x hosts that are on the Virtual SAN Ready Node list. Each ESXi host includes:

The company will pilot a Virtual SAN cluster utilizing VMware best practices while maximizing storage capacity. The Virtual SAN cluster will use Manual Mode.

Which two Disk Group configurations would meet the stated configuration requirements? (Choose two.)

- A. 4 disk groups with 1 SSD and 5 MDs each
- B. 2 disk groups with 1 SSD and 7 MDs each
- C. 2 disk groups with 2 SSDs and 7 MDs each
- D. 2 disk groups with 1 SSD and 10 MDs each


Answer: AB

NEW QUESTION 183

Refer to the Exhibit.

An administrator has been given requirements to configure vMotion for a new virtual machine. The configuration should: Provide Network Redundancy Use VLAN 550

Be secured against anyone trying to spoof communication The vSwitch1 configuration is shown in the Exhibit.



Which three changes should be made to meet the stated requirements? (Choose three.)

- A. The VLAN ID must be set appropriately.
- B. The default values for MAC Address Changes and Forged Transmits must be altered.
- C. The teaming and failover adapters must be set appropriately.
- D. The Traffic Shaping configuration must be altered.
- E. The Load Balancing Policy must be set appropriately.

Answer: ABC

NEW QUESTION 188

Which two Identity Sources are available to add for vCenter Single Sign-On authentication? (Choose two.)

- A. LocalOS
- B. OpenLDAP
- C. NIS as an LDAP Server
- D. VCMSDS

Answer: AB

NEW QUESTION 189

What is the optimal configuration when building a virtual machine for a single-threaded Windows application?

- A. Deploy single-threaded applications on uniprocessor virtual machines.
- B. Deploy single-threaded applications on symmetric multi-processor virtual machines.
- C. Tune single-threaded applications to take advantage of symmetric multi-processor resources.
- D. Tune Single-threaded applications at the hypervisor level.

Answer: A

NEW QUESTION 190

Which two NFS Protocol versions does vSphere 6 support? (Choose two.)

- A. Version 3
- B. Version 3.1
- C. Version 4
- D. Version 4.1

Answer: AD

NEW QUESTION 193

An administrator enables vSphere High Availability (HA) on an existing cluster with a large number of hosts and virtual machines.

The administrator notices that the setup of vSphere HA on some of the hosts is failing. What step, if taken, might resolve this issue?

- A. Increase the value of the config.vpxd.das.electionWaitTimeSec setting.
- B. Set the value of vpxd.das.aamMemoryLimit to 256.
- C. Set the value of the das.useDefaultIsolationAddress setting to False.
- D. Increase the value of the das.iostatsinterval settin

Answer: A

NEW QUESTION 196

Immediately after installing ESXi, an administrator observes that the Configure Lockdown Mode option is grayed out in the Direct Console User Interface (DCUI). What is the most likely explanation?

- A. The host has not yet been added to a vCenter Server.
- B. The BIOS on the host does not have NX/XD enabled.
- C. The ESXi host is running in evaluation mode.
- D. The host requires a reboot before this feature is availabl

Answer: A

NEW QUESTION 197

What happens to the status of users already logged into ESXi Shell when a vSphere administrator enables lockdown mode?

- A. Users remain logged in and can run commands, except to disable lockdown mode.
- B. Users remain logged in and can run commands, including disabling lockdown mode.
- C. Users are immediately logged out of ESXi Shell.
- D. Users are logged out after a timeout specified by the vSphere administrato

Answer: A

NEW QUESTION 198

A user wants to monitor a business-critical virtual machine to ensure that it doesn't run out of resources. What metric could be monitored in vRealize Operations to address this concern?

- A. Time Remaining badge
- B. Compliance badge
- C. Reclaimable Waste badge
- D. Density badge

Answer: A

NEW QUESTION 199

Which two parameters are required when adding an iSCSI target to an iSCSI Software Adapter using Dynamic Discovery? (Choose two.)

- A. The iSCSI device's IP Address or Fully Qualified Domain Name
- B. The Port Number
- C. The iSCSI device's iSCSI Qualified Name (IQN)
- D. The Default Gateway IP Address

Answer: AB

NEW QUESTION 201

During an upgrade, the ESXi 6.x installer finds an existing version of ESXi and a VMFS3 volume. No virtual machines exist on the host or VMFS3 volume. The requirement is to upgrade to VMFS5. Which option should be chosen to meet this requirement?

- A. Upgrade ESXi and preserve the VMFS datastore
- B. Install ESXi and preserve the VMFS datastore
- C. Install ESXi and overwrite the VMFS datastore
- D. Upgrade ESXi and overwrite the VMFS datastore

Answer: C

NEW QUESTION 205

An administrator is configuring the Failover Order option on a vSphere Distributed Switch. Which two options should be used with IP-hash load balancing? (Choose two.)

- A. Active Uplinks
- B. Standby Uplinks
- C. Unused Uplinks
- D. Override Failover Order

Answer: AC

NEW QUESTION 206

An administrator has unsuccessfully attempted several times to install an Operating System inside a virtual machine. The administrator finds that the installation

fails at random intervals.


Which two actions can be taken to resolve this issue? (Choose two.)

- A. Verify the md5sum and if invalid, download the installation files again.
- B. Attempt the installation an additional time.
- C. Attempt to use a different installation media or installation method.
- D. Create a new virtual machine and attempt the installation with the existing medi

Answer: AC

NEW QUESTION 209

Refer to the Exhibit. An administrator has created the resource pool configuration shown in the Exhibit.



Based on the exhibit, which virtual machine(s) can be successfully powered on?

- A. VM-M1 only
- B. VM-K1 only
- C. VM-K1 and VM-K2 only
- D. VM-K1, VM-K2, and VM-M1

Answer: D

NEW QUESTION 214

What is a benefit of using Enhanced vMotion Compatibility for an environment?

- A. EVC masks CPU features to allow compatibility between hosts that are dissimilar.
- B. EVC allows for cross platform vMotion to occur.
- C. EVC enables Long Distance vMotion.
- D. EVC enables Storage vMotion functionalit

Answer: A

NEW QUESTION 216

A vSphere Administrator just finished installing new software on the Windows vCenter Server and notices that vCenter Server services no longer start properly. What two tasks should be done next? (Choose two.)

- A. Contact the server hardware manufacturer.
- B. Check for network port conflicts.
- C. Reinstall vCenter Server.
- D. Check the vCenter Server log

Answer: BD

NEW QUESTION 217

How many Link Aggregation Groups (LAGs) can be configured on a vSphere 6.x Distributed Switch?

- A. 64
- B. 96
- C. 128
- D. 256

Answer: A

NEW QUESTION 222

From which two locations in the inventory hierarchy can you deploy a virtual machine using a template? (Choose two.)

- A. Directly from the template.
- B. From a compute resource.
- C. From an existing virtual machine.
- D. From a Datastor

Answer: AB

NEW QUESTION 223

An administrator attempts to create a Thick Provisioned Virtual Disk (VMDK) on an NFS datastore; but it fails. Which two reasons would explain the failure? (Choose two.)

- A. Datastore is on an NFS 3 storage server that does not support Hardware Acceleration
- B. Datastore is on an NFS 4.1 storage server
- C. Only VMFS datastores support "Thick Provisioned" VMDK
- D. The NFS datastore was not created on a "Thick Provisioned" device

Answer: AB

NEW QUESTION 228

The vSphere administrator is configuring directory services for an ESXi host:



What should the vSphere administrator do to configure the host to use CAM services?

- A. Check the Use vSphere Authentication Proxy checkbox.
- B. Set Select Directory Service Type to CAM services.
- C. Specify CAM\$ for the Domain.
- D. Set Trusted Domains to cam\name.tld where name.tld is the domain that the host is joinin

Answer: A

NEW QUESTION 230

A virtual machine has been renamed and an administrator is unable to find files with the new virtual machine name in the datastore. What is the reason for this?

- A. The names of the files on the datastore do not change.
- B. The names of the files on the datastore have been corrupted.
- C. The virtual machine needs to be re-added to the inventory.
- D. The Distributed Resource Scheduler moved the virtual machine to another hos

Answer: A

NEW QUESTION 232

Why are some virtual machines orphaned after rebooting a High Availability (HA) enabled host?

- A. The Orphaned virtual machines have HA restart disabled.
- B. The Orphaned virtual machines moved recently and the change did not persist.
- C. The host is attached to failed storage.
- D. The host just came out of maintenance mod

Answer: A

NEW QUESTION 235

Refer to the Exhibit. A storage administrator is not seeing full utilization of all bandwidth from an ESXi host. The vSphere administrator observes the adapter details, as shown in the Exhibit.

Adapter Details

Properties Devices Paths			
<input type="button" value="Enable"/> <input type="button" value="Disable"/>			
Runtime Name	Target	LUN	Status
vmhba2:C0:T3:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active (I/O)
vmhba2:C0:T2:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active (I/O)
vmhba2:C0:T1:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◇ Disabled
vmhba2:C0:T0:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active

What is the probable cause of this issue?

- A. Another path needs to be used to allow full utilization of the bandwidth.
- B. The array is not setup to use the correct multipathing policy.
- C. There are no virtual machines on the host.
- D. No traffic is being sent across it because a path faile

Answer: D

NEW QUESTION 240

A vSphere administrator has been using vSphere in evaluation mode and now wants to deploy an environment that provides the same features. Which edition of vSphere provides similar functionality to evaluation mode?

- A. Enterprise Plus
- B. Enterprise
- C. Standard
- D. Essentials

Answer: A

NEW QUESTION 243

Which two SMTP Notification Event Details are specific to alarms triggered by events? (Choose two.)

- A. User Name
- B. Summary
- C. Old Status
- D. Target

Answer: AB

NEW QUESTION 244

Your manager has given you a bash script that retrieves data for ESXi 6.x host configurations.

This data needs to be collected right after the installation of a host and must be run directly on the host. Which two actions can be used to run this script on an ESXi host? (Choose two.)

- A. Connect to the host with Ruby vSphere Console and run the script from there.
- B. Enable SSH access from the Direct Console User Interface.
- C. Enable the ESXi Shell from the Direct Console User Interface.
- D. Run the script directly from the vSphere Web Clie

Answer: BC

NEW QUESTION 247

An administrator creates an ESXi cluster using vSphere Auto Deploy. The ESXi hosts are configured to get a management IP address from a DHCP server. The administrator needs to troubleshoot the management network on one of the hosts. Which DCUI option should the administrator use to renew the DHCP lease?

- A. Restart Management Network
- B. Restore Network Settings
- C. Test Management Network
- D. Configure Management Network

Answer: A

NEW QUESTION 252

An administrator is moving a virtual machine into a resource pool. The VM and resource pool are configured as shown:

VM configuration: 2GHz CPU reservation 1GB Memory limit Resource Pool configuration: 6GHz CPU reservation 1GB Memory reservation No limit to memory

What happens to the virtual machine's resource settings when it is moved into the pool?

- A. The VM inherits the resource settings of the resource pool if expandable reservations is enabled.
- B. The VM's reservations and limits are ignored and removed.
- C. The VM keeps the 2GHz CPU reservation but receives the 1GB memory reservation.
- D. The VM keeps the 2GHz CPU reservation and the 1GB Memory limit

Answer: D

NEW QUESTION 253

A vSphere Administrator wants to migrate a virtual machine from a host with an AMD Opteron CPU to an intel Xeon CPU. Which method should be used?

- A. Storage vMotion
- B. vMotion
- C. Cold Migration
- D. Hot Migration

Answer: C

NEW QUESTION 257

A vApp named Sales has a Memory Limit GB and a CPU Limit ,000 MHz. There are three virtual machines within the vApp: Sales-DB -- Has a memory reservation GB. Sales-DC -- Has a memory reservation GB. Sales-Web -- Has a memory reservation GB. Which statement is correct?

- A. All three virtual machines can power on, but will have memory contention.
- B. All three virtual machines can power on without memory contention.
- C. Only two of the three virtual machines can power on.
- D. Only one of the virtual machines can power on

Answer: C

NEW QUESTION 262

An administrator is tasked with performing a vMotion migration of a virtual machine. The virtual machine is configured as follows: Which two statements are true? (Choose two.)

- A. Each ESXi host in the cluster supports multiple virtual flash resources.
- B. Each ESXi host in the cluster supports one virtual flash resource.
- C. DRS treats powered-on virtual machines with Flash Read Cache as having a preferred affinity to their current host and moves them only for mandatory reasons.
- D. DRS treats powered-on virtual machines with Flash Read Cache as having a required affinity to their current host and does not move them

Answer: BC

NEW QUESTION 266

What condition would prevent an administrator from creating a new VMFS3 datastore on an ESXi 6.x host using the vSphere Web Client?

- A. A VMFS3 datastore cannot be created on an ESXi 6.x host.
- B. The VMFS3 kernel module is not loaded.
- C. A VMFS3 datastore cannot be mounted on an ESXi 6.x host.
- D. VMFS3 datastores are not compatible with virtual machines created on an ESXi 6.x host

Answer: A

NEW QUESTION 267

You are creating a virtual machine in the Web Client using the New Virtual Machine wizard. Which two steps are required? (Choose two.)

- A. Select a valid name.
- B. Select a cluster for the compute resource.
- C. Select a network adapter.
- D. Select the virtual machine compatibility

Answer: AD

NEW QUESTION 272

A virtual machine is experiencing performance issues. The following performance metrics are observed: Which two activities will likely resolve the performance issues? (Choose two.)

- A. Set a CPU reservation for the virtual machine.
- B. Increase the CPU limit on the virtual machine.
- C. Decrease CPU shares equally for all virtual machines on the host.
- D. Increase CPU shares equally for all virtual machines on the host

Answer: AB

NEW QUESTION 274

Which two allow for the disabling of Network Rollback operations? (Choose two.)


- A. Modifying the vpxd advanced configuration options and adding the config.vpxd.network.rollback key

- B. Modifying the C:\ProgramData\VMware\CIS\cfg\vmware-vpx\vpzd.cfg file and adjusting the <rollback> xml tag
- C. Modifying the C:\ProgramData\VMware\CIS\cfg\vmware-vpx\vpzd.cfg file and adjusting the <networkrollback> xml tag
- D. Modifying the C:\ProgramData\VMware\CIS\cfg\vmware-vpx\firstboot\vpzd-service-spec.prop file and adjusting the <rollback> xml tag

Answer: AB

NEW QUESTION 275

Refer to the Exhibit. An administrator attempts to enable Enhanced vMotion Compatibility (EVC) on a cluster. The operation results in a compatibility error, as shown in the exhibit.



What is the likely cause of this error?

- A. The CPUs in the ESXi host are not AMD CPUs.
- B. The CPUs in the ESXi host do not support hardware virtualization capabilities.
- C. The XD/NX CPU features have not been enabled in the BIOS of the server.
- D. There is no shared storage between the hosts in the cluster

Answer: A

NEW QUESTION 278

An administrator has configured an alarm to be notified when a virtual machine meets two conditions: high virtual CPU high active memory consumption. The alarm is malfunctioning and triggering when either condition is met instead of both. What can be done to correct the issue?

- A. Edit the alarm and select Trigger if ALL of the following conditions are satisfied.
- B. Edit the alarm and select Trigger if ANY of the following conditions are satisfied.
- C. Create two separate alarms, one for CPU and one for memory.
- D. Delete the existing alarm and create a new event based alarm

Answer: A

NEW QUESTION 279

Which statement is true regarding the licensing of vCenter Server?

- A. The license for vCenter Server must be provided at the time of installation.
- B. Changing the license assigned to vCenter Server requires a restart of the vCenter Server service.
- C. Virtual machines can still be powered on if the vCenter Server license expires.
- D. Licensing for a single vCenter Server installation is determined by the number of managed virtual machines

Answer: C

NEW QUESTION 284

An administrator is migrating a virtual machine from a Test cluster to a Production cluster. The two environments do not have any shared storage. What is the easiest way to accomplish this task?

- A. Perform a Storage vMotion.
- B. Perform a regular vMotion.
- C. Perform a Virtual to Virtual migration.
- D. Perform a backup and restore using VMware Data Protectio

Answer: B

NEW QUESTION 289

How are ports scaled on vSphere Standard Switches (vSS)?

- A. Ports on a vSS can be dynamically scaled up and down.
- B. Ports on a vSS can only be statically scaled up or down.
- C. Ports on a vSS can only be dynamically scaled down.
- D. Ports on a vSS can only be dynamically scaled up.

Answer: A

NEW QUESTION 292

An administrator creates a DRS cluster of eight ESXi 6.x hosts. There are 10 virtual machines balanced across the hosts. An attempt to place the first host into maintenance mode fails.

What are two reasons that the host failed to enter maintenance mode? (Choose two.)

- A. The DRS cluster Automation Level is set to Partially Automated mode.
- B. One of the virtual machines on the ESXi Host entering maintenance mode is configured with a DRS Host affinity rule Should run on hosts in group.
- C. One of the virtual machines on the ESXi Host entering maintenance mode is configured with a DRS Host affinity rule Must run on hosts in group.
- D. One of the virtual machines on the ESXi Host entering maintenance mode is configured with an individual Automation Level set to Partially Automated.

Answer: AD

NEW QUESTION 295

What must be enabled to ensure that VM Component Protection (VMCP) works in a High Availability cluster?

- A. VMware Tools Virtual Machine Communication Interface (VMCI)
- B. Fault Tolerance
- C. Atomic Test and Set (ATS)
- D. All Paths Down (APD) Timeout

Answer: D

NEW QUESTION 297

Which three actions can be executed when an alarm is triggered? (Choose three.)

- A. Send an email.
- B. Send an SNMP trap.
- C. Run a script or command.
- D. Run an Orchestrator workflow.
- E. Send a trigger to syslo

Answer: ABC

NEW QUESTION 300

An administrator has recently installed a new ESXi 6.x Host, and during the configuration notices sporadic network problems. To check whether the issue occurred sometime during the configuration, the administrator would like to reset the system.

How can this be accomplished in the shortest amount of time?

- A. Run the ESXi installer again and reinstall the host.
- B. Select the Reset System Configuration option from the vSphere Client when connected directly to the host.
- C. From the Direct Console User Interface, select Reset System Configuration.
- D. Use a host profile to reset the configuration to a default stat

Answer: C

NEW QUESTION 301

An administrator is re-provisioning an ESXi host and moving it to another datacenter.

Which DCUI option should the administrator use to revert the system configuration to the default settings?

- A. Reset System Configuration
- B. Rebuild Default System Configuration
- C. Revert System Configuration
- D. Renew Default System Configuration

Answer: A

NEW QUESTION 305

vSphere Update Manager allows which two virtual machine attributes to be upgraded? (Choose two.)

- A. Virtual machine firewall policies for NSX.
- B. Software Packages in the virtual machine.
- C. Virtual machine Hardware Version.
- D. VMware Tools Upgrade.

Answer: CD

NEW QUESTION 308

When is it possible to place a VMFS5 datastore in maintenance mode?

- A. When it is a member of a Storage DRS cluster
- B. When it is a member of Virtual SAN cluster
- C. When it is a member of a multi-extent datastore
- D. When it is a member of a Virtual Volume

Answer: A

NEW QUESTION 311


What are two benefits of using NFS 4.1 with vSphere 6.x as compared to NFS 3? (Choose two.)

- A. NFS 4.1 supports Kerberos Authentication
- B. NFS 4.1 supports multipathing
- C. NFS 4.1 supports IPv6
- D. NFS 4.1 supports hardware acceleration

Answer: AB

NEW QUESTION 315

Refer to the Exhibit. An administrator is migrating a powered-on virtual machine, as shown in the exhibit.



Which option should be selected to perform a Storage vMotion of the VM?

- A. Change storage only
- B. Change VM compute resource only
- C. Change both compute resource and storage, changing the compute resource first.
- D. Change both compute resource and storage, changing the storage resource first

Answer: A

NEW QUESTION 316

When configuring vSphere Replication for a virtual machine, what is the lowest Recovery Point Objective (RPO) that can be selected?

- A. 1 min
- B. 5 min
- C. 10 min
- D. 15min

Answer: B

NEW QUESTION 318

An administrator needs to verify that vMotion operations can be performed in a vSphere data center. What round trip time (RTT) latency is the maximum value that will allow vMotion operations to succeed?

- A. 50ms RTT
- B. 100ms RTT
- C. 150ms RTT
- D. 200ms RTT

Answer: B

NEW QUESTION 321

What is a valid plug-in status for a plug-in that has been added to a vSphere client?

- A. Disabled
- B. Unknown
- C. Stopped
- D. Installed

Answer: A

NEW QUESTION 323

Refer to the Exhibit. A storage administrator has reported that full utilization of all bandwidth from an ESXi 6.x host is not being seen. In troubleshooting the issue, the Adapter details are shown in the Exhibit.

Adapter Details

Properties Devices Paths			
<div>Enable Disable</div>			
Runtime Name	Target	LUN	Status
vmhba2:C0:T3:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active (I/O)
vmhba2:C0:T2:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active (I/O)
vmhba2:C0:T1:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◇ Disabled
vmhba2:C0:T0:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	◆ Active

Based on the exhibit, what is cause of the issue?

- A. The array is not setup to use the correct multipathing policy.
- B. There are no virtual machines on the ESXi host.
- C. Not all links are used because a path is disabled.
- D. Another path needs to be configure

Answer: C

NEW QUESTION 327

After installation of a host in your test environment, you need to move it to production.

The only major change that needs to be made is that the hostname of the server needs to change.

What are two ways that an administrator can change the host name without editing configuration files on the host directly? (Choose two.)

- A. Login to the Direct Console User Interface and change it from here.
- B. Edit the Default TCP/IP Configuration from the vSphere Web Client.
- C. Use the Ruby vSphere Client to send a script to the ESXi host that updates the hostname.
- D. Update the information in DNS and the ESXi host will automatically update with these change

Answer: AB

NEW QUESTION 328

Which two configurable options apply to both virtual machine CPU and memory allocation? (Choose two.)

- A. Reservation
- B. Shares
- C. Resource Pool
- D. Reserve All

Answer: AB

NEW QUESTION 333

An administrator is attempting to migrate a large Hadoop virtual machine using vMotion.

The administrator notices a delay when the machine is quiesced. The Hadoop virtual machine is processing many transactions a second to an in-memory database.

Which two actions would help reduce the amount of time needed to perform a vMotion on this virtual machine? (Choose two.)

- A. Use multiple NICs for the vMotion vmkernel port.
- B. Use a 10Gbps Network card for the vMotion vmkernel port.
- C. Add an additional management network to help transmit the data quicker.
- D. Disable Fault Tolerance before performing the vMotio

Answer: AB

NEW QUESTION 336

A vSphere Administrator has stated that currently Private VLAN is utilized to prevent cross-talk on the dedicated backup network.

What two actions are required to implement Private VLAN in VMware vSphere? (Choose two.)

- A. Configure Private VLAN at the dvPort Group.
- B. Upgrade to VMware vSphere Enterprise Plus.
- C. Enable Promiscuous Mode.
- D. Configure Private VLAN at the dvSwitch leve

Answer: AC

NEW QUESTION 339

An administrator is attempting to restore a number of files in a directory within the Operating System of a virtual machine.

How can the administrator restore the files from a previous backup?

- A. Use the File Level Restore option from the selected backup of the virtual machine in the vSphere Web Client.
- B. Connect to the File Level Restore tool from a web browser in the virtual machine.
- C. Connect to the File Level Restore tool from the VMware Data Protection appliance.
- D. Use the File Level Restore option from the selected backup of the virtual machine in the vSphere Clie

Answer: B

NEW QUESTION 343

In order for a company to meet regulatory requirements, all ESXi 6.x Hosts must be configured to direct logs to a syslog server.

What are two ways ESXi hosts can be configured for this action? (Choose two)

- A. Use the esxcli system syslog command.
- B. Edit them in the ESXi host Advanced System Settings.
- C. From the Syslog collector user interface of the Web Client.
- D. Syslog logging is not available for ESXi Host

Answer: AB

NEW QUESTION 347

What is the effective vSphere licensing level during the 60 day evaluation period?

- A. vSphere Foundation Essentials Plus
- B. vSphere Standard
- C. vSphere Enterprise
- D. vSphere Enterprise Plus

Answer: D

NEW QUESTION 350

A small company wants to use VMware products for its production systems. The system administrator needs to recommend a solution that will deliver High Availability to the company's production applications.

What is minimum vSphere offering that will support this requirement?

- A. vSphere Essentials
- B. vSphere Essentials Plus
- C. vSphere Hypervisor
- D. vSphere Standard

Answer: B

NEW QUESTION 351

Which two events happen when Distributed Resource Scheduler (DRS) is disabled? (Choose two.)

- A. The cluster's resource pool heirarchy and affinity rules are re-established when DRS is turned back on.
- B. The cluster's resource pool hierarchy and affinity rules are not re-established when DRS is turned back on.
- C. The cluster's resource pools are removed from the cluster.
- D. The cluster's resource pools are removed from the cluster and assigned to the host

Answer:

BC

NEW QUESTION 356

A vSphere administrator wants to migrate a virtual machine with vMotion from one node to another in the same cluster, but when the destination server is specified, an error message is displayed.

What might be wrong? (Choose two.)

- A. The cluster is configured for EVC and the hosts are of the same processor family
- B. The destination host does not have access to the shared datastore
- C. The source host is not licensed for vMotion
- D. The hosts are licensed for vSphere Essentials Plus
- E. The hosts have a dedicated vMotion VMKernel interface configured

Answer: BE

NEW QUESTION 358

VMware vSphere 6.x provides which three capabilities? (Choose three.)

- A. Data center extension
- B. Manage virtual machines with simple and intuitive tools
- C. Perform live workload migrations
- D. Zero data center clon time
- E. Predictive analytics

Answer: BCE

NEW QUESTION 363

While configuring a vSphere HA cluster backed by a Jumbo frames-enabled physical network, the task completes on the HA master, but fails on all HA slaves. What could cause this failure?

- A. The vShere HA cluster has more than 32 slave hosts.
- B. Maximum supported MTU size for the physical transport network is 1,600 bytes.
- C. Using Jumbo frames on the management Network is not supported.
- D. A physical network misconfiguration prevent hosts communicating using Jumbo Frames.

Answer: D

NEW QUESTION 365

Which three connection types are available when configuring a vSwitch in the vSphere Web Client? (Choose three.)

- A. VMkernel Network Adapter
- B. Physical Network Adapter
- C. Virtual Machine Port Group for a Standard Switch
- D. vMotion Network Adapter
- E. vSAN Network Adapter

Answer: ABC

NEW QUESTION 367

What is required when changing a virtual machine name using the vSphere Web Client?

- A. Verify connectivity to the ESXi host where the virtual machine is running and its inventory list is accessible.
- B. Verify in which datastore the virtual machine resides and that you have access and its inventory list is accessible.
- C. Verify that virtual machine files are stored in the same datastore and can be accessed in the datastore browser list.
- D. Verify the virtual machine is not running in Fault Tolerant mode and that it is not in a Distributed Resource Scheduler cluster.

Answer: A

NEW QUESTION 368

To comply with security requirements, an administrator with a vCenter Server Appliance needs to force logoff of the vSphere web client after 10 minutes of inactivity.

What should the administrator do to meet the requirement?

- A. Edit: /var/lib/vmware/vsphere-client/webclient.properties, modify session.timeout=10
- B. Edit: /opt/vmware/vsphere-client/webclient.properties, modify session.timeout=600
- C. Edit: /var/lib/vmware/vsphere-client/webclient.properties modify session.timeout=600
- D. Edit: /opt/vmware/vsphere-client/webclient.properties, modify session.timeout=10

Answer: A

NEW QUESTION 372

Which two Virtual SAN related actions might start resynchronization of virtual machine objects? (Choose two.)

- A. Editing a virtual machine storage policy to increase the number of replicas.
- B. Editing a virtual machine storage policy to reduce the number of replicas.
- C. Editing a virtual machine storage policy to increase the number of disk stripes.

D. Editing a virtual machine storage policy to reduce the number of disk stripe

Answer: AC

NEW QUESTION 376

A Fault Tolerance (FT) virtual machine with four vCPUs is experiencing high latency when performing ICMP and Application tests. What are three potential causes that may be attributing to this latency? (Choose three.)

- A. The FT network has insufficient bandwidth and is running on a 1GB Link.
- B. The FT network is on a particularly high latency link.
- C. The FT network has been configured with Network I/O Control.
- D. The FT virtual machine is running an e1000 network adapter.
- E. The FT virtual machine is running on poor performing network-based storag

Answer: ABC

NEW QUESTION 379

A vSphere Administrator uses vMotion to migrate a virtual machine between two ESXi hosts and notices that they can no longer ping the VM. What is the cause?

- A. The destination host has an incorrect VLAN tag on the virtual machine port group for the VM
- B. The destination host has two port groups with the same VLAN tag
- C. The virtual machine has RDMS attached
- D. There's an MTU mismatch

Answer: B

NEW QUESTION 381

An administrator has an application that requires connection directly to PCI devices through a virtual machine. What is a limitation of this configuration?

- A. Devices must be reserved for PCI passthrough on at least one host on which the virtual machine will run.
- B. Snapshots are not supported with DirectPath I/O passthrough devices.
- C. A maximum PCI vSphere DirectPath devices can be added to a virtual machine.
- D. Only one PCI controller can be presented to the virtual machine.

Answer: B

Explanation: https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-53F65726-A23B

NEW QUESTION 382

What three types of widgets can be added to a vRealize Log Insight Custom Dashboard? (Choose three.)

- A. badge widget
- B. event trends widget
- C. query list widget
- D. heatmap widget
- E. chart widget

Answer: BCE

Explanation: Reference <https://docs.vmware.com/en/vRealize-Log-Insight/4.3/com.vmware.log-insight.user.doc/GUID-ACF41E9A-4D>

NEW QUESTION 386

An administrator has a virtual machine that requires four times the compute resources than other virtual machines on the same ESXi 6.x host. How should the administrator configure the virtual machine settings, in order to be prepared for any resource contention?

- A. Set the shares of the priority virtual machine to High and the rest to Low.
- B. Set the shares of the priority virtual machine to High.
- C. Set the shares of the priority virtual machine to High and the rest to Normal.
- D. Set the shares of the priority virtual machine to Normal and the rest to Lo

Answer: A

NEW QUESTION 391

What is true regarding datastores on ESXi 6.x?

- A. NFS 4.1 datastore does not support Fault Tolerance (FT)
- B. VMFS3 and VMFS5 datastores can be newly created
- C. NFS datastore can be concurrently mounted using NFS 4.1 on one host and NFS on another
- D. NFS 3.0 datastore does not support Fault Tolerance (FT)

Answer: B

NEW QUESTION 396

An administrator wants to add a web server to an existing multi-tier application consisting of three virtual machines: A web server A database server An application server

The web server should be added to the application when the primary web server reaches: 70% vCPU utilization 55% active memory

Which option will achieve this result?

- A. Create a virtual machine alarm with an action to run a script that starts a new instance of the web server.
- B. Create a host cpu and memory alarm with an action to run a script that starts a new instance of the web server.
- C. Configure HA application monitoring for the web server and set it to trigger deployment of a new instance of the web server.
- D. Configure Fault Tolerance on the virtual machine and leave the secondary machine disabled until needed

Answer: A

NEW QUESTION 399

An administrator is deploying multiple Windows 2003 Virtual Machines from the same template. What two steps should be taken to avoid network conflicts? (Choose two.)

- A. Customize the guest operating system.
- B. Install VMware Tools into the new virtual machines.
- C. Copy the Microsoft Sysprep tools onto the vCenter Server system.
- D. Ensure the e1000 vmnic is selected for each new virtual machine.

Answer: AC

Explanation: https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.vm_admin.doc/GUID-F3E382AB-72F

NEW QUESTION 401

A vSphere Administrator observes that no devices are showing up under an iSCSI Storage Adapter. Which three are valid troubleshooting methods? (Choose three.)

- A. Log in to the ESXi Shell, run the vmkping target_ip command to verify that the VMkernel interface on the host can ping the iSCSI targets
- B. Use the nc -z target_ip 3260 command to verify that the ESXi host can reach the iSCSI TCP port (default 3260) on the storage array
- C. Verify that the MTU size is lower than 9,000 bytes
- D. Verify that the CHAP authentication settings are correct
- E. If Jumbo Frames are required, verify that packet fragmentation is allowed

Answer: ABD

NEW QUESTION 406

What is the default load balancing policy for a newly created VMkernel port on a vSphere Distributed Switch?

- A. Route based on originating virtual port ID
- B. Route based on IP Hash
- C. Route based on source mac address
- D. Route based on physical NIC load

Answer: A

NEW QUESTION 407

When viewing the Advanced Performance Charts in the vSphere Web Client, what two options determine the amount of historical data available in the chart? (Choose two.)

- A. Inventory object
- B. Statistical level
- C. Number of metric groups
- D. Collection interval

Answer: BD

NEW QUESTION 412

A vSphere administrator needs to backup a virtual machine that has a Microsoft SQL Server Database installed. Which solution allows for an application quiesce to occur during backup?

- A. VMware vCenter Converter
- B. VMware vCenter Site Recovery Manager
- C. VMware vSphere Replication
- D. VMware vSphere Data Protection Advanced

Answer: D

NEW QUESTION 417

When modifying a vApp, which two vSphere entities can be added? (Choose two.)

- A. A resource pool
- B. A network pool

- C. A vApp
- D. A folder

Answer: AB

NEW QUESTION 419

A High Availability (HA) cluster is configured to respond to a given number of host failures. The cluster contains virtual machines configured with these settings:

- VM1 has a 1GHz CPU reservation and no Memory reservation
 - VM2 has a 2GHz CPU reservation and no Memory reservation
 - VM3 has no CPU reservation and no Memory reservation
- Given this information, what is the correct slot size for the cluster?

- A. The CPU Reservation should be set to 32MHz and the memory reservation should be set to 32MB plus memory overhead.
- B. The CPU reservation should be set to 1 GHz and the memory reservation should be set to 0MB plus memory overhead.
- C. The CPU reservation should be set to 2 GHz, and the memory reservation should be set to 0MB plus the virtual machine memory overhead.
- D. The CPU reservation should be set to 2 GHz, and the memory reservation should be set to 32MB, plus the virtual machine memory overhead.

Answer: C

NEW QUESTION 424

What three types of host bus adapters are supported for connecting to shared storage on an ESXi hosts? (Choose three.)

- A. Software SATA
- B. Software iSCSI
- C. Hardware HBA
- D. Software FCoE

Answer: BCD

NEW QUESTION 426

An administrator has configured an alarm to be notified when a virtual machine meets either of these conditions: High virtual CPU High active memory consumption.

The alarm is only triggering when both of the conditions are met. What can be done to correct the alarm behavior?

- A. Edit the alarm and select Trigger if ANY of the following conditions are satisfied.
- B. Edit the alarm and select Trigger if ALL of the following conditions are satisfied.
- C. Create two separate alarms, one for CPU and one for memory and link them together with ESXCLI.
- D. Delete the existing alarm and create a new event based alar

Answer: A

NEW QUESTION 430

An administrator is creating a new Virtual SAN cluster on a Layer 2 network. There is an existing Virtual SAN cluster on the same Layer 2 network. Which two actions would allow the new Virtual SAN cluster to coexist with the older cluster? (Choose two.)

- A. Change the default Multicast Address on the new Virtual SAN cluster.
- B. Change the default Unicast Address on the new Virtual SAN Cluster.
- C. Create a separate VLAN for each cluster.
- D. Create an ARP Alias for the Virtual SAN VMkernel Network Adapte

Answer: AC

NEW QUESTION 435

Which vSphere 6 Standard Edition feature will allow an organization to ensure that critical multi-threaded applications have the maximum possible uptime?

- A. Fault Tolerance
- B. High Availability
- C. Distributed Resource Scheduler
- D. App HA

Answer: A

NEW QUESTION 440

When using vSAN, all the storage characteristics are specified by Storage Policies. Which parameter in vSAN Storage Policies can increase performance in a cache miss situation? (Choose the best answer.)

- A. Number of disk stripes per object
- B. Number of failures to tolerate
- C. Object space reservation (%)
- D. Force provisioning

Answer: A

NEW QUESTION 441

Where would a VMware vsphere 6.x Administrator go to view the detailed health of the vCenter server Appliance (vCSA)?

- A. Navigate to the vCenter server system in the object navigato
- B. Double-click the vCenter server objec
- C. Click Extension
- D. Select vservice Manager.
- E. Select the vCSA In the Inventory and view the Summary tab.
- F. Login to the vCenter server Appliance Management interface.
- G. View the Host Health status in the vsphere web clien

Answer: C

NEW QUESTION 445

What field or option is required when creating a VM snapshot? (Choose the best answer.)

- A. Snapshot description
- B. Quiesce guest file system
- C. Snapshot the virtual machine's memory
- D. Snapshot name

Answer: D

NEW QUESTION 446

Which three tasks can be accomplished using VMware vSphere Update Manager? (Choose three.)

- A. upgrading VMware Tools inside of Virtual Machines
- B. installing VMware Tools
- C. patching / updating ESXi Hosts
- D. upgrading VMware vCenter Server
- E. upgrading ESXI Hosts

Answer: BCE

Explanation: Update Manager enables centralized, automated patch and version management for VMware vSphere and offers support for VMware ESX/ESXi hosts, virtual machines, and virtual appliances.

With Update Manager, you can perform the following tasks: References:

NEW QUESTION 448

An administrator is attempting to enable Storage I/O Control on a datastore, but it is failing. What is the likely reason for this failure?

- A. The host is connected to a datastore is running on ESX 4.0.
- B. The host is connected to a Fibre Channel storage array.
- C. The datastore has multiple extents.
- D. The datastore is managed by a single vCenter Server.

Answer: C

NEW QUESTION 449

Which two statements are true using Resource Pools? (Choose two.)

- A. Resource Pools require vSphere HA to be enabled
- B. Resource Pools compartmentalize all resources in a datacenter
- C. Resource Pools require vSphere DRS to be enabled
- D. Resource Pools compartmentalize all resources in a cluster

Answer: CD

NEW QUESTION 453

Which feature of vSphere 6.x enables organizations to move virtual machines across data centers?

- A. Long Distance vMotion
- B. Content Library
- C. Auto Deploy
- D. Replication

Answer: A

NEW QUESTION 454

A vSphere Administrator is required to enable IGMP snooping on a Distributed switch which method of configuration is correct?

- ☒ 1. In the vSphere Web Client, navigate to the distributed switch
2. On the **Configure** tab, expand **Settings** and select **Properties**
3. Click **Edit**
4. Click **General**
5. Click **Advanced**
6. Choose an option for Multicast filtering mode
- ☐ IGMP snooping is only configured on the physical switch.
- ☐ 1. In the vSphere Web Client, navigate to the distributed switch
2. On the **Configure** tab, expand **Settings** and select **Properties**
3. Click **Edit**
4. Click **General**
5. Choose an option for Multicast filtering mode
- ☐ 1. In the vSphere Web Client, navigate to the distributed switch
2. On the **Configure** tab, expand **Settings** and select **Properties**
3. Click **Edit**
4. Click **General**
5. Click **Advanced**
6. Choose an option for Multicast filtering mode
7. **Discovery Protocol** must also be set to LLDP

- A. Option A
B. Option B
C. Option C
D. Option D

Answer: A

NEW QUESTION 457

By default, each ESXi 6.x host is provisioned with a certificate from which root certificate authority?

- A. RedHat Certificate Authority
B. VMware Certificate Authority
C. DigiCert Certificate Authority
D. Verisign Certificate Authority

Answer: B

NEW QUESTION 461

An administrator is installing a new network card in an ESXi 6.x host that is part of a vSphere cluster. When the host is placed into maintenance mode, the vSphere Web Client displays the progress bar at 2% for over 30 minutes. Which two are likely reasons for this occurrence? (Choose two.)

- A. Maintenance mode is unable to migrate all virtual machines from the host.
B. There is a large number of virtual machines that must be migrated from the host.
C. VMware High Availability is in the process of reconfiguring the cluster.
D. Each virtual machine on the ESXi host must be reconfigured to recognize the new adapte

Answer: AB

NEW QUESTION 462

A vApp template recently added to a Content Library is not displayed. Which two actions could correct this problem? (Choose two.)

- A. Manually synchronize the library
B. Select the Download all library content immediately option
C. Select the Sync subscribed library option
D. Manually download the vApp template

Answer: AB

NEW QUESTION 463

Which two files create a virtual disk? (Choose two.)

- A. -flat.vmdk
B. .vmdk
C. .vmsd
D. .nvram

Answer: AB

NEW QUESTION 467

VMware tools is failing to install on a Microsoft Windows virtual machine.
What are two possible situations that would prevent the installation? (Choose two.)

- A. The VMware tools installation media is corrupt.
- B. The incorrect Operating System was selected in the virtual machine options.
- C. The software prerequisites have not been installed.
- D. The prerequisite services have not been starte

Answer: AB

NEW QUESTION 468

What load balancing appliance does VMware recommended for deploying a vRealize Log Insight cluster?

- A. VMware NSX Load Balancer
- B. integrated Load Balancer
- C. F5 Big-IP
- D. Citrix NetScaler

Answer: B

Explanation: You can enable the vRealize Log Insight integrated load balancer (ILB) on a vRealize Log Insight cluster to ensure that incoming ingestion traffic is accepted by vRealize Log Insight even if some vRealize Log Insight nodes become unavailable. You can also configure multiple virtual IP addresses. It is highly recommended that you enable the ILB in a vRealize Log Insight cluster environment.

NEW QUESTION 471

Which two statements are true about deploying and using vSphere Replication? (Choose two.)

- A. ESXi hosts managed by a single vCenter Server instance require a connection between the two vSphere Replication appliances.
- B. Sites managed by different vCenter Server instances require a connection between the two vSphere Replication appliances.
- C. Sites managed by different vCenter Server instances require the use of Site Recovery Manager and a connection between the two vSphere Replication appliances.
- D. ESXi hosts managed by a single vCenter Server instance require a single vSphere Replication appliance

Answer: BD

NEW QUESTION 474

An ESXi 6.x host consists logical cores. Hyperthreading is enabled on the host.
What is the maximum number of vCPUs that can be assigned to a virtual machine on this host?

- A. 24
- B. 48
- C. 64
- D. 128

Answer: A

NEW QUESTION 475

What are the two minimum configurations of a disk group in a vSAN host? (Choose two.)

- A. 1 SSD drive for the caching tier and 1 or more HDDs for the capacity tier
- B. 1 SSD drive for the caching tier and 1 or more SSDs for the capacity tier
- C. 2 or more SSD drives for the caching tier and 2 or more SSDs for the capacity tier
- D. 2 or more SSD drives for the caching tier and 2 or more HDDs for the capacity tier

Answer: AB

Explanation: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.virtualsan.doc/GUID-4B738A10-4506->

NEW QUESTION 479

Which two options would allow a database administrator, with no access to the vSphere infrastructure, to connect to a virtual machine? (Choose two.)

- A. Use the Virtual Machine Remote Console (VMRC).
- B. Use Remote Desktop Protocol (RDP) to connect.
- C. Ask the vSphere administrator to grant permission to access the console through vCenter Server.
- D. Ask the vSphere administrator to grant permission to access with the Horizon View Direct Connect Client.

Answer: BC

NEW QUESTION 482

An administrator is attempting to power on a virtual machine, but is unable to do so. Which two reasons are probable causes of the failure? (Choose two.)

- A. Storage access to the virtual machine swap file has been lost.
- B. One of the virtual machine VMDK files is locked.
- C. Virtual machine is running CentOS 7.0 64-bit.

D. Virtual machine has Hyper-Threading enable

Answer: AB

NEW QUESTION 485

What two IT infrastructure components are virtualized by vSphere Essentials? (Choose two.)

- A. Networks
- B. Applications
- C. Storage
- D. Management

Answer: AC

NEW QUESTION 488

Which type of network traffic is used for vSphere High Availability (HA) by default?

- A. VM Network traffic
- B. Management network traffic
- C. vMotion network traffic
- D. iSCSI Port Binding network traffic

Answer: B

NEW QUESTION 492

An administrator attempts to install vCenter Single Sign-On Server. The installer returns an error message indicating that the installation failed. Prior to the installation, all setup prerequisites were met. The administrator has generated a vCenter Server Single Sign-On support bundle.

Which two files should the administrator analyze to determine the cause of the failure? (Choose two.)

- A. Server\utils\logs\imsTrace.log
- B. Server\utils\logs\install.txt
- C. %TEMP%\utils\logs\vminst.log
- D. %TEMP%\vminst.log

Answer: AD

Explanation: http://kb.vmware.com/selfservice/microsites/search.do?language=en_US&cmd=displayKC&externalId=2033880
https://www.vmware.com/support/ws5/doc/intro_techsup_ws.html

NEW QUESTION 496

An administrator is using the Host Failures to Tolerate Admission Control Policy for a vSphere High Availability (HA) cluster. When configuring this setting on the cluster, the administrator sees this error message:


Insufficient resources to satisfy HA failover level on cluster What are two likely causes for the error? (Choose two.)

- A. The hosts in the cluster are disconnected.
- B. A host in the cluster is displaying an HA error.
- C. Distributed Resource Scheduler has not been configured on the cluster.
- D. Virtual Machine Component Protection has not been turned o

Answer: AB

NEW QUESTION 498

Refer to the Exhibit. An administrator has configured a host profile so that ESXi 6.x hosts will point to the corporate NTP server for time synchronization. The NTP server is located at 10.0.30.213, but time has not been synchronized properly across the ESXi hosts.



The administrator reviews Host Profile settings as shown in the Exhibit. Which two steps are required to resolve the issue? (Choose two.)

- A. Correct the NTP server IP address.
- B. Check the host for host profile compliance.
- C. Remediate the host based on the updated host profile.
- D. Change the NTP server to the FQDN as IP Addresses are not supported

Answer: AC

NEW QUESTION 499

VM Component Protection (VMCP) can provide automated recovery for which two virtual machine failures? (Choose two.)

- A. driver failures
- B. firmware failures
- C. Permanent Device Loss
- D. All Paths Down

Answer: CD

NEW QUESTION 503

What are two ways to identify TCP/IP stack information? (Choose two.)

- A. Using the vSphere Web Client
- B. Using `esxcli network ip netstack`
- C. Using `esxcfg-netstack`
- D. Using the vSphere Client

Answer: AB

NEW QUESTION 508

An administrator is virtualizing a physical application server and adding it to an existing multi-tiered vApp. The application license is currently tied to the physical NIC's MAC address, so the administrator needs to ensure the license will function properly in the virtual machine. Which two actions can the administrator take to satisfy this task? (Choose two.)

- A. Set the MAC address for the vNIC in the guest operating system.
- B. Install the physical server's NIC into the ESXi host.
- C. Configure the MAC address for the vNIC using the vSphere Web Client.
- D. Assign the physical server NIC's MAC address in the vSphere Distributed Switch

Answer: AC

NEW QUESTION 509

An administrator logs into the vSphere Web Client, but is unable to see any hosts and clusters. Which two options could fix the problem? (Choose two.)

- A. Verify that the client web browser and vCenter Server are in the same broadcast domain.

- B. Verify that the vCenter Server system is registered with the same Platform Services Controller as the vSphere Web Client.
- C. Log in to the vCenter Server as a user within the Active Directory domain.
- D. Log in to the vSphere Web Client as a user with permissions on the vCenter Server syste

Answer: BD

NEW QUESTION 513

What is true about resource pools created on a Distributed Resource Scheduler (DRS) cluster?

- A. A root resource pool is created with the specified values.
- B. A root resource pool is automatically created using the aggregate total of the ESXi host resources in the cluster.
- C. A root resource pool is automatically created using the aggregate total of all resources in the datacenter.
- D. A root resource pool is not needed when creating resource pools on a DRS cluste

Answer: B

NEW QUESTION 514

Which three VLAN Tagging modes are available in vSphere 6.x? (Choose three.)

- A. External Switch Tagging
- B. Private VLAN Tagging
- C. Virtual Switch Tagging
- D. VXLAN Tagging
- E. Virtual Guest Tagging

Answer: ACE

NEW QUESTION 515

An attempt to enable vSphere Fault Tolerance for a powered-on virtual machine fails. Which two scenarios would result in this failure? (Choose two.)

- A. The virtual machine has three vCPUs configured.
- B. The host on which the virtual machine is running has insufficient memory resources.
- C. The virtual machine has insufficient resources to accommodate full reservation plus the overhead memory.
- D. VMware High Availability is enabled on the cluster of which this host is a membe

Answer: BC

NEW QUESTION 520

A vSphere Administrator currently has three two-socket servers that meet the requirements for VMware vSAN. Curently there is VMware Essentials Plus licensing for all servers. Implement a solution based on VMware vSAN?

- A. Upgrade to VMware vSphere Standard
- B. Upgrade to VMware vSphere Enterprise Plus
- C. None is require
- D. VMware vSAN is built into the Kernel.
- E. Upgrade to VMware vSAN Standar

Answer: C

NEW QUESTION 521

An administrator must determine an appropriate backup solution, given these conditions:

- 50 of the virtual machines are in a resource pool named Finance.
- 50 of the virtual machines are in a resource pool named QA.

Which solution allows an administrator the ability to backup 100 virtual machines?

- A. Use Snapshot Manager on the vCenter Server to backup the virtual machines.
- B. Use the VMware Consolidated Backup (vcb) tool on the ESXi Host to backup the virtual machines.
- C. Use the VMware Data Recovery (VDR) Appliance on the vCenter Server to backup the virtual machines.
- D. Use the VMware Data Protection (VDP) Appliance on one of the ESXi Hosts to backup the virtual machine

Answer: D

NEW QUESTION 522

An administrator attempts to migrate a suspended virtual machine to a newly deployed vSphere 6.x cluster. The compatibility check fails. What condition could cause this behavior?

- A. The new vSphere 6.x cluster is running Intel CPUs instead of AMD CPUs.
- B. A suspended virtual machine cannot be migrated.
- C. The hardware virtualization feature of the CPU is not enabled on the new hosts.
- D. A vSphere Distributed Switch is required to migrate a suspended virtual machin

Answer: A

NEW QUESTION 525

Which two components can be used when configuring Enhanced Linked Mode? (Choose two.)

- A. vCenter Server Appliance
- B. vRealize Operations Manager
- C. vSphere Management Appliance
- D. vCenter Server for Windows

Answer: AD

NEW QUESTION 527

Which vSphere 6.x feature would you choose for offsite disaster recovery?

- A. Distributed Power Management
- B. vSphere HA
- C. vSphere Data Protection
- D. Dynamic Resource Scheduler

Answer: C

NEW QUESTION 532

As part of a multisite Single Sign-On (SSO) deployment what two steps are required to ensure that a change to one Single Sign-On instance is propagated to the other instances? (Choose two.)

- A. Schedule a Replication Task on the primary instance
- B. Select the first instance during the installation of subsequent instances
- C. During the installation of each instance choose Linked-Mode
- D. Enable Synchronize to Active Directory on each instance

Answer: AC

NEW QUESTION 535

In the vSphere Web Client, what are the records of user actions or system actions that occur on objects in vCenter Server or on a host? (Choose the best answer.)

- A. Events
- B. Alarm Actions
- C. System Logs
- D. Alarms

Answer: A

NEW QUESTION 536

What are two valid methods to deploy an OVF template which consists of two or more VMs? (Choose two.)

- A. deploy on the standalone host connected to vCenter Server
- B. deploy on a vSphere DRS enabled cluster
- C. deploy on a vSphere HA enabled cluster
- D. deploy on the VMware vSphere Hypervisor

Answer: BD

NEW QUESTION 541

An administrator enables High Availability (HA) on a Virtual SAN cluster. Which network is used for HA Network Heartbeat configuration?

- A. The Management network.
- B. The vMotion network.
- C. The Virtual SAN network.
- D. The Provisioning Traffic network

Answer: C

NEW QUESTION 546

Which two High Availability (HA) Cluster admission control policies can help avoid resource fragmentation? (Choose two.)

- A. Define failover capacity by static number of hosts
- B. Define failover capacity by reserving a percentage of the cluster resources
- C. Use dedicated failover hosts
- D. Use Virtual Machine Monitoring

Answer: AC

NEW QUESTION 549

An IT administrator working in a space agency has just installed some applications that are critical for a satellite launch mission. The administrator wants the applications to work irrespective of any operating system failure. Which vSphere 6.x feature should the administrator use?

- A. vSphere HA
- B. vSphere Fault Tolerance
- C. vSphere Replication

D. vSphere Data Protection

Answer: B

NEW QUESTION 550

Which two statements about virtual switches in vSphere 6.x virtual networking are true? (Choose two.)

- A. Monitors metadata about communications that occur in a network.
- B. Creates isolated networks for testing and development.
- C. Attaches virtual machines to the physical network.
- D. Performs load balancing.

Answer: CD

NEW QUESTION 554

A vSphere Administrator has been tasked to reduce latency and increase throughput for workloads in a Windows Server 2012 R2 VM that is running a highly demanding application.

Which virtual network adapter type will help the Administrator support Windows Receive Side Scaling?

- A. E1000e
- B. vlance
- C. VMXNET 3
- D. Flexible

Answer: C

Explanation:

VMXNET 3

A paravirtualized NIC designed for performance. VMXNET 3 offers all the features available in VMXNET 2 and adds several new features, such as multiqueue support (also known as Receive Side Scaling in Windows), IPv6 offloads, and MSI/MSI-X interrupt delivery. VMXNET 3 is not related to VMXNET or VMXNET 2.

NEW QUESTION 555

A vSphere Administrator has been tasked with enabling Netflow in order to analyze network traffic on the Distributed Switch. Which two procedures are required to properly enable and configure Netflow? (Choose two.)

A)

1. In the vSphere Web Client, navigate to the distributed switch
2. From the **Actions** menu, select **Settings** > **Edit Netflow**
3. Type the **Collector IP** address and **Collector port** of the NetFlow collector
4. Set an **Observation Domain ID**
5. Provide the IP address of the next-hop physical switch in the **Switch IP address** text box

B)

1. In the vSphere Web Client, navigate to the distributed switch
2. From the **Actions** menu, select **Settings** > **Edit Netflow**
3. Type the **Collector IP** address and **Collector port** of the NetFlow collector
4. Set an **Observation Domain ID**
5. Type an IP address in the **Switch IP address** text box

C)

1. In the vSphere Web Client, navigate to the distributed switch
2. Navigate to the monitoring policy for the distributed port group or distributed port
3. On the **Networks** tab, click **Distributed Port Groups** and double-click a distributed port group
4. On the **Ports** tab, select a port and click the **Edit distributed port settings** icon
5. Select **Monitoring**
6. Select **Override** next to the properties to override
7. From the **NetFlow** drop-down menu, enable or disable NetFlow and click **Next**
8. Verify your settings and apply the configuration

D)

1. In the vSphere Web Client, navigate to the distributed switch
2. Navigate to the monitoring policy for the distributed port group or distributed port
3. From the Actions menu, select **Distributed Port Group** > **Manage Distributed Port Groups**
4. Select **Monitoring**
5. Select the port group
6. From the **NetFlow** drop-down menu, enable or disable NetFlow
7. Verify your settings and apply the configuration

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: AB

NEW QUESTION 559

Which two statements are true when resetting the system configuration in the Direct Console User Interface? (Choose two.)

- A. Users will remain connected until they log out manually.
- B. Virtual machines will be unregistered from the ESXi host.
- C. Users will automatically lose connectivity upon resetting.
- D. Virtual machines will remain registered on the ESXi host.

Answer: BC

NEW QUESTION 564

A junior vSphere Administrator complains that their Windows Server 2008 and Windows Server 2012 VMs will not boot. The console displays a Blue Screen of Death (BSOD) after the junior Administrator finished the install.

What is the cause?

- A. There are virtual machines with Linux operating systems already running on the host.
- B. The virtual machine does not have VMware Tools installed.
- C. The ESXi host has fewer than three days of "Evaluation Mode" left and needs a license.
- D. The virtual machine was configured with a BusLogic controller instead of LSI Logi

Answer: D

NEW QUESTION 568

You want to deploy a vApp and dynamically assign IP addresses without a DHCP server on the network. Which action would you take to accomplish this task?

- A. Enable IP pools.
- B. Configure a local DHCP server in the vApp.
- C. Enable NAT on the vApp router.
- D. Configure the guest OS for workgroup and WIN

Answer: A

NEW QUESTION 570

Which two locations are supported for an ESXi installation script to reside on? (Choose two.)

- A. SCP Server
- B. FTP Server
- C. CIFS Server
- D. NFS Server

Answer: BD

NEW QUESTION 572

Which database is supported for the vCenter Server Appliance 6.5?

- A. PostgreSQL
- B. Oracle
- C. Microsoft SQL Server
- D. DB2

Answer: B

NEW QUESTION 574

An administrator deploys vRealize Operations into a vSphere 6.x environment. After the deployment, the administrator notices that badges are not appearing. What is a likely cause of this behavior?

- A. Badges do not appear until you register vRealize Operations with vCenter Server.
- B. Badges do not appear until you register a vCenter Server in vRealize Operations.
- C. The vRealize Operations appliance needs to be redeployed.
- D. The vCenter Server appliance needs to be redeploye

Answer: A

NEW QUESTION 577

Which template captures the state of a vSphere virtual machine or vApp into a self-contained package and compresses the disk files in the sparse format?

- A. vSphere Virtual Machine template
- B. OVF template

- C. VDP VM Backup
- D. Virtual Machine Manager template

Answer: B

Explanation: An OVF package captures the state of a virtual machine or vApp into a self-contained package. The disk files are stored in a compressed, sparse format.

NEW QUESTION 582

You have just installed an ESXi 6.x Host. As part of your company security regulations, a security banner must be presented on the console of the host. How can this action be accomplished?

- A. Configure the Advanced Settings > Annotations screen of the ESXi host.
- B. This is configured from the Direct Console User Interface configuration menu.
- C. It is not possible to configure a security banner for the ESXi host.
- D. From vCenter Server, this setting is configured globally in the vCenter Server configuratio

Answer: A

NEW QUESTION 587

What are two prerequisites for adding RDM disks to a VM? (Choose two.)

- A. LUN used as a RDM cannot be visible to any other underlying hosts in the dust
- B. LUN used as a RDM must be visible to the underlying hosts in the cluster
- C. VM resides on a VMFS datastore
- D. LUN used as a RDM must be hidden to the ESXi host

Answer: BC

NEW QUESTION 589

What are two possible Startup Actions available to VMs within a vApp? (Choose two.)

- A. None
- B. Guest Shutdown
- C. Power Off
- D. Power On

Answer: AD

NEW QUESTION 591

What ESXi command line command can be used to troubleshoot basic network connectivity?

- A. vmkping
- B. vim-cmd
- C. vmware- lv
- D. chconfig

Answer: A

NEW QUESTION 595

Which two files are created when the Take snapshot operation is executed? (Choose two.)

- A. vmsn
- B. .nvram
- C. -delta.vmdk
- D. .lck

Answer: AC

NEW QUESTION 599

A VMware vSphere Administrator is tasked with enabling Fault Tolerance (FT) on a VM but is unable to. What is the reason that FT cannot be enabled?

- A. The VM has a VMDK that is greater than 2TB.
- B. The VM is configured to use Jumbo Frames.
- C. The VM has 4 vCPU.
- D. The VM is running an operating system that is more than 4 years old.

Answer: C

Explanation: Enabling fault tolerance on a virtual machine with more that 1 vCPU using the vSphere Client fails. You see the error: “The Virtual Machine has x virtual CPUs and is not supported for Fault Tolerance”

NEW QUESTION 600

An administrator has been tasked with enabling High Availability (HA) on a cluster in a vSphere 6.x environment with default settings. The cluster configures properly and there are no errors.

The next day when powering on a virtual machine, an error is presented: Not Enough Failover Resources

Which three scenarios are likely causes of this error message? (Choose three.)

- A. The default VM Monitoring Sensitivity is set too high.
- B. There are not enough datastore heartbeat datastores configured by default.
- C. The default slot size in the cluster is set too high.
- D. There are virtual machines with large CPU reservations.
- E. A host is in maintenance mode for a replacement of a failed Hard Driv

Answer: CDE

NEW QUESTION 605

When specifying a trigger action for an Alarm Definition, what two alarm state changes are available to be triggered on? (Choose two.)

- A. from normal to warning
- B. from normal to critical
- C. from critical to normal
- D. from critical to warning

Answer: AD

NEW QUESTION 606

Which three traffic types are available services options when configuring a vmkernel port? (Choose three.)

- A. Provisioning Traffic
- B. Virtual Volumes Traffic
- C. vSphere Replication NFC Traffic
- D. Virtual SAN Traffic
- E. FCoE Traffic

Answer: ACD

NEW QUESTION 610

An administrator is performing a scripted installation of ESXi 6.x. In which three locations does the script need to be? (Choose three.)

- A. PXE Server
- B. HTTPS
- C. FTP
- D. NFS
- E. VVOLs Datastore

Answer: BCD

NEW QUESTION 615

A user is trying to retrieve objects from a SharePoint server and finds the request is taking an excessive amount of time. An administrator tries to isolate the issue and notes the following:

- Application performance is poor when compared to virtual machines on other hosts.
- Performance improves when the virtual machine is moved to another host. The virtual machine encounters higher than expected CPU %Ready times.

What conclusion can be reached regarding the performance issues for this virtual machine?

- A. Host Power Management is directly impacting virtual machine performance.
- B. The virtual machine has a large number of snapshots.
- C. The Path Selection Policy for the storage device is set differently on the affected host.
- D. Network I/O control is configured for the portgrou

Answer: A

NEW QUESTION 617

An administrator is unable to login to vCenter Server when using the vSphere web client. The administrator successfully accessed vCenter Server using the client earlier the same day. What is the most appropriate first step the administrator should take to resolve this issue?

- A. Verify the web browser being used has Adobe Flash plugin version 11.5 or later
- B. Verify the vCenter Single Sign-On service is running on the vCenter Server
- C. Verify the vSphere Web Server service is running on the vCenter Server
- D. Verify the administrator has permissions configured in vCenter Server

Answer: B

NEW QUESTION 621

An administrator needs to monitor traffic on vSwitches in a vSphere 6.x environment. Which option, if configured, would accomplish this task?

- A. Forged Transmits
- B. MAC Address Changes
- C. Promiscuous Mode
- D. Notify Switches

Answer: C

NEW QUESTION 625

Which three limits can restrict the maximum number of simultaneous migrations that can occur in a vSphere environment? (Choose three.)

- A. Datastore limits
- B. RAM limits
- C. CPU limits
- D. Network limits
- E. Host limits

Answer: ADE

NEW QUESTION 629

A developer needs to create a multi-tier development stack for a home lab.

Which vSphere product will support the architecture required for the least software cost?

- A. vSphere Hypervisor
- B. vSphere Essentials
- C. VMware Player
- D. VMware Workstation

Answer: A

NEW QUESTION 634

Which three features are not supported when using Fault Tolerance in vSphere 6.x? (Choose three.)

- A. Virtual Volumes (VVOLS)
- B. Storage vMotion
- C. Virtual Machine Component Protection
- D. vMotion
- E. vSphere Distributed Switches

Answer: ABC

NEW QUESTION 637

An administrator is installing vCenter Server for an environment that has 40 ESXi 6.x Hosts and 150 virtual machines. Which database would meet the minimal requirements needed for this task?

- A. vFabric Postgres
- B. Microsoft SQL Express 2008
- C. Microsoft SQL Server 2014
- D. Oracle 11g

Answer: A

Explanation: <https://kb.vmware.com/s/article/2109850>

NEW QUESTION 638

A junior vSphere Administrator takes a snapshot before logging into a VM to preserve the current state in case of a problem.

Assuming this process is repeated every day for over 30 days, what two results will happen? (Choose two.) A. The virtual machine can end up consuming more space on the datastore than assigned

- A. The virtual machine's performance will decrease
- B. The administrator will have backups for the entire month
- C. The administrator has successfully cloned the VM 30 times

Answer: AB

NEW QUESTION 639

Which three IP address may be pinged by the Test Management network feature in the ESXi hosts DCUI? (Choose three.)

- A. Secondary DNS server
- B. Default gateway
- C. NTP server
- D. Primary DNS server
- E. DHCP server

Answer: ABD

Explanation: To test if the ESXi host management network, press Enter. ESXi performs the following tests:

pings the subnet gateway specified pings the primary DNS server specified pings the alternate DNS server specified resolves the hostname of the ESXi host

NEW QUESTION 641

Which two options are valid to create vApp in the vSphere Environment? (Choose two.)

- A. Login using vSphere WebClient to the vCenter Server, right click on the standalone ESXi host and select Create new vApp.
- B. Login using vSphere Host Client to the ESXi host, right click on the host and select Create new vApp.
- C. Login using vSphere C# Client to the ESXi host, right click on the host and select Create new vApp.
- D. Login using vSphere WebClient to the vCenter Server, right click on the Cluster and select Create new vAp

Answer: BD

NEW QUESTION 646

What is the VDP appliance available storage configuration maximum?

- A. 62 TB
- B. 2 TB
- C. 4 TB
- D. 8 TB

Answer: D

NEW QUESTION 649

Which Memory Performance Solution requires VMware Tools to be installed on the guest operating system of the VM?

- A. Memory swapping to storage
- B. Host Cache
- C. Memory Ballooning
- D. VM swap file

Answer: C

NEW QUESTION 651

A vCenter Operations Manager 5.7 environment is upgraded to vRealize Operations. After the upgrade, the analytics services fail to start. Which three steps must be taken to resolve the problem? (Choose three.)

- A. Take the vRealize Operations cluster offline.
- B. Delete the activity persistence files.
- C. Bring the cluster back online.
- D. Remove any unresponsive nodes.
- E. Stop the CaSA servic

Answer: ABC

NEW QUESTION 656

An administrator is cloning and configuring five new web server virtual machines. What would be the benefit of configuring resource shares for the new Vms?

- A. To prioritize access to a resource during contention.
- B. To guarantee access to a resource during contention.
- C. To prioritize access to a resource before contention occurs.
- D. To guarantee access to a resource before contention occur

Answer: A

NEW QUESTION 659

An administrator is configuring the Maximum Transmission Unit value on a vSphere Distributed Switch. Which two options are typical values for ESXi networking? (Choose two.)

- A. 1492
- B. 1500
- C. 9000
- D. 9089

Answer: BC

NEW QUESTION 664

What two object types can be created inside of vApp? (Choose two.)

- A. vApp
- B. Resource Pool
- C. VM Folder
- D. Virtual Machine

Answer: BD

Explanation: Reference https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.vm_admin.doc/GUID-12FDA1A4-621

NEW QUESTION 665

An administrator configures vSphere Replication for a virtual machine and enables multiple point in time (PIT) instances under the recovery settings in the Configure Replication wizard.

Which two statements are correct for vSphere Replication with multiple point in time instances enabled? (Choose two.)

- A. vSphere Replication retains a number of snapshot instances of the virtual machine on the target site based on the retention policy that you specify.
- B. vSphere Replication uses the virtual machine's snapshot instances to define the target site Point in Time instance based on the retention policy that you specify.
- C. vSphere Replication does not support virtual machines with snapshots.
- D. vSphere Replication supports virtual machines with snapshot

Answer: AC

NEW QUESTION 668

Which two types of network traffic can be used for vSphere High Availability (HA)? (Choose two.)

- A. VM Network traffic
- B. vMotion network traffic
- C. VMware vSAN network traffic
- D. Management network traffic

Answer: CD

NEW QUESTION 673

Which two statements are true regarding VMware vSphere Flash Read Cache (vFRC)? (Choose two.)

- A. Cache fills and cache evictions happen in the granularity of a cache block size.
- B. vFRC caches data from both read and write I/Os, but write I/Os are always serviced by the underlying storage.
- C. vFRC caches data from both read and write I/Os, but write I/Os are always serviced by the underlying cache data.
- D. Cache fills and cache evictions happen in the granularity of the disk block siz

Answer: AB

NEW QUESTION 677

Which two components are built into the vCenter Server Appliance 6.5? (Choose two.)

- A. vSphere Auto Deploy
- B. vRealize Orchestrator
- C. vCenter Converter
- D. VMware vSphere Update Manager

Answer: AD

NEW QUESTION 680

A vSphere administrator wants to force the issue of encrypted vMotion for encrypted virtual machines. What steps must be performed?

- A. right-click the datastoreselect edit settingsselect encryptionselect Required from the Encrypted vMotion drop-down menu
- B. right-click the VMselect edit settingsselect VM Optionsselect encryptionselect Required from the Encrypted vMotion drop-down menu
- C. right-click the datacenterselect edit settingsselect encryptionselect Opportunistic from the Encrypted vMotion drop- down menu
- D. right-click the clusterselect edit settingsselect encryptionselect Disabled from the Encrypted vMotion drop-down menu

Answer: B

NEW QUESTION 684

Which three vSphere 6.x features require a shared storage infrastructure to work properly? (Choose three.)

- A. Storage Policy Based Management
- B. vSphere Distributed Switch
- C. Fault Tolerance
- D. Distributed Power Management
- E. Dynamic Resource Scheduler

Answer: CDE

NEW QUESTION 685

Which two statements are true about LACP support with the vSphere Distributed Switch? (Choose two.)

- A. LACP works with MAC hash load balancing.
- B. LACP does not work with port mirroring.
- C. LACP works with software iSCSI multipathing.
- D. LACP does not work with host profiles.

Answer: BD

Explanation: Reference <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.networking.doc/GUID-3FDE1E96-921>

NEW QUESTION 689

What is the minimum version of ESXi required to support VMFS6? (Choose the best answer.)

- A. ESXi 6.0 and later
- B. ESXi 5.0 and later
- C. ESXi 5.5 and later
- D. ESXi 6.5 and later

Answer: D

Explanation: <https://docs.vmware.com/en/VMware-vSphere/6.5/com.vmware.vsphere.storage.doc/GUID-7552DAD4-1809-4>

NEW QUESTION 693

What are three options when configuring encrypted vMotion?

- A. Disabled, Opportunistic, Enabled
- B. Disabled, Automatic, Enabled
- C. Disabled, Opportunistic, Required
- D. Disabled, Automatic, Required

Answer: C

Explanation: <https://www.brianjgraf.com/2016/10/18/vsphere-6-5-encrypted-vmotions-are-here/>

NEW QUESTION 697

What are three prerequisites for enabling UEFI secure boot? (Choose three.)

- A. Operating system that supports UEFI secure boot
- B. VM has a VMXNET 3 network adapter
- C. VM is placed on a VMFS6 datastore
- D. Virtual hardware version 13 or later
- E. EFI firmware

Answer: ADE

NEW QUESTION 702

An Administrator has been tasked with deploying a new vSphere 6.x environment spanning multiple geographical locations while preserving a single source of authentication?

Which vCenter Server topology does VMware recommend for this scenario?

- A. Multi-Site SSO with:an embedded PSC and vCenter Server instance at the primary locationno PSC at remote locations, vCenter Server instances only
- B. Multi-Site SSO with:An embedded PSC and vCenter Server instance at each location
- C. Multi-Site SSO with:One or more external PSC and vCenter Server instances at each location
- D. Multi-Site with:One or more external PSC at the primary location onlyEmbedded PSC and vCenter Server instances at remote locations

Answer: C

NEW QUESTION 703

When a VMware vSphere 6.x Administrator is creating an Alarm Definition to send an email notification, what two options are valid timings for the action?

- A. once
- B. three
- C. repeat
- D. twice

Answer: AC

NEW QUESTION 708

Which two SCSI Bus Sharing modes are supported for a virtual SCSI adapter in vSphere 6.5? (Choose two.)

- A. Shared
- B. Dedicated
- C. Physical
- D. Virtual

Answer: CD

NEW QUESTION 709

Which of the following options are configurable in a Resource Pool? (Choose two.)

- A. CPU affinity
- B. CPU Shares
- C. Startup/Shutdown order
- D. Memory Limit

Answer: BD

NEW QUESTION 712

Which load balancing policy, previously limited to vSphere Distributed Switches, is now available on vSphere Standard Switches with vSphere 6.x?

- A. Route based on physical NIC workload
- B. Route based on IP Hash
- C. Route based on the originating virtual port
- D. Route based on Source MAC Hash

Answer: A

Explanation: Compare both standard and distributed switch in the 5.1 version documentation (first link) to the 6.0 version documentation (second link) below:
<https://pubs.vmware.com/vsphere-51/index.jsp?topic=%2Fcom.vmware.vsphere.networking.doc%2FGUID-D5E> <https://docs.vmware.com/en/VMware-vSphere/6.0/com.vmware.vsphere.networking.doc/GUID-D34B1ADD-B8>

NEW QUESTION 713

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 2V0-602 Exam with Our Prep Materials Via below:

<https://www.certleader.com/2V0-602-dumps.html>