

Oracle

Exam Questions 1Z0-134

Oracle WebLogic Server 12c: Advanced Administrator II



NEW QUESTION 1

You manage an application that uses SAML tokens from a trusted voucher to provide single sign-on for virtual clients of your WebLogic domain. Your domain uses an identity assertion provider to manage this authentication.

Clients are failing to authenticate. Client return codes and server log files do not include any useful information that can be used to discern where the issue lies. What do you do to determine the problem?

- A. Configure SAML and provider debugging, perform a test client request, and analyze the server logs for errors.
- B. Inspect network packets to examine token data because, for security purposes, the server does not provide detailed information.
- C. Configure the security debug log, perform a test client request, and analyze the log for errors.
- D. Reorder the SAML identity assertion provider to determine if the problem is related to virtual user

Answer: A

Explanation: You can enable debug scopes or attributes by passing them as options in the command that starts WebLogic Server. You can configure SAML debugging either through command line options by using the WebLogic Server Administration Console.

NEW QUESTION 2

What are two differences between a group and a role? (Choose two.)

- A. Groups are static and roles are dynamic and conditional.
- B. Roles can be scoped to applications and groups are only global.
- C. Roles are static and groups are dynamic and conditional.
- D. Groups can be scoped to applications and roles are only global.
- E. Groups can contain roles but roles cannot contain group

Answer: AB

Explanation: A security role is a privilege granted to users or groups based on specific conditions. Like groups, security roles allow you to restrict access to WebLogic resources for several users at once. Security roles differ from groups as follows:

* Security roles are computed and granted to users or groups dynamically, based on conditions such as user name, group membership, or the time of day. Groups are static.

* Security roles can be scoped to specific WebLogic resources within a single application in a WebLogic Server domain (unlike groups, which are always scoped to an entire WebLogic Server domain).

NEW QUESTION 3

Which three WebLogic server entities can be set up for service level migration? (Choose three.)

- A. JMS Server
- B. JOLT Service
- C. JTA Transaction Recovery Service
- D. User Defined Singleton Service
- E. JDBC Service
- F. JNDI Service

Answer: ACD

Explanation: AC: WebLogic Server migration framework provides infrastructure and facilities to perform the manual or automatic migration of JMS-related services and the JTA Transaction Recovery Service.

D: WebLogic Server supports the automatic migration of user-defined singleton services. Automatic singleton service migration allows the automatic health monitoring and migration of singleton services. A singleton service is a service operating within a cluster that is available on only one server at any given time.

NEW QUESTION 4

Your development team is considering several different types of new applications. You have been asked to advise them concerning which types can be deployed in WebLogic Server leveraging the Production Redeployment feature.

Which application deployment type is NOT supported for Production Redeployment? (Choose the best answer.)

- A. enterprise applications (EAR) that contain a Coherence Grid Archive (GAR) module
- B. web service applications that are conversational or that use reliable messaging
- C. standalone Enterprise Java Bean (EJB) applications
- D. enterprise applications (EAR) that are accessed by inbound JMS messages

Answer: A

NEW QUESTION 5

You want to create a WebLogic Server (WLS) Work Manager with a Response Time Request Class of one second. You start to create the following WLST script:

```
connect('weblogic', 'weblogic1','t3://localhost:7010')
edit()
startEdit()
cd('edit:/SelfTuning/wls_domain/WorkManagers')
create('MyWorkManager')
cd('MyWorkManager')
cmo.addTarget(getMBean('/Servers/ManagedServer'))
cd('edit:/SelfTuning/wls_domain/ResponseTimeRequestClasses')
create('MyResponseTime')
cd('MyResponseTime')
cmo.setGoalMs(1000)
### Missing Sequence Here ###
save()
activate()
disconnect()
```

Which two can replace the missing sequence to finish this script? (Choose two.)

- A. cmo.addTarget(getMBean('/Servers/ManagedServer'))cd('edit:/SelfTuning/wls_domain/WorkManagers/MyWorkManager')cmo.setResponseTimeRequestClass(getMBean('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))
- B. managedServer=getMBean('/Servers/ManagedServer')cmo.addTarget(managedServer)cmo.setWorkManager(getMBean('/SelfTuning/wls_domain/WorkManagers/MyWorkManager'))
- B. cd('edit:/Servers/ManagedServer')cmo.addTarget(getMBean('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))cmo.addTarget(getMBean('/SelfTuning/wls_domain/WorkManagers/MyWorkManager'))
- C. managedServer=getMBean('/Servers/ManagedServer')cmo.addTarget(managedServer)cd('edit:/SelfTuning/wls_domain/WorkManagers/MyWorkManager')cmo.setResponseTimeRequestClass(getMBean('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))
- D. cmo.addTarget('/Servers/ManagedServer')cd('/SelfTuning/wls_domain/WorkManagers/MyWorkManager')cmo.setResponseTimeRequestClass('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime')

Answer: AD

NEW QUESTION 6

You are tasked with creating an Extension Template for an existing domain.

What are three options that are presented during the extension creation process? (Choose three.)

- A. Use Domain as a Source
- B. Use Template as a Source
- C. Scripts and Files
- D. SQL Script Files
- E. Company Name
- F. Revision Number
- G. Creation Date
- H. Operating System requirement


Answer: ABD

Explanation: AB: The Select a Template Configuration Source window prompts you to choose the application template or domain directory from which you want to create an extension template.

D: The Import SQL Scripts window prompts you to add SQL scripts for each database that you expect to be used with the domains created from this template.

NEW QUESTION 7

Review the diagram below. It depicts the following:



Assuming the next request for an HTTP session attribute is a new attribute that is not stored in a near-cache, the client's session attribute is fetched from the remaining storage-enabled server in cluster 2.

Why is the session attribute retrieved from this other server's cache? (Choose the best answer.)

- A. Coherence*Web stores sessions in a distributed cache on the back end and the request fails over to the new location after partition re-balancing takes place.
- B. Coherence*Web stores sessions in a replicated cache on the back end and the request fails over to the new location automatically.
- C. Coherence*Web stores sessions in a shared disk cache on the back end and Coherence*Web automatically load balances requests.
- D. Coherence*Web stores sessions in a cache that is backed by a database cache loader.
- E. The data is fetched from the database and placed into the cache on the new server.

Answer: A

NEW QUESTION 8

You need to make sure that a JMS Message never expires.

What value should you set for the JMSEExpiration header? (Choose the best answer.)

- A. 999
- B. 1000
- C. 1

Answer: A

Explanation: WebLogic JMS calculates the JMSEExpiration value as the sum of the application's time-to-live and the current GMT. If the application specifies time-to-live as 0, JMSEExpiration is set to 0, which means the message never expires.

NEW QUESTION 9

Review the digital certificate below.

Certificate:

Data:

```
Version: 3 (0x2)
Serial Number: 660557372 (0x275f4e3c)
Signature Algorithm: md5WithRSAEncryption
Issuer: CN = wls-sysadm
Validity
  Not Before: Feb 20 13:35:19 2013 GMT
  Not After : Feb 20 13:35:19 2014 GMT
Subject: CN=wls-sysadm
Subject Public Key Info:
  Public Key Algorithm: RSA Encryption
  Public-Key: (512 bit)
  Modulus:
    00:df:cc:8a:fe:91:50:6d:80:56:7d:f1:d0:d4:f1:
    c6:e3:f3:6f:cc:22:39:2d:ef:ac:7c:6c:4b:56:81:
    1c:de:d0:7d:ad:ea:47:63:98:15:74:37:66:ad:a1:
    64:09:2e:56:ba:65:c1:b8:15:55:ac:b5:09:fe:d6:
    32:0f:0c:7f:ff
  Exponent: 65537 (0x10001)
X509v3 extensions:
  X509v3 Subject Key Identifier:
    EA:4C:C3:08:B4:60:6A:B6:99:B4:15:70:E9:24:F2:18:97:46:E9:07
Signature Algorithm: md5WithRSAEncryption
3b:2f:0d:90:bb:82:dc:16:f2:8f:00:c3:40:d8:a5:3f:4b:39:
8f:52:27:b1:4d:e1:f4:85:f5:29:c8:ef:b4:99:06:ee:cd:96:
5c:6d:c8:a2:7b:1e:61:03:a1:c0:60:c8:90:b3:f9:ff:bf:82:
49:37:53:08:dd:c9:5f:ec:0b:a9
```

Based on what the certificate contains, which statement is true? (Choose the best answer.)

- A. It is a self-signed digital certificate with no certification chain.
- B. It is an authentic digital certificate with a valid certification chain.
- C. It is a digital certificate for a private key with a valid certification chain.
- D. It is an authentic root CA certificate with a valid certification chain.

Answer: A

NEW QUESTION 10

As part of a manual migration of JMS-related services, you just configured a custom file store and targeted it to the same migratable target as the JMS server.

Which two statements pertain to the successful configuration of this JMS store and the manual migration? (Choose two.)

- A. The custom store could be made available to a backup server target with pre-migration/post-migration scripts.
- B. The custom store should not be targeted to the same migratable target as the migratable service.
- C. All the candidate servers in the migratable target should have access to this custom store.
- D. The JMS server that is using the default file store should be migrated to a migratable target.

Answer: AC

Explanation: For persistent messaging, you must configure a custom persistent store that is targeted to the same migratable target as the JMS service. Unless you are using pre/post migration scripts to move the store data across migrated servers, the custom store must be configured such that all the candidate servers in the migratable target have access to it.

NEW QUESTION 10

Your WebLogic Server (WLS) environment consists of multiple domains. Which is a true statement about WLS domains? (Choose the best answer.)

- A. Multiple domains can use the same or separate WLS installation while running on the same machine.
- B. Domains require a minimum of one managed server.
- C. Multiple domains require separate WLS installations while running on the same machine.
- D. Multiple domains require individual Node Managers while running on the same machine.
- E. Multiple domains can share the same administration server.

Answer: A

Explanation: You can use a single Oracle WebLogic Server installation to create and run multiple domains, or you can use multiple installations to run a single domain.

NEW QUESTION 15

The administration server is a major component of a WebLogic domain. I need to make available a standby administration server in case the main administration server in the domain crashes.

Which utility will help me in doing this? (Choose the best answer.)

- A. Configuration Wizard
- B. Domain Template Builder
- C. pack/unpack
- D. Enterprise Manager

Answer: D

NEW QUESTION 20

You have a versioned application deployed in your production environment. You have been asked to troubleshoot why the most recent production redeployment appeared to allow the older version to retire too quickly.

In this case, the application had active RMI clients, but their subsequent calls were directed to the newer version immediately rather than waiting for the expected five minutes defined by the retirement timeout argument. The script command was:

```
java weblogic.Deployer -adminurl http://localhost:7001 -user weblogic  
-password Welcome1 -redeploy -name myDeployment  
-source /myDeployments/myApplication/appX  
-retiretimeout 300
```

You expected the older version to remain active (when there are active RMI clients) for five minutes after executing the production redeployment.

Which modification should have been made to this command to ensure the older version remains active? (Choose the best answer.)

- A. java weblogic.Deployer -adminurl http://localhost:7001 -user weblogic-password Welcome1 -redeploy -name myDeployment-source /myDeployments/myApplication/appX-retiretimeout 300 -rmigraceperiod 300
- B. java weblogic.Deployer -adminurl http://localhost:7001 -user weblogic-password Welcome1 -redeploy -name myDeployment-source /myDeployments/myApplication/appX-retiretimeout 300 -keepsessions
- C. java weblogic.Deployer -adminurl http://localhost:7001 -user weblogic-password Welcome1 -redeploy -name myDeployment-source /myDeployments/myApplication/appX-retiretimeout 300 -timeout 300
- D. java weblogic.Deployer -adminurl http://localhost:7001 -user weblogic-password Welcome1 -redeploy -name myDeployment-source /myDeployments/myApplication/appX-retiretimeout 300 -remote

Answer: D

Explanation: The -remote argument indicates that weblogic.Deployer is not running on the same machine as the Administration Server, and that source paths specified in the command are valid for the Administration Server machine itself. If you do not use the -remote option, weblogic.Deployer assumes that all source paths are valid paths on the local machine.

NEW QUESTION 23

Which are three valid actions of the Post Domain Creation process? (Choose three.)

- A. Import LDAP data from XML files.
- B. Run pack and unpack commands for managed servers on remote machines.
- C. Run any SQL scripts to generate database artifacts.
- D. Use WLST to run the postdomain.py script.
- E. Run the root.sh script.
- F. Assign DNS names to all the hosts.
- G. Run the RCU utility for each hosted applicatio

Answer: CEG

Explanation: E: Following installation of your product, you need to run the root.sh script as the root user. The root.sh script detects settings of environment variables and enables you to enter the full path of the local bin directory.

G: RCU is a Fusion Middleware tool which creates database-based repositories. Oracle Data Service Integrator does not have a repository by itself, but it relies on

some Fusion Middleware schemas for WebLogic Server and JCF when using a full domain.

NEW QUESTION 24

My JMS file store size has grown very large and is using up a significant chunk of the disk. I need to reduce the file size during the maintenance window without impacting any relevant information.

Which utility enables me to do this? (Choose the best answer.)

- A. weblogic.store.Compacter
- B. weblogic.store.Admin
- C. weblogic.store.Reducer
- D. weblogic.file.FileUtil

Answer: B

Explanation: To open the persistent store administration utility from a Java command line, type the following:

```
> java weblogic.store.Admin
```

Here is an example of using the compact command to compact the space occupied by a file store in the mystores directory.

```
> storeadmin->compact -dir c:\mystores -tempdir c:\tmp
```

NEW QUESTION 26

Your WebLogic domain is experiencing a problem. You want to use the WebLogic Diagnostic Framework (WLDF) to diagnose the problem. You have a support case open with Oracle Support, and they have requested a diagnostic image of your server that is experiencing the problem.

The problem is not predictable or reproducible on-demand, but you noticed that the number of requests waiting to execute increases dramatically when the problem does occur. The problem also seems to occur at any time of the day or night.

How would you approach reliably capturing a diagnostic image that contains data that is relevant to the problem that is occurring?

- A. Configure a WLDF watch that triggers a diagnostic image action when the number of requests waiting to execute exceeds a certain threshold.
- B. Configure WebLogic overload protection to automatically trigger a diagnostic image when the number of requests waiting to execute exceeds a certain threshold.
- C. Manually monitor the number of requests waiting to execute and create a diagnostic image when you see the number of requests waiting to execute exceeds a certain threshold.
- D. Configure the server health failure action to trigger a diagnostic image when the number of requests waiting to execute exceeds a certain threshold.

Answer: A

Explanation: The Watch & Notifications (W&N) system consumes data generated by other parts of WLDF (MBean data through the Harvester, as well as data from Instrumentation and/or Log events) and applies configured rules against that data. If a rule evaluates to true, W&N can generate a notification over SNMP, SMTP, JMX, JMS, or any combination therein. WLDF supports the following types of notifications:

Diagnostic Images

Java Management Extensions (JMX) Java Message Service (JMS)

Simple Mail Transfer Protocol (SMTP), for example, e-mail Simple Network Management Protocol (SNMP)

NEW QUESTION 29

You are using the Domain Template Builder to create a new template using an existing domain as the source. Which two directories are included by default? (Choose two.)

- A. bin directory
- B. lib directory
- C. servers directory
- D. common directory
- E. logs directory
- F. replication directory

Answer: AB

Explanation: If you selected a domain as the source for your new template, then the bin and lib directories are included by default:

NEW QUESTION 32

Your domain is experiencing some intermittent problems that you are not able to figure out on your own. You have opened a case with Oracle Support to help you figure out the problem. The support engineer would like to use the WebLogic Diagnostic Framework (WLDF) to obtain an overall view of your WebLogic Server environment to try to narrow the problem to a particular subsystem.

What WLDF data does the support engineer request from you? (Choose the best answer.)


- A. Diagnostic image snapshot
- B. Java Flight Recording of the JVM
- C. Instrumentation log
- D. Specific harvested metrics

Answer: A

Explanation: Diagnostic Image Capture gathers the most common sources of the key server state used in diagnosing problems. It packages that state into a single artifact, the Diagnostic Image.

NEW QUESTION 37

You want to use the WebLogic Diagnostic Framework (WLDF) to monitor some historic MBean attribute values in your WebLogic domain.



Which WLDF component do you use to accomplish this? (Choose the best answer.)

- A. the Harvester with a metric collection definition
- B. a Watch on a metric collection definition
- C. the MBean Collector with a metric collection definition
- D. the Archiver with a metric collection definition

Answer: D

Explanation: The Archive component of the WebLogic Diagnostics Framework (WLDF) captures and persists all data events, log records, and metrics collected by WLDF from server instances and applications running on them.

The Archive provides access interfaces so that the Accessor may expose any of the persisted historical data including logged event data and persisted metrics.

NEW QUESTION 40

You are planning to use WebLogic JMS for implementing my enterprise messaging architecture. Which messaging paradigm is invalid in this context? (Choose the best answer.)

- A. Point to Point messaging
- B. Publish Subscribe messaging
- C. Datagram messaging
- D. Persistent messaging

Answer: C

NEW QUESTION 44

In order to increase scalability and high availability you are configuring WebLogic clustering with JMS distributed destinations. Which recommendation will ensure optimal load balancing of the message processing?

- A. The machines that host the cluster should have similar processing power, disk space, and memory.
- B. The cluster should include at least one configurable server.
- C. The cluster should use unicast communication.
- D. All servers in the cluster should be assigned to the same WebLogic machine.

Answer: A

Explanation: A uniform distributed destination (UDD), compared to weighted Distributed Destinations, greatly simplifies the management and development of distributed destination applications. Using uniform distributed destinations, you no longer need to create or designate destination members, but instead rely on WebLogic Server to uniformly create the necessary members on the JMS servers to which a JMS module is targeted. This feature ensures the consistent configuration of all distributed destination parameters, particularly in regards to weighting, security, persistence, paging, and quotas.

NEW QUESTION 48

You successfully configured a new dynamic cluster but haven't launched any of the dynamic servers. You want to change the configuration for one specific server. Which parameter can you modify for that server before starting up the dynamic clustered servers for the first time?

- A. listen port number of individual dynamic servers
- B. machine name that hosts a dynamic server
- C. dynamic server name
- D. replication groups
- E. No parameters can be modified

Answer: E

Explanation: A dynamic server is a server instance that has not been individually configured but instead gets its configuration from a server template.

NEW QUESTION 49

My domain consists of an administration server and two managed servers. During runtime, my administration server has crashed and I wish to start the managed servers in MSI mode.

Which two files need to be copied from the admin server to the managed servers when starting them in this mode? (Choose two.)

- A. config.xml
- B. AdminServer.log
- C. SerializedSystemIni.dat
- D. access.log
- E. MSI.xml

Answer: AC

Explanation: In Managed Server Independence mode, a Managed Server looks in its root directory for the following files:

- * msi-config.xml—a replica of the domain's config.xml.(Even if the domain's configuration file is named something other than config.xml, a Managed Server in MSI mode always looks for a configuration file named msi-config.xml.)

- * SerializedSystemIni.dat

- * boot.properties—an optional file that contains an encrypted version of your username and password.

Note: When a Managed Server starts, it tries to contact the Administration Server to retrieve its configuration information. If a Managed Server cannot connect to the Administration Server during startup, it can retrieve its configuration by reading configuration and security files directly. A Managed Server that starts in this way is running in Managed Server Independence (MSI) mode

NEW QUESTION 50

You are troubleshooting an issue with a WLS data source. However, your attempt to execute a manual test on the connection pool fails when you invoke the testPool() method on the corresponding JDBCDataSourceRuntimeMBean. Which configuration condition would contribute to the failure of executing the test? (Choose the best answer.)

- A. The TestTableName property is either not set or is set to an invalid SQL statement.
- B. The TestFrequencySeconds property is set to a value greater than 0.
- C. The TestReservedConnections property is enabled.
- D. The ManualTestEnabled property is set to false.
- E. The ConnectionReserveTimeoutSeconds property is set to a value other than -1.

Answer: A

Explanation: testPool tests the connection pool in the data source by reserving and releasing a connection from it.

TestTableName is the name of the database table to use when testing physical database connections. This name is required when you specify a Test Frequency and enable Test Reserved Connections, Test Created Connections, and Test Released Connections.

NEW QUESTION 52

Which two statements are true about the role of cluster master in whole server migration? (Choose two.)

- A. There is exactly one cluster master in the cluster at a given point of time.
- B. The cluster master must host all the pinned services in the cluster.
- C. Any managed server in the cluster can serve as the cluster master.
- D. A cluster master must always be different from a singleton master.
- E. The cluster master must always be started with the node manage

Answer: AC

Explanation: One server instance in a cluster that contains migratable servers acts as the cluster master and orchestrates the process of automatic server migration, in the event of failure.

Any Managed Server in a cluster can serve as the cluster master, whether it hosts pinned services or not.

Note: Any server instance in the cluster can serve as the cluster master. When you start a

cluster that contains migratable servers, the first server to join the cluster becomes the cluster master and starts up the cluster manager service. If a cluster does not include at least one migratable server, it does not require a cluster master, and the cluster master service does not start up.

NEW QUESTION 57

Which three types of information can an Extension Template contain? (Choose three.)

- A. JMS
- B. JDBC
- C. sample application
- D. servers
- E. clusters
- F. machines
- G. administration username and password

Answer: ABC

Explanation: Optionally, you can define parameters for Java Message Service (JMS) in the Extension Template. Optionally, you can customize the Java Database Connectivity (JDBC) settings in the Extension Template. You can review and modify, if desired, the list of applications to be included in your extension template.

NEW QUESTION 59

You are analyzing the JMSSeliveryMode header field for all the messages for all the queues deployed to your JMSServer.

Which two values do you expect to find for this header? (Choose two.)

- A. PERSISTENT
- B. NON_PERSISTENT
- C. TRANSIENT
- D. PERMANENT
- E. MULTIMODE
- F. EXACTLY_ONCE

Answer: AB

Explanation: JMSSeliveryMode specifies PERSISTENT or NON_PERSISTENT messaging. References:

NEW QUESTION 62

Some of the messages entering a JMS queue are expiring and are being removed from the queue. You need better insight regarding these expired messages. Which mechanism helps achieve this? (Choose the best answer.)

- A. Set the “Log Expired Message” attribute to true for the queue.
- B. Associate an ExpirationEventHandler object for the queue.
- C. Enable Message Life Cycle logging for the JMS Queue.
- D. Configure an Expiration Event Handler for the JMS Queue which logs the expired message properties

Answer: B

Explanation: The Expiration Policy log option removes expired messages from the system and writes an entry to the server log file indicating that the messages have been removed from the system. The actual information that is logged is defined by the Expiration Logging Policy.

NEW QUESTION 63

You are implementing leasing functionality within your environment to ensure exclusive ownership of a cluster-wide entity. Which type of leasing requires that Node Manager is configured and running? (Choose the best answer.)

- A. high-availability database leasing
- B. high-consensus leasing
- C. non-database consensus leasing
- D. high-availability in-memory leasing

Answer: C

Explanation: Setting Migration Basis to Consensus leasing means that the member servers maintain leasing information in-memory, which removes the requirement of having a high-availability database to use leasing. This version of leasing requires that you use Node Manager to control servers within the cluster.

NEW QUESTION 64

You are trying to set up a JMS Session with a specified acknowledgment mode. You want the application that receives the message to explicitly take care of the acknowledgment.

Which option represents a valid choice for the acknowledgment mechanism that you can use? (Choose the best answer.)

- A. AUTO_ACKNOWLEDGE
- B. CLIENT_ACKNOWLEDGE
- C. DUPS_OK_ACKNOWLEDGE
- D. DEFAULT_ACKNOWLEDGE

Answer: B

Explanation: With CLIENT_ACKNOWLEDGE the Session object relies on the application to call an acknowledge method on a received message. Once the method is called, the session acknowledges all messages received since the last acknowledge. References:

NEW QUESTION 65

You are creating a new domain with WLST.

Identify three parameters that can be customized with the setOption command. (Choose three.)

- A. the JDK that will be used to start the domain
- B. the domain name
- C. whether or not the domain will run in production mode
- D. the default persistent store type for the domain
- E. whether or not to automatically start the Node Manager
- F. the default diagnostic profile for the domain

Answer: ABC

Explanation: setOption sets options related to a domain creation or update. Syntax: setOption(optionName, optionValue)

Option names include:

* JavaHome—Home directory for the JVM to be used when starting the server. The default for this option depends on the platform on which you install WebLogic Server. Update JavaHome to point to the jre directory for the JDK that you are using for WebLogic Server.

* DomainName—Name of the domain.

* ServerStartMode—Mode to use when starting the server for the newly created domain. This value can be dev (development) or prod (production). This option defaults to dev.

NEW QUESTION 69

You intend to introduce ordering in message processing for your JMS destination by creating a destination key.

Which statement is true about the JMS Destination Key configuration? (Choose the best answer.)

- A. A JMS Destination Key cannot be specified using WLST.
- B. A JMS Destination Key cannot be used to sort messages in a Last In First Out order.
- C. A JMS Destination Key allows a user-defined sort key.
- D. A Destination Key can be applied to the message body

Answer: A

Explanation: The WebLogic Server Administration Console enables you to configure, modify, target, and delete destination key resources in a system module.

NEW QUESTION 74

You are creating and configuring a production WebLogic Server (WLS) domain that is highly available. Which three WebLogic Server features allow you to best accomplish this requirement? (Choose three.)

- A. Multiple standalone managed servers
- B. Load Balancer
- C. Cluster
- D. DNS caching
- E. Whole-server migration
- F. Machine migration

Answer: BCE

Explanation: B Load balancing is the even distribution of jobs and associated communications across the computing and networking resources in your environment.

C: In a WebLogic Server cluster, application processing can continue when a server instance fails.

E: Migration in WebLogic Server is the process of moving a clustered WebLogic Server instance or a component running on a clustered instance elsewhere if failure occurs. This is called Whole-server migration.

NEW QUESTION 76

You created a script to monitor your WebLogic Server WLS Execute Thread:

```
#!/bin/bash

jstack $1 > stack.txt
rm ExecuteThread.log

while read line
do
    echo $line | grep "^\".* ExecuteThread:\" >> ExecuteThread.log
done < stack.txt
rm stack.txt
```

Here is a message in your ExecuteThread.log file:

```
"[xxxx] ExecuteThread: '0' for queue: 'weblogic.kernel.Default (self-tuning)' " daemon
prio=10 tid=0x00007fa4404bf000 nid=0xde5 waiting on condition [0x00007fa4583c7000]
```

What is the value of xxxx if the thread has been running a request for twenty minutes, assuming a default configuration?

- A. SRANDBY
- B. ACTIVE
- C. STUCK
- D. RUNNING
- E. WAITING
- F. ADMIN
- G. FAILED

Answer: C

Explanation: This thread is considered Stuck by WebLogic because it's been running for over the time defined in MaxStuckThreadTime (600 seconds by default). Weblogic Server waits for this time to be reached before marking a thread as stuck if the thread is still working after this time.

Example: [STUCK] ExecuteThread: '2' for queue: 'weblogic.kernel.Default (self-tuning)' id=73 idx=0x128 nid=13410 prio=1 alive, in native, daemon

NEW QUESTION 79

Which two objects can be considered potential clients of a Node Manager? (Choose two.)

- A. an administration server
- B. a WLST session
- C. an HTTP server
- D. any other Node Manager
- E. a remote JMS client
- F. the weblogic.Deployer utility

Answer: AB

Explanation: A Node Manager client can be local or remote to the Node Managers with which it communicates. You access either version of Node Manager—the Java version or the script-based (SSH) version—from the following clients:

A: an administration server

B: WLST commands and scripts—WLST offline serves as a Node Manager command-line interface that can run in the absence of a running Administration Server.

NEW QUESTION 83

You have an application already deployed in a production environment that needs a modification to one of its tuning parameters. Currently, that tuning parameter has a default value since there was neither a deployment descriptor used nor a deployment plan included with the application deployment. You now attempt to use the Administration Console web application to make a dynamic modification to that parameter.

Which statement is true? (Choose the best answer.)

- A. A new deployment plan will be generated and saved at the indicated location.
- B. The modification attempt will fail because there is no deployment descriptor included within the application.
- C. The modification attempt will fail because there is no existing deployment plan associated with the application.
- D. A new skeleton plan.xml will be generated if a plan folder is detected with the deployed applicatio

Answer: D

Explanation: Defining tuning parameters is not required in order to successfully deploy an application. If an application's deployment descriptors and deployment plan do not define tuning parameters, WebLogic Server uses default values. The Administration Console automatically uses a deployment plan named plan.xml in the \plan subdirectory of an application root directory if one is available.

NEW QUESTION 85

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Z0-134 Practice Exam Features:

- * 1Z0-134 Questions and Answers Updated Frequently
- * 1Z0-134 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-134 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-134 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Z0-134 Practice Test Here](#)