

# Oracle

## Exam Questions 1z0-935

Oracle Cloud Platform Data Integration 2018 Associate



#### NEW QUESTION 1

Which Oracle Data Integrator (ODI) object can be created underneath a Data Server?

- A. Logical Agents
- B. Logical Schemas
- C. Physical Agents
- D. physical Schemas

**Answer: D**

#### NEW QUESTION 2

Which two Oracle GoldenGate commands are used to create both an Extract and the source local trail for the Extract?

- A. ADDEXTTRAIL
- B. ADD EXTRACT
- C. ADD CHECKPOINTTABLE
- D. ADDW1TTRAIL

**Answer: A**

#### NEW QUESTION 3

You can configure the database during database deployment creation by selecting Enable Oracle GoldenGate on the Service Details page of the provisioning wizard. If you do not, you can configure it manually after the database deployment.

What is the utility you can use to configure it?

- A. dbca
- B. notcfg
- C. ggsci
- D. dbaacli

**Answer: C**

#### NEW QUESTION 4

Which command-line interface should you use when configuring Oracle GoldenGate manually?

- A. RMAN
- B. SQL PLUS
- C. GG\_COMFIC
- D. GGSCI

**Answer: D**

#### NEW QUESTION 5

When troubleshooting the failure of a job in Enterprise Data Quality (EDQ), you discover a process with a processor highlighted as in error. How should you resolve the issue?

- A. Click the errored processor to see what the error is.
- B. Disconnect the errored processor.
- C. Add a Writer to the process to stage the data immediately after the errored processor.
- D. Check the process execution preferences to determine how the process was run

**Answer: D**

#### NEW QUESTION 6

Which action creates a Job in Data Integration Platform Cloud (D1PC)?

- A. creating a policy
- B. running a task
- C. executing a search
- D. creating a new connection

**Answer: C**

#### NEW QUESTION 7

When using the Oracle command-line interface to configure Oracle manually, which command is used to manually create a data pump Extract?

- A. register extract pump, database
- B. add extract etpcadb, tranlog, begin now
- C. add extract pump, integrated tranlog, beginnow
- D. add extract ptpcadb, exttrailsource ./dirdat/ea

**Answer: D**

#### NEW QUESTION 8

Which dbaascli command below should you use to check if Oracle GoldenGate is enabled on a DBaaS Database instance?

- A. dbaascli show gg
- B. dbaascli qq status
- C. dbaascli info all
- D. dbaasCli info gg

**Answer: B**

#### NEW QUESTION 9

Which command grants the required Oracle GoldenGate privileges to a Data Integration Platform Cloud (DIPC) connection user (USER\_NAME) for a Synchronize Data task?

- A. exec DBMS\_CAPTURE\_AAD
- B. START\_CAPTURE (' USER\_NAME ');
- C. exec DBMS\_GOLDENGATE\_AUTH-GRANT\_ADMIN\_PRIVILEGE ( "USER\_NAME" ) ;
- D. grant SYSDBA TO USER \_NAME;
- E. grant golden\_gate\_admin to user\_NAME

**Answer: B**

#### NEW QUESTION 10

When excluding pluggable databases, schemas, and objects from your configuration, which of these parameters does NOT apply?

- A. EXCLUDEWILDCARDOBJECTSONLY
- B. EXCLUDETAG
- C. TABLEEXCLUDE
- D. SCHEMAEXCLUDE

**Answer: D**

#### NEW QUESTION 10

The customer needs to run Oracle GoldenGate to replicate data in real time (from on-premises tables into the Database in cloud). The Data integration platform Cloud (DIPC) server that runs Oracle GoldenGate Relocation in cloud has all ports locked down for incoming traffic except the one for the data pump Extract. How can you configure the data pump Extract to run on-premises sending data into cloud?

- A. Run scp 10 copy the Hail dies from on-premises server to OPC cloud using the ope user
- B. Configure a data pumpExtract to send trail files directly to data collector (Server) running in DIPC server
- C. Configure another data pump Extract in a DMZ server and connect directly to Manager running in DIPC server
- D. Run Socks5 Proxy on-premises to connect to DIPC server via ssh protocol in cloud and use that tunnel for the data pump Extract

**Answer: D**

#### NEW QUESTION 14

When granting the appropriate privilege for a GoldenGate user using dbms\_goldengate\_auth, grant\_admin\_admin\_privilege (), If CAPTURE and APPLY are running in a multiple database, the container parameter must be set to what value?

- A. CURRENT
- B. DEFAULT
- C. ALL
- D. NULL

**Answer: A**

#### NEW QUESTION 19

Which is NOT valid privilege to grant a CDB user?

- A. execdbms\_goldengate\_auth.grant\_admin\_privileges (' cdbuser', 'capture', container=>' all');
- B. grant create session to cdbuser;
- C. grant create container to cdbuser;
- D. grant alter session to cdbuser;

**Answer: C**

#### NEW QUESTION 22

Which key must be used to access the command line of a Data Integration Platform Cloud (DIPC) instance?

- A. Wallet key
- B. Remote Shell (RSH) key
- C. Internal key
- D. Secure Shell (SSH) key

**Answer: C**

#### NEW QUESTION 24

Which two are correct statements about Oracle Data Integrator work repositories?

- A. They contain data and security information.
- B. They contain data model and project information.
- C. They contain data model and execution information.
- D. They contain project and security information.

**Answer:** CD

#### NEW QUESTION 27

Identify the true statement when Oracle GoldenGate is configured for batch processing.

- A. Replicate is started with the INITIALLOAD task.
- B. There is a SPECIALRUN Replicate task.
- C. The SPECIALRUN parameter is in the capture parameter file.
- D. The SPECIALRUN parameter is in the GLOBALS parameter file.

**Answer:** D

#### NEW QUESTION 32

Which authentication protocol is supported when configuring the Data Integration Platform Cloud (OIPC) remote agent?

- A. HMAC
- B. Oracle Wallet
- C. Public / Private key pairs
- D. OAuth2

**Answer:** C

#### NEW QUESTION 34

Which TRANLOCATIONS parameter option is required for supporting bidirectional replication when using MySQL as a source database?

- A. EXCLUDETAG
- B. FILTERTABLE
- C. EXCLUDETRANS
- D. EXCLUDEUSER

**Answer:** A

#### NEW QUESTION 39

Which mapping component transforms data from multiple input rows into a single output row?

- A. Distincts
- B. Pivots
- C. Subquery Filters
- D. Sets

**Answer:** C

#### NEW QUESTION 40

What is the purpose of Oracle GoldenGate Initial Loads?

- A. to carry out performance load testing
- B. to stream change data to target
- C. to synchronize source and target data
- D. to create target database objects

**Answer:** C

#### NEW QUESTION 41

Why do you have to add your remote agent as a Trusted Application in Oracle Identity Cloud?

- A. to securely communicate with the remote agent from Data Integration Platform
- B. to ensure you are able to access your on-premises data from the Catalog
- C. to register your connection in Data Integration Platform
- D. to identify your on-premises data source with Data Integration Platform

**Answer:** D

#### NEW QUESTION 42

Which two statements are correct about using Enterprise Data Quality (EDQ) Oracle Integrator together?

- A. ODI can call EDQ Jobs either synchronously or asynchronously.
- B. EDQ can connect to any data source defined in ODI without additional configuration.

- C. ODI and EDQ share a repository database where configuration and working data is stored.
- D. ODI and EDQ can be used together to synchronize data between systems.
- E. In combination, ODI and EDQ can add data quality metrics to data flowing into Big Data system

**Answer:** AD

#### NEW QUESTION 43

Which two editions can be provisioned for Data Integration Platform Cloud (DIPC)?

- A. Governance
- B. Extreme Performance
- C. Enterprise
- D. Data Lake
- E. Basic
- F. Real-time

**Answer:** AC

**Explanation:** <https://blogs.oracle.com/dataintegration/walkthrough%3a-oracle-data-integration-platform-cloud-provisioning>

#### NEW QUESTION 45

Which two Compute Shapes are valid for Data Integration Platform Cloud (DIPC) Instances?

- A. OC1M
- B. OC4M
- C. OC4
- D. OC3M
- E. OC2M

**Answer:** AC

#### NEW QUESTION 48

Which Data Integration Platform edition do you use to integrate with Big Data technologies?

- A. Standard Edition
- B. Data lake Edition
- C. Big Data Edition
- D. Enterprise Edition

**Answer:** D

#### NEW QUESTION 49

Which statement is true about Packages, Scenarios, and Load Plans?

- A. Scenarios are the largest executable objects in Oracle Data Integrator.
- B. Packages do not provide native support for parallelism, restartability, and exception handling.
- C. Load Plans cannot be created in Production environments.
- D. Load plans are substitutes for Packages and Scenario

**Answer:** C

#### NEW QUESTION 50

Which is NOT a valid replication topology supported by Data Integration Platform Cloud?

- A. Cloud to On-premises
- B. On-premises database to Cloud
- C. On-Premises to On-Premises
- D. Cloud to Cloud
- E. Flat File to Flat File

**Answer:** D

#### NEW QUESTION 52

Which two are use cases for Oracle Data within Oracle Data Integration Platform Cloud (DIPC)?

- A. stream relational data into Kafka
- B. load a data warehouse
- C. maintain quality of enterprise data
- D. load and transform files to a database

**Answer:** A

#### NEW QUESTION 55

Which statement is correct about the dependency between the Master and Work repositories?

- A. You can have a maximum of two Work repositories linked to
- B. Master repository.
- C. A Work repository must be attached to a Master repository.
- D. Oracle Data Integrator (ODI) agents have a dependency with Work repositories.
- E. The Master and Work repositories are not linked to each other.

**Answer:** B

**NEW QUESTION 58**

When you work in Oracle Data Integrator Studio (ODI), your ODI profile is that of a DESIGNER. What is your equivalent application role in Data Integration Platform?

- A. Superuser
- B. Administrator
- C. User
- D. Developer

**Answer:** A

**NEW QUESTION 62**

Which Data Integration Platform editions support data replication?

- A. Enterprise and Governance
- B. Oracle GoldenGate edition
- C. Standard and Governance
- D. Standard and Enterprise

**Answer:** A

**NEW QUESTION 64**

Which applications power Data Integration platform Cloud (DIPC)?

- A. Oracle Data Integrator, Oracle GoldenGate, and Oracle Enterprise Data Quality
- B. Oracle Storage Cloud, Oracle Database Cloud, and Oracle GoldenGate
- C. Oracle Enterprise Data Quality, Coherence, and Oracle Storage Cloud
- D. Oracle Integration Cloud, Oracle GoldenGate Cloud, and Oracle Database Cloud

**Answer:** B

**NEW QUESTION 67**

Which two are benefits of the ELI approach?

- A. high performance with optimized transformations
- B. better parallelism with extra ETL server
- C. taking advantage of existing hardware and software infrastructure
- D. shortens development and maintenance time

**Answer:** AC

**NEW QUESTION 69**

Where is the Oracle Data Integrator (ODI) Console deployed out-of-the-box in Data Integration Platform Cloud (DIPC)?

- A. In the Data Integration Platform Cloud Agent running on-premises
- B. outside of the Data Integration Platform Cloud VM in Java Cloud service
- C. In the Data Integration Platform Cloud VM inside WebLogic Server
- D. In the Data Integration Platform Cloud VM outside of WebLogic Server

**Answer:** B

**NEW QUESTION 74**

Which are three valid sources for Oracle GoldenGate Capture Process?

- A. Oracle Database Cloud Service
- B. Oracle database
- C. MySQL
- D. MongoDB
- E. Big Data

**Answer:** ACE

**NEW QUESTION 76**

Where do you create Synchronize Data connections within Data Integration platform Cloud (DIPC)?

- A. Create GoldenGate credentials via the GGSC1 utility.
- B. Access physical topology via the Management screen within the ODI Console.

- C. Access the Catalog screen within OIPC Console.
- D. VNC into the D1PC host and create a connection in ODI Studio

**Answer:** C

#### NEW QUESTION 81

What is the purpose of a Data Interface in Enterprise Data Quality (EDQ)?

- A. to enable EDQ to send and receive data in real time
- B. to enable processes to be defined independently of any physical source or target
- C. to enable publication of data into EDQ Case Management
- D. to enable Integration with Oracle Data as a Service

**Answer:** C

#### NEW QUESTION 86

Which two are use cases for Enterprise Data Quality (EDQ) within Data Integration Platform Cloud (DIPC)?

- A. measure data against defined data quality business rules
- B. load a data warehouse
- C. find sensitive data in data sources
- D. discover characteristics of source data in preparation for a data migration

**Answer:** AD

#### NEW QUESTION 90

What style(s) of integration is/are supported by Oracle Data Integrator?

- A. both ETL and ELT
- B. both ETL and Real-Time Data Warehouse
- C. E-LT
- D. both E-LT and Real-Time Data Warehouse

**Answer:** A

**Explanation:** [https://docs.oracle.com/cd/E29542\\_01/integrate.1111/e12643/intro.htm](https://docs.oracle.com/cd/E29542_01/integrate.1111/e12643/intro.htm)

#### NEW QUESTION 93

Which Oracle database can be used as a repository for the Data Integration Platform Cloud (DIPC)?

- A. Oracle Autonomous Data Warehouse Cloud
- B. Oracle Database Exadata Cloud at Customer
- C. Oracle Database Exadata Cloud
- D. Oracle Database Cloud

**Answer:** A

#### NEW QUESTION 94

Which technology does Data Integration Platform Cloud (OIPC) use to communicate with your remote agent?

- A. Oracle Identity Cloud
- B. SOCKS Proxy Tunnel
- C. HTTP Proxy
- D. Secure Shell (SSH)

**Answer:** A

#### NEW QUESTION 97

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### 1z0-935 Practice Exam Features:

- \* 1z0-935 Questions and Answers Updated Frequently
- \* 1z0-935 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-935 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-935 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-935 Practice Test Here](#)**