VMware

Exam Questions 2V0-651

VMware Certified Professional 6 - Desktop and Mobility Beta

NEW QUESTION 1
An administrator needs to ensure that the Horizon View environment accounts for single points of failure.
Which type of server should the administrator install in addition to the Horizon View Connection server?

A. vCenter Operations for Horizon server
B. Security server
C. Replica server
D. Mirage server

Answer: C

NEW QUESTION 2
Several users within a corporation installed a team collaboration utility onto their Mirage- managed systems. The systems became erratic, so they uninstalled the application, but the problem remained.
An administrator needs to repair the users' systems and ensure they are compliant with the corporate image. All user profile data must remain intact.
What should the administrator do?

A. Revert to Snapshot with Restore System Only option selected.
B. Enforce All Layers with the Preserve user applications option selected.
C. Revert to Snapshot without Restore System Only option selected.
D. Enforce All Layers with the Remove user applications option selected.

Answer: D

NEW QUESTION 3
An administrator has a list of users who should not have access to Workspace Portal services. Some users need access to other services using their directory services account. Other users no longer need access to any services on the corporate network.
Which two steps should the administrator take to restrict access to Workspace Portal services? (Choose two.)

A. A.Disable or delete the account in Active Directory for those accounts that no longe cess to Workspace Portal.
B. Disable the Virtual Users feature in the Class of Service (CoS).
C. Create filters with the Workspace Portal connector that filter out existing users who no longer need access to Workspace PD.Disable or delete the account in Active Directory for those accounts that no longe cess to any corporate network services.

Answer: C

NEW QUESTION 4
Users at a branch office are experiencing poor virtual desktop performance. The branch office has ten users and a 2Mbps link to the datacenter.
Some of the users frequently access video content, but the performance issues began occurring after a recent Group Policy Object (GPO) change. The performance issues
do not occur when the same users connect from the main office, which has a 10Mbps link to the data center.
Which PCoIP GPO change is most likely the cause of the performance issues?

A. Turn off Build-to-Lossless = Enabled
B. PCoIP session audio bandwidth limit = 100kbps
C. PCoIP client image cache size = 260MB
D. Maximum PCoIP session bandwidth = 4Mbps

Answer: D

NEW QUESTION 5
An administrator has configured location-based printing in View, but after several minutes the printer has not appeared in the Devices & Printers panel on the virtual desktop.
Which two steps should the administrator take to troubleshoot the issue? (Choose two.)

A. Verify that the TP AutoConnect Service is disabled.
B. Verify that the Windows Firewall is enabled.
C. Verify that the correct organizational unit has been selected.
D. Verify that the name entered in the GPO matches the driver name.

Answer: CD

NEW QUESTION 6
An administrator is adding a new desktop pool for a business unit that has recently started using Virtual Desktops. A new Organizational Unit (OU) has been created beside the original OU.
During provisioning of this new pool, the administrator receives an error message stating that creation of the computer accounts failed. The same View Composer domain account is being used for the existing pool and the new pool. The existing View Composer domain account is still functioning correctly for the original desktop pool.
What is causing the failure to create the computer accounts?

A. The Parent virtual machine being used for the pool has not been enabled for use in the new OU.
B. The new OU does not have the correct View-specific GPO settings applied.
C. The existing domain account is being used by the original OU and is locked for use on the new OU.
D. The new OU does not have the correct permissions applied for the View Composer domain account.

Answer: D

NEW QUESTION 7
An administrator has completed upgrading the View pods in two datacenters to Horizon 6. To facilitate the new Continuity of Operations initiative, the administrator needs to implement global entitlements via the new Cloud Pod Architecture.
Which capability of the administrator's current environment is incompatible with Cloud Pod Architecture?

A. Dedicated Full Clone Pools
B. HTML Access
C. ThinApp Entitlements
D. Persona Management

Answer: B

NEW QUESTION 8
A View environment includes a View Connection Server and View Security Server.
The View Connection Server has the following configuration:
? DNSName: view.company.com
? IP Address: 192.168.1.1
The View Security Server has the following configuration:
? DNSName:security.company.com
? IP Address: 10.10.10.1
An administrator needs to set up View to allow external access for the users via PCoIP. Which option represents the format in which information must be entered into the External
URL field of the security server in View Administrator?

A. https://security.company.com:443
B. https://security.company.com:4172
C. 10.10.10.1:4172
D. https://view.company.com:443

Answer: A

NEW QUESTION 9
What should the administrator do first when configuring vCenter Operations Manager for Horizon to monitor their View deployment?

A. Add Adapter from the View Configuration > Servers page in View.
B. Add Adapter from the Custom Dashboard page > Configuration in vCenter Operations Manager.
C. Configure the Adapter from the Administration > Solutions page in vCenter Operations Manager.
D. Configure the Adapter from the View Configuration > Global Settings page in View.

Answer: C

NEW QUESTION 10
A desktop environment is configured to provision on demand. Users report that login is taking longer than expected when they sign in. The administrator determines that significant I/O is being generated each morning when users are logging in.
What should the administrator do to resolve the issue?

A. Deploy a replica View Composer server to load balance provisioning operations.
B. Increase the minimum number of desktops in the pool.
C. Edit the pool settings so that desktops refresh on logoff.
D. Enable SE Sparse disk to reduce initial provisioning time.

Answer: B

NEW QUESTION 10
An administrator is building a new View parent image to boot the operating system (OS) from an .ISO file that is loaded with the virtual machine's CD-ROM. When the virtual machine boots, the .ISO does not load and instead, attempts a PXE boot.
What should the administrator verify the CD-ROM is set to in order to correct this issue?

A. is set to Emulate IDE.
B. is set to Connect at Power On.
C. is set to Device Type - Client Device.
D. is set to Device Type - Host Device.

Answer: B

NEW QUESTION 13
An administrator deployed a linked-clone pool with virtual desktops running Windows XP for a branch office. The Active Directory server supporting the office is a Windows Server 2008 Read Only Domain Controller (RODC). The administrator makes the following changes to Sysprep:
? Join the Domain
? Use the Virtual Machine name for the NetBIOS name
When the administrator attempts to provision the desktops using View Composer, the following error message is displayed:
View Composer agent initialization state error (18): Failed to join the domain (waited 565 seconds)
What should the administrator do to provision the virtual desktops?

A. Configure the desktop pool to use Quickprep instead of Sysprep to provision the Linked Clones.
B. Log in to the parent virtual machine and apply the RODC compatibility update for X
C. Take a new snapshot and recompose the pool.

D. Configure the virtual desktops to synchronize time from another domain controller that is available on the network.
E. Log in to the parent virtual machine and reinstall the View Agen
F. Take a new snapshot and recompose the pool.

Answer: B

NEW QUESTION 16
Refer to the Exhibit.

Based on the exhibit, which two paths are used for PCoIP traffic? (Choose two.)

A. Path A
B. Path B
C. Path C
D. Path D

Answer: AC

NEW QUESTION 21
After creating an Upload policy for a group of users, an administrator has found a significant increase in storage usage by Mirage. After further investigation, the administrator finds that the increase is a result of users storing personal MP3 libraries on
the system.
What should the administrator do to prevent these files from being protected while allowing the users to store the files on the system?

A. Add a Rule to the User Area for MP3 files in the Upload policy.
B. Create a Collection labeled Exclude MP3s.
C. Add a Rule Exception to the Unprotected Area for MP3 files in the Upload policy.
D. Add a Rule to the Unprotected Area for MP3 files in the Upload policy.

Answer: A

NEW QUESTION 26
An administrator needs to create a full clone desktop pool and reduce storage costs by using the SEsparse disk feature. However, this option is not displayed in the Add Pool wizard.
What is the likely reason that the administrator is prevented from enabling this option?

A. SEsparse disks can be used only with linked-clone desktop pools.
B. SEsparse disks are not supported with NFS storage.
C. SEsparse disks are not supported by the storage vendor.
D. SEsparse disks must be configured using PowerCLI.

Answer: A

NEW QUESTION 30
An administrator is deleting a manual pool that contains unmanaged desktop sources and selects the Leave active option.
How will the administrator's action affect connections to the pool?

A. Connections will remain active until the user logs off.
B. Connections will be accepted until the desktop source is unregistered.
C. Connections will remain active for the period of time specified by the administrator.
D. Connections will remain available until the next session state monitoring interval.

Answer: A

NEW QUESTION 31
An administrator is creating a new Automated Linked-Clone desktop pool. The administrator has also created a new parent virtual machine and has installed the View Agent.
Which additional step must be taken before the desktop is prepared for use in a Linked- Clone pool?

A. Restart the virtual machine and clone to template.
B. Power off the virtual machine and take a snapshot.
C. Enable provisioning in View Administrator.
D. Enable provisioning in View Composer.

Answer: B

NEW QUESTION 36
A View environment includes a View Connection Server and View security server.
The View Connection Server has the following configuration:
? DNSName: view.company.com
? IP Address: 192.168.1.1
The View security server has the following configuration:
? DNS Name: view.company.com
? IP Address: 192.168.1.1
An administrator needs to set up View to allow external access for the users over Blast.
Which option represents the format in which information must be entered into the Blast External URL field of the security server in View Administrator?

A. https://security.company.com:443
B. https://10.10.10.1:18443
C. https://security.company.com:8443
D. security.company.com:22443

Answer: C

NEW QUESTION 40
In addition to the default user attributes, which specific Active Directory attribute is required for integrating View with Workspace Portal?

A. User Distinguished Name
B. SAMAccountName
C. SAMAccountType
D. User Principal Name

Answer: D

NEW QUESTION 42
An administrator experiences a system failure on the vCenter Server during a Linked-Clone recompose operation.
Which two methods should the administrator use to resolve the unsuccessful recompose operation? (Choose two.)

A. Select a new snapshot and then recompose once more.
B. Delete the failed snapshot and then recompose once more.
C. Delete the failed snapshot, create a new snapshot, and then recompose once more.
D. Select the snapshot that was used in the last successful recomposition and then recompose once more.

Answer: AD

NEW QUESTION 44
An administrator needs to backup the View LDAP Configuration and View Composer database.
What are three ways this can be accomplished? (Choose three.)

A. Schedule automatic backups by using the View Manager Configuration Backup feature.
B. Initiate a backup immediately by using the Backup Now feature in View Administrator.
C. Use a replicated instance of View Connection Server as the backup.
D. Take a snapshot of the View Connection server.
E. Manually export the View data by using the vdmexport utility.

Answer: ABE

NEW QUESTION 46
An administrator is deploying a pool of virtual desktops and receives the following message when testing a desktop connectionfrom a View Client machine:
The Desktop Currently Has No Desktop Sources Available. The administrator has confirmed that:
? The desktops are built and are visible in the View Administrator console.
? The desktops display a Agent Unreachable status in the View Administrator.
After logging in to the vCenter Server, what should the administrator ensure to troubleshoot the issue?

A. The virtual desktops are powered on.
B. There are no Memory reservations.
C. There are no CPU reservations.
D. The View Composer service is running.

Answer: A

NEW QUESTION 47
An administrator is configuring the View Connection Broker Agent. The Adapter instance is properly configured within vCenter Operations Manager for Horizon.
When the administrator clicks on the Test button to pair the server, the test fails. IP address and name resolution are validated and working for both servers.
What should the administrator do to verify connectivity between both servers?

A. Verify that a proper Fully Qualified Domain Name exists for the vCenter Operations for Horizon servers.
B. Verify that the certificate on the vCenter Operations for Horizon server is recognized by the View server.
C. Login with a domain admin account, instead of a local account on the View server.
D. Verify that the proper port is open between vCenter Operations for Horizon and the View server.

Answer: D

NEW QUESTION 50
An administrator is running a View Infrastructure with Linked Clones running on ESXi 5.x. Users should not be able to eject devices such as CD-ROMs from the virtual desktops.
What should the administrator do on the vSphere Client to prevent users from ejecting devices?

A. Right click on the parent image, and then in Edit Settings-->Options, disable Hot Add.
B. Modify the parent image .vmx file, and set devices.hotplug to False.
C. Modify the parent image .nvram file, and set devices.hotplug to False.
D. Right click on the parent image and then in Edit Settings-->Hardware, disable Hot Plug.

Answer: B

NEW QUESTION 52
Several users spanning multiple Active Directory groups have been assigned to a special project and need access to a set of applications.
An administrator needs to create a group to manage these users in Workspace Portal but does not have access to Active Directory to create a new group there.
What should the administrator do?

A. Edit the Directory Sync rules to create a filter group.
B. Create a new Connector virtual appliance and sync only the selected users.
C. Create a group in Workspace Portal and assign the users to this group.
D. Create a group in the Configurator virtual appliance console and add the users to this group.

Answer: C

NEW QUESTION 55
During the process of pairing a View security server, the administrator aborts the operation and attempts to run the pairing process again. The security server status displayed in the View Administrator dashboard isdown, and remote usersreceivethe following message when attempting to connect:
The View Connection Server authentication failed. No gateway is available to provide a secure connection to a desktop. Contact your network Administrator.
What should the administrator do to resolve the issue?

A. In the View Connection Server instance click More Commands>Specify a Security Server Pairing Password then enter a new password and install the security server again.
B. Run vdmadmin -S security_server_name and then install the security server again.
C. In the View Connection Server instance click More Commands>Specify a Security Server Pairing Passwords then enter a password and restart the View Connection Server service.
D. Run vdmadmin -S security_server_name and restart the View Connection Server service.

Answer: A

NEW QUESTION 56
An administrator is attempting to configure a new linked-clone pool to use software 3D rendering and notices that the 3D Renderer option is unavailable.
The pool settings are as follows:
? Default display protocol is set to PCoIP.
? Allow users to choose protocol is set to Yes.
? Max resolution of any one monitor is set to 1920 x 1200.
? Max number of monitors is set to 2.
Which setting change should the administrator make to allow the 3D Renderer to be enabled?

A. Change the Default display protocol setting to RDP.
B. Change the Allow users to choose protocol setting to No.
C. Change the Max resolution of any one monitor setting to 2560 x 1600.
D. Change the Max number of monitors setting to 1.

Answer: B

NEW QUESTION 58
An administrator needs to configure virtual printing to allow users to access locally attached printers.
What must the administrator do to enable this functionality?

A. Ensure virtual printing is enabled in the View Agent installation options.
B. Install printer drivers in the base image for the pool.
C. Register the TPVMGPoACmap.dll file on the base image for the pool.
D. Import the vdm_client.adm template to the Active Directory server and enable local printing.

Answer: A

NEW QUESTION 62
Users report poor performance over a wide area network. Ten users share a 5Mbps link for this site. The administrator suspects a PCoIP configuration issue and locates the following PCoIP configuration settings:
? Turn off Build-to-Lossless feature = Enabled
? PCoIP Session Bandwidth Floor = 1000
? Maximum Frame Rate = 24
? PCoIP Client Image Cache Size Policy = 250
Which setting is likely causing the performance issue?

A. Turn off Build-to-Lossless feature = Enabled
B. PCoIP Session Bandwidth Floor = 1000
C. Maximum Frame Rate = 24
D. PCoIP Client Image Cache Size Policy = 250

Answer: B

NEW QUESTION 64
An administrator is overcommitting storage in an attempt to more efficiently use the available capacity. The administrator needs to ensure that linked-clones are evenly distributed across available datastores.
Which feature of View should the administrator use?

A. Storage DRS
B. Storage vMotion
C. Rebalance
D. View Storage Accelerator

Answer: C

NEW QUESTION 67
An administrator in a large organization needs to delegate authority to manage a group of desktops to another administrator at a remote site. The desktops have been placed in a folder in View Administrator so that a user can be assigned to manage those desktops only.
The remote site administrator must be able to:
? Perform all desktop, session, and pool-related operations
? Manage persistent disks
? Resync, Refresh, and Rebalance linked-clone pools and change the default pool image
What is the most restrictive predefined role that can be assigned to meet these requirements?

A. Administrators
B. Agent Registration Administrators
C. Global Configuration and Policy Administrators
D. Inventory Administrators

Answer: D

NEW QUESTION 68
Refer to the Exhibit.

User Profile Service	This service ...	Started	Automatic	Local Syste...
vCenter Operations for View Agent	This service ...	Started	Automatic	Local Syste...
VMware Blast	Provides HT...	Started	Automatic	Local Syste...
VMware Tools Service	Provides su...	Started	Automatic	Local Syste...
VMware USB Arbitration Service	Arbitration ...		Automatic	Local Syste...
VMware View Agent	Provides Vie...	Started	Automatic	Local Syste...
VMware View Composer Guest Agent Server	Provides V...	Started	Automatic	Local Syste...
VMware View Persona Management	This service ...	Started	Automatic	Local Syste...
Windows Audio	Manages au...	Started	Automatic	Local Service
Windows Audio Endpoint Builder	Manages au...	Started	Automatic	Local Syste...
Windows Event Log	This service ...	Started	Automatic	Local Service
Windows Firewall	Windows Fi...	Started	Automatic	Local Service
Windows Font Cache Service	Optimizes p...	Started	Automatic	Local Service
Windows Management Instrumentation	Provides a c...	Started	Automatic	Local Syste...
Workstation	Creates and...	Started	Automatic	Network S...
Microsoft .NET Framework NGEN v4.0.30319_X86	Microsoft		Automatic (D...	Local Syste...
Software Protection	Enables the ...		Automatic (D...	Network S...
Windows Search	Provides co...	Started	Automatic (D...	Local Syste...
TP AutoConnect Service	ThinPrint .p...		Disabled	Local Syste...
BitLocker Drive Encryption Service	BDESVC hos...		Disabled	Local Syste...
Block Level Backup Engine Service	The WBENG...		Disabled	Local Syste...
Desktop Window Manager Session Manager	Provides De...		Disabled	Local Syste...
Disk Defragmenter	Provides Dis...		Disabled	Local Syste...

An administrator recently updated a linked-clone desktop pool with optimizations to improve performance. After the desktop pool is recomposed, users are unable to connect to their client printers. The administrator examines the services on the desktop, as shown in the exhibit.
Based on the exhibit, which Windows service is causing the client printers to fail to connect to virtual desktops?

A. Desktop Window Manager Session Manager
B. VMware USB Arbitration Service
C. TP AutoConnect Service
D. Windows Firewall

Answer: C

NEW QUESTION 69
An administrator is configuring a group of desktops that will be accessed via the PCoIP display protocol across a WAN link.
Which two settings should the administrator apply to minimize bandwidth usage? (Choose two.)

A. Lower the Maximum Frame Rate
B. Raise the Maximum Frame Rate
C. Disable the Turn off Build-to-Lossless feature
D. Enable the Turn off Build-to-Lossless feature

Answer: AD

NEW QUESTION 70
An administrator needs to add Location-Based Printing to five virtual desktops.
Which two steps must the administrator take to accomplish this task? (Choose two.)

A. Create a GPO containing the AutoConnect Map Additional Printers for VMware View group policy setting.
B. Create a GPO containing the Enable Printer Location Tracking for VMware View group policy setting.
C. Add the computer names of the desktops using Security Filtering.
D. Add the MAC addresses of the desktops using Security Filtering.

Answer: AC

NEW QUESTION 71
An administrator is preparing a Windows 7 virtual machine for View and is reviewing Windows services as part of the optimization process.
Which Windows service must the administrator ensure is started?

A. Windows Firewall
B. Disk Defragmenter
C. Windows Defender
D. Routing and Remote Access

Answer: A

NEW QUESTION 74

An administrator has completed an integration of View with Workspace Portal. The administrator added new pools and entitlements in View Administrator. However, the new pools are not displaying in Workspace Portal.

The administrator must ensure updates to View are regularly reflected in the Workspace Portal administrator console.

What should the administrator do?

A. Enable/Click on Sync Now.
B. Enable SAML Authentication.
C. Set the synchronization frequency appropriately.
D. Set the update frequency appropriately.

Answer: C

NEW QUESTION 79

A View administrator needs to ensure that an environment is ready to use Smart Cards. The cards use certificates generated by a third-party Certificate Authority (CA). The administrator has verified that each certificate contains a UPN.

What must the administrator do to complete the preparation of the environment?

A. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities group policy in Active Directory.
B. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities store on the View Connection server.
C. Import the root and intermediate CA certificates into each user's Smart Card.
D. Enable Smart Card Authentication in the authentication settings in View Administrator.

Answer: A

NEW QUESTION 82

An administrator creates a new Application pool for Chrome on a Windows 2008 R2 SP1 pool. Users report that they cannot browse the Internet.

What must the administrator do to enable Internet access for Chrome?

A. Use vmxnet3 virtual device driver.
B. Edit the parameters for Chrome to use --allow-no-sandbox-job.
C. Use e1000e virtual device driver.
D. Edit the parameters for Chrome to use --safe-browse-network.

Answer: B

NEW QUESTION 86

An administrator needs to prevent specific application-related setting files from being overwritten during a base layer update.

What should the administrator do?

A. Use Base Layer Override Policy to exclude application configuration files if they exist.
B. Use Upload Policy to exclude application configuration files in the User Area section of the policy.
C. Use Base Layer rules to exclude files from being deployed to workstations.
D. Use Upload Policy to exclude application configuration files in the Unprotected Area of the policy.

Answer: A

NEW QUESTION 90

An administrator needs to configure Persona Management with a Dedicated Linked Clone Pool. The administrator is aware that users save large files to their user profiles and needs to avoid long load times of the user data.

What should the administrator do to enhance performance of Persona Management when loading the user data?

A. Enable the Remove local persona at log off policy.
B. Configure Persistent Disks with Persona Management.
C. Enable View Storage Accelerator.
D. Configure Non-Persistent Disks with Persona Management.

Answer: B

NEW QUESTION 95

An administrator is granted access to a vCenter Server with a custom Active Directory user account. The user account should have the required permissions for full management of the View environment. However, when the administrator attempts to enable View Storage Accelerator, permission is denied.

Which View privilege within vCenter Server needs to be configured?

A. Storage Views > View
B. Global > Act as vCenter Server
C. Host.Configuration > Advanced settings
D. Virtual Machine.Configuration > Modify device settings

Answer: B

NEW QUESTION 97

An administrator identifies PCoIP packet fragmentation on the network. The following items have been discovered:
? Network Path Maximum Transmission Unit (MTU) is 1200
? PCoIP Traffic has Quality of Service (QoS)
What should the administrator do?

A. Set router buffers to tail drop.

B. Set router buffers to Weighted Random Early Detection (WRED).
C. Set PCoIP MTU to 1500
D. Set PCoIP MTU to 1100

Answer: D

NEW QUESTION 102
An administrator has enabled ThinApp integration for Workspace Portal and needs to ensure applications are streamed from a network file share. The administrator has enabled the ThinApp module in Workspace Portal and configured the ThinApp repository.
Which additional steps does the administrator need to take to enable ThinApp application streaming using Workspace Portal?

A. Use Command Line Option when installing the Workspace Portal Client on Mac device
B. Ensure ThinApp packages are enabled for Workspace Portal.
C. Use Command Line Option when installing the Workspace Portal Client on Windows devices.Ensure ThinApp packages are enabled for Workspace Portal.
D. Use Command Line Option when installing the Workspace Portal Client on Windows devices.Set MSIStreaming=0 in the ThinApp package.ini file.
E. Use Command Line Option when installing the Workspace Portal Client on Mac device
F. Set MSIStreaming=1 in the ThinApp package.ini file.

Answer: B

NEW QUESTION 103
An administrator is performing a silent installation of a View Connection Server and needs to ensure that the firewall settings are enabled during the install.
Which parameter should the administrator use?

A. FWCHOICE=0
B. FWCHOICE=1
C. FW_SET=0
D. FW_SET=1

Answer: B

NEW QUESTION 104
An organization's ThinApp packaged applications are being delivered to both physical and virtual desktops using a login script.
The administrator has implemented Workspace Portal across the organization. Instead of using login scripts, the administrator needs to provide the applications to users from the Workspace Portal application catalog.
Which ThinApp utility and parameter should the administrator use?

A. relink.exe -a
B. vregtool.exe -h
C. vregtool.exe -a
D. relink.exe -h

Answer: D

NEW QUESTION 109
An organization has deployed View to the majority of its workforce. The organization also uses blade PCs for some users who need RDP access to high-powered workstations. The administrator needs to manage access to both environments through View.
Which configuration steps should the administrator complete to enable access through View?

A. Install the View Agent in each system and create a terminal services pool using the physical PCs as desktop sources.
B. Install the View Agent in each system and create a manual pool using the physical PCs as desktop sources.
C. Create a manual pool and enter the IP address of each physical desktop source.
D. Create a terminal services pool and enter the IP address of each physical desktop source.

Answer: B

NEW QUESTION 114
An administrator needs to set up SSL certificates that are signed by a third-party Certificate Authority for the View Connection and security servers.
Which two configuration steps must the administrator complete? (Choose two.)

A. Modify the certificate friendly name to vdm.
B. Run the sviconfig ReplaceCertificate utility to bind the new certificate.
C. Modify the certificate friendly name to view.
D. Import the SSL certificate into the Windows local system certificate store on the View servers.

Answer: AD

NEW QUESTION 117
An administrator is building a parent virtual machine for a View desktop pool and needs to enable users to log onto the virtual desktops.
To which group should the administrator assign the users?

A. Global Terminal Server Users group
B. Local Remote Desktop Users group
C. Local Terminal Server Users group
D. Global Remote Desktop Users group

Answer: B

NEW QUESTION 119
An administrator needs to provide access to applications for users regardless of whether the users have network access.
Which two VMware components should the administrator choose? (Choose two.)

A. VMware Workspace
B. VMware ThinApp
C. VMware Horizon View
D. VMware Mirage

Answer: BD

NEW QUESTION 121
An administrator enables Persona Management for a desktop pool and leaves the universal naming convention (UNC) path blank in the session variable Persona Repository Location.
What is the likely outcome?

A. The User Profile will not be created.
B. The User Profile will be created but when users log on again their files will not be available.
C. The User Profile Path in Active Directory will be used.
D. The User Profile Path will default to the local My Documents.

Answer: C

NEW QUESTION 124
An administrator is preparing a virtual machine guest OS for a View pool deployment. A security policy requires that non-VMware View Clients must not be able to connect directly to virtual desktops using RDP.
Which configuration option should the administrator choose to meet the requirement?

A. Set Allow users to choose protocol to No
B. Set Default display protocol to PCoIP
C. Set AllowDirectRDP to Disabled
D. Set Default display protocol to RDP

Answer: C

NEW QUESTION 128
An administrator is configuring Kiosk mode in View. The administrator completes the following tasks:
? Verifies that clients on the Windows machines that are being used can connect with a normal username and password.
? Creates accounts with appropriate Active Directory attributes for the machines that will operate as kiosks.
When the clients are tested, they do not automatically log in after connecting to the Connection Server.
What is causing this issue?

A. The Kiosk mode user account was not added to the Connection Server to which the client is connecting.
B. The Connection Server to which the client is connecting has not been enabled for Kiosk mode clients.
C. The Kiosk mode user account was created in the wrong Organizational Unit.
D. The View Client machine has not been enabled for Kiosk mode using the client registry settings.

Answer: B

NEW QUESTION 131
Refer to the Exhibit.

An administrator has successfully deployed vCenter Operations for Horizon. The administrator logs into the custom dashboard, finds a list of active users on the View Users tab, and clicks on one of them.
The Health tree widget does not update, as shown in the exhibit.
What has been changed in vCenter Operations for Horizon configuration to result i shboard issue?

A. Interaction between the Active User Sessions widget and the Health tree widget was removed.
B. Reporting in the Health tree widget was changed from on to off.

C. Interaction between the Metric Sparkline widget and the Health tree widget was removed.
D. Reporting in the Active User Sessions widget was changed from on to off.

Answer: A

NEW QUESTION 133

An administrator is performing the post-installation configuration of Workspace Portal.
While running the setup wizard, the administrator receives an error message. The error message appears during configuration of the Directory settings and indicates that the user account cannot be found.
The administrator has confirmed the following:
? The user account exists in Active Directory.
? The user account has all of the required attributes.
What is causing the error?

A. The user account is located below the Base DN.
B. The user account has not been entered into the Global Catalog.
C. The user account is located above the Base DN.
D. The user account name is too long.

Answer: C

NEW QUESTION 135

A corporate policy requires that all external connections use port 444. The administrator needs to ensure that the View environment meets corporate security policy.
What does the administrator need to configure to meet the policy requirement?

A. Install a signed certificate on the View Security Server.
B. Modify the External URL default setting in the GPO.
C. Edit the locked.properties file in the SSL Gateway Configuration folder.
D. Edit the certificate to force https only connections.

Answer: C

NEW QUESTION 139

An administrator receives reports from users connected to View PCoIP sessions of slow desktop responsiveness and blurry images. Additionally, some users report being randomly disconnected from their sessions.
The administrator determines the following:
? Network Latency is 100ms.
? PCoIP Packet Loss is more than 5%.
Which two solutions should the administrator implement to resolve the issues? (Choose two.)

A. Increase priority of PCoIP traffic.
B. Enable the Turn Off Build-to-Lossless GPO Setting.
C. Disable Spanning Tree on the switches.
D. Add additional vNICs to the virtual desktops.

Answer: AB

NEW QUESTION 141

An administrator has asked the help desk to reset a virtual desktop in newly created Desktop Pool B. The help desk user logs in to the View Administrator, but only the previously existing Desktop Pool A is available.
What is causing this issue?

A. Help desk user accounts can only be assigned to a single pool at a time.
B. The help desk user's account does not have the appropriate permissions in vCenter Server.
C. The help desk user cannot see Desktop Pool B because provisioning is disabled on the pool.
D. The help desk user's account has only been granted privileges to see Desktop Pool A.

Answer: D

NEW QUESTION 144

An administrator creates a Windows 7 parent virtual machine for a linked-clone pool but finds that some of the virtual machines fail to customize. The administrator has confirmed that the View Agent is installed with the correct components. The virtual machines are configured with the following hardware specifications:
? 1 vCPU
? 4GB RAM
? VMXNET3 NIC
? 64MB Video RAM
What is causing the problem?

A. The Receive Side Scaling (RSS) setting for the VMXNET3 driver is set to 2.
B. Parent virtual machines for a linked-clone pool require a minimum of 2 vCPUs.
C. The parent virtual machine does not have enough video RAM configured.
D. The Microsoft Windows 7 patch for the VMXNET3 driver has not been installed.

Answer: D

NEW QUESTION 147

An administrator needs to configure a user for View Composer to add computers to the domain. Company policy restricts the administrator account from being used.
Which three non-default permissions must be added to the account to accomplish this? (Choose three.)

A. Delete Computer Objects
B. Create Computer Objects
C. List Contents
D. Write All Properties
E. Read Permissions

Answer: ABD

NEW QUESTION 152
Which two requirements must be met to enable use of the View Composer Array Integration feature? (Choose two.)

A. A Full-Clone Desktop Pool
B. A Linked-Clone Desktop Pool
C. An NFS Array
D. A VMFS Array

Answer: BC

NEW QUESTION 153
An administrator is creating a View full clone desktop pool and needs to enable the 3D Rendering feature. However, the option to select the 3D Renderer is unavailable.
What should the administrator do to enable this feature to be selected?

A. Set the default display protocol to RDP.
B. Install the latest View Feature Pack.
C. Enable the 3D Rendering option on the ESXi hosts.
D. Set Allow users to choose protocol to No.

Answer: D

NEW QUESTION 158
An administrator needs to increase the number of desktop resources in a dedicated assignment manual pool. This pool is made of unmanaged virtual machines.
What should the administrator do?

A. Create additional virtual machines and add them to the pool as desktop sources.
B. Edit the pool settings to increase the minimum number of desktops.
C. Change the vCenter Server settings in the pool to Provision on demand.
D. Increase the number of available replica virtual machines in View Composer.

Answer: A

NEW QUESTION 163
An application was packaged using ThinApp and access is restricted to an Active Directory group called Customer Services. An administrator needs to remove this restriction.
What should the administrator do to remove this restriction with the least effort?

A. Repackage the application, selecting Everyone from the Setup Capture wizard.
B. Remove the PermittedGroups section from package.ini and execute build.bat.
C. Change PermittedGroups=1 to 0 within package.ini and execute sbmerge.exe.
D. Change PermittedGroups=0 to 1 within package.ini and execute sbmerge.exe.

Answer: B

NEW QUESTION 168
A potential Branch Reflector has ample disk space to store base layers, application layers, driver libraries, and User State Migration Tool (USMT) files.
Which other conditions are required for an endpoint to become a Branch Reflector?

A. Power-saving features enabled Directly connected to the LANTCP port 8001 to support connections from other Mirage endpoints
B. Power-saving features disabled Directly connected to the LAN
C. TCP port 8001 to support connections from other Mirage endpoints
D. Power-saving features disabled Directly connected to the WANTCP port 8000 to support connections from other Mirage endpoints
E. Power-saving features enabledDirectly connected to the wireless networkTCP port 8001 to support connections from other Mirage endpoints

Answer: B

NEW QUESTION 173
......

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

2V0-651 Practice Exam Features:

* 2V0-651 Questions and Answers Updated Frequently

* 2V0-651 Practice Questions Verified by Expert Senior Certified Staff

* 2V0-651 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* 2V0-651 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The 2V0-651 Practice Test Here