

Oracle

Exam Questions 1Z0-419

Oracle Application Development Framework 12c Essentials



NEW QUESTION 1

you access a page in your auh application mat refers to Dinaings caning auh business components.
 Which statement is true at run time about the ADF Business Component application module? (Choose the best answer.)

- A. An application module is automatically instantiated (or each user session and allocated to that user for the life of their session).
- B. The programmer must instantiate an application module in a JSF managed bean and carry the application module for the life of the user session.
- C. One application module bean is instantiated and shared by all user sessions.
- D. An application module instance is checked out of the application module pool and given to the user session for at least that request, or longer depending

Answer: A

NEW QUESTION 2

Which option represents the expression you would use to determine if a user belongs to the administrator role? (Choose the best answer.)

- A. `{securityContext.userInRoleadministrator'}}`
- B. `adf.context.securityContext.role.administrator`
- C. `{securityContextuserGrantedResource [administrator1]}`
- D. `sfadfSecurity.userInRoleadministrator'}}`
- E. `adf.context.secuhtyContext.userInRole.administrator`

Answer: D

NEW QUESTION 3


Where could you write code to change the color of a JSF input text component if the value of the salary field on the same page is higher than a fixed value?
 (Choose the best answer.)

- A. in a backing bean
- B. in the validation for the view object's salary attribute
- C. in the CSS file that defines the skin for the application
- D. in a custom validator defined at the field level

Answer: D

NEW QUESTION 4

View the Exhibit



Which three options are true about the scenario in the Exhibit? (Choose three)

- A. Two separate view object instances allow you, at run time, to maintain two separate current row indicators on each instance respectively, to display separate records at the same time.
- B. Two separate view object instances defined through the same application module create separate entity object caches, allowing users to modify records in their own independent transactions.
- C. Two separate view object instances exposed through the application module allow you to apply separate view criteria and bind variable values to show separate result sets.
- D. Under the relating AppModuleDataControl in the JDeveloper Data Controls window, each view object instance appears as a separate selectable data collection
- E. ADF Faces restricts developers from using the same view object instance across pages, so developers at design time must create multiple separate view object instances.

Answer: ACD

NEW QUESTION 5


Which three objects can the "Create business Components from Tables" wizard create? (Choose three.)

- A. query-based view objects based on database tables
- B. application module
- C. entity objects based on database tables
- D. entity object Java classes
- E. application module Java classes
- F. nested application modules

Answer: ABC

NEW QUESTION 6

View the Exhibit



How would you implement functionality to display product details in a separate window when users place their cursors over a link in the table? (Choose the best answer.)

- A. Create detail components in an afpopup component Add afshowPopupBehavior to the link within the table and set the PopupId to the ID of the pop-up
- B. Create detail components in an afdialog componen
- C. Add afshowPopupBehavior to the link within the table and set the PopupId to the ID of the dialog
- D. Create detail components in an afpopup component Add af showPopupBehavior to the link within the table and set the PopupId to the ID of the pop-up
- E. Create detail components in an apanelForm componen
- F. Add af:showPopupBehavior to the link within the table and set the PopupId to the ID of the pari-
- G. Create detail components in an afdialog componen
- H. Add af clientAttribute elements to the link within the tabl
- I. Create afsetPropertyListener componer

Answer: C

NEW QUESTION 7

You need to execute a managed bean function immediately when af:selectBooleanCheckhox is selected by a user. Which listener property would you implement in the managed bean?

- A. valueChangeListener
- B. selectionListener
- C. actionListener
- D. queryListener
- E. phaseListener

Answer: A

NEW QUESTION 8

Your page contains the following code that is invoked on an action by the current user;

```
<af:setPropertyListener from("#{applicant:surname}" to-"#{...}" type-'action'7>
```

To receive the value from the to property of the afsetPropertyListener, you create a managed bean as follows

```
package view;
public class Employee { String lastName;
    public void setLastName(String lastName) { this.lastName = lastName; }
    public String getLastName() { return lastName; }
}
```

In the adfc-config.xml file, the managed bean is configured as:>

```
<managed-bean>
<managed-bean-name>emp</managed-bean-name>
<managed-bean-class>view. Employee</managed-bean-class>
<managed-bean-scope>pageFlowScope</managed-bean-scope>
</managed-bean>
```

What EL expression would you write in the af:setPropertyListener "to" property to write the value to the lastName string of the Employee class? (Choose the best answer.)

- A. to=#{lastName}"
- B. B.to=#{LastNamer
- C. C.to=#{pageFlowScope.emp.lastName):
- D. to^frfpageFlowScopeEmplastName)"
- E. to=#{emp.lastName}e
- F. to=#{pageFlowScope emp LastName}"

Answer: C

NEW QUESTION 9

Select three benefits that ADF Data Controls provide. (Choose three.)

- A. They abstract the UI developer from the technology used to implement business logic.
- B. They reduce the need to write managed beans.
- C. They automate Ajax updates to the UI. D They enable drag-and-drop of data objects to UI component bindings.
- D. They directly connect your UI to the database tables.

Answer: ABD

NEW QUESTION 10

Which two options represent techniques that you would use together to deploy an ADF application? (Choose two.)

- A. Deploy an EAR file by using Enterprise Manager.
- B. Create an EAR deployment profile in JDeveloper.
- C. Deploy a WAR file by using Ant or ojdeploy.
- D. Create a JAR deployment profile for a shared library in JDeveloper.
- E. Deploy a WAR file by using Enterprise Manager

Answer: AB

NEW QUESTION 10

Which two statements describe the role of Oracle Application Development Framework (ADF) in Oracle's next-generation Fusion business applications? (Choose two.)

- A. Oracle ADF is primarily a PL/SQL framework used for developing enterprise business applications such as Oracle's next-generation Fusion business applications
- B. Oracle ADF is used by Oracle to develop Oracle's next-generation Fusion business applications.
- C. Oracle ADF provides a common development framework that is built on Java standards and can be deployed to Oracle Fusion Middleware.
- D. Oracle ADF is used only for developing Oracle's next-generation Fusion business applications.

Answer: BC

NEW QUESTION 13

Identify the two phases in the JSF life cycle that are always processed for a request, regardless if errors occur. (Choose two)

- A. Restore View
- B. Apply Request Values
- C. Process Validations
- D. Update Model Values
- E. Invoke Application
- F. Render Response

Answer: AB

NEW QUESTION 16

Which two statements are true about af:tree? (Choose two.)

- A. You can show only one outputText per node in aftree.
- B. To modify the data fields shown in a node of a tree created with ADF binding, you need to edit the tree bindings.
- C. You can specify a filter for a tree's node based on an attribute value at design time.
- D. Trees can display, at the most, a three-level-deep hierarchy.

Answer: AC

NEW QUESTION 21

Which two components allow you to divide your page into two sections, where one section can be collapsed and expanded by the user, without the need to code I

- A. afpanelBorderLayout
- B. afpanelSplitter
- C. afstretchLayout
- D. afpanelDrawer
- E. afpanerTabbed

Answer: AB

NEW QUESTION 25

Identify three statements that are true about JSF. (Choose three.)

- A. Components are used to define page structure.
- B. Navigation between pages is defined outside of the JSF page in the metadata.
- C. Managed beans can have only one of two memory scopes.
- D. Managed beans can be accessed from more than one page.
- E. JSF does not support template creation for pages.

Answer: ABD

NEW QUESTION 27

For what purpose would you use the entity object attribute setting Change Indicator?(Choose the best answer.)

- A. to highlight the attribute in the UI with a border when the original attribute value has been changed
- B. to fire an entity object custom method as soon as the original attribute value has been changed
- C. to automatically lock the corresponding record in the database
- D. to automatically refresh the attribute value if the underlying data in the database is changed by another user
- E. to define an attribute that the framework uses to check whether the update is about to happen on underlying stale data in the database

Answer: C

NEW QUESTION 31

Which statement is true about the use of data controls in JSF? (Choose the best answer)

- A. Only Oracle ADF Business Components can be exposed as data controls.
- B. Dragging a data control onto a JSF page generates a Java class that acts as a managed bean
- C. An XXXpagedef.xml file holds detailed information about a JSF page's use of data and operations exposed through ADF Data Controls
- D. Data controls eliminate the need to use expression language in your JSF code for binding the UI to data
- E. A Databindings.cpx file holds names of managed beans that you map to UI elements

Answer: D

NEW QUESTION 35

Your database has a strict security requirement that whenever users select from any table in the database schema, they must append the select statement with an additional where predicate that returns only records WHERE owner = :pUserName. This restricts users to seeing only records that they own.

When you design and develop the ADF Business Components in your ADF application, there will be more than 100 view objects that select against this database.

You want to build a solution that not only ensures all your developers, when writing view objects, meet the database's strict security requirement, but takes the least amount of development effort for your entire team and is easy to maintain in the long term.

Identify the correct solution. (Choose the best answer.)

- A. Define a view criteria on each view object at design time to apply the predicate to the corresponding view object, ensuring the view criteria is defined against the view object instance in the Application Module Editor
- B. Override each view object's ViewObjectImpl class methods to programmatically modify each view object's where clause at run time to add the predicate to the select clause regardless of the query executed.
- C. Create a complete set of custom ADF Business Component framework classes for your business components and then override your custom ViewObjectImpl class to programmatically modify each view object's where clause at run time to append the predicate.
- D. in each view object, simply type the predicate into the WHERE clause of the View Object Editor query page.

Answer: C

NEW QUESTION 39

Which three statements are true about the default value for an entity object attribute? (Choose three.)

- A. it can be a literal value.
- B. it can be defined by a Groovy expression.
- C. it can be defined by a SQL select statement.
- D. it can be defined by an Expression Language (EL) statement.
- E. it can be defined by referencing a database stored procedure.

Answer: ABD

NEW QUESTION 40

You have three application modules: A, B, and C. Application modules B and C are nested under the root application module A. Which statement is true when committing the nested application module B? (Choose the best answer.)

- A. No view objects are committed
- B. Only changes to view objects exposed through application module B are committed
- C. Only changes to view objects exposed through application modules A and B are committed
- D. All changes to all view objects exposed through all application modules A, B, and C are committed.

Answer: C

NEW QUESTION 44

You create a new ADF Faces page called emp.jspx and bind some data controls to that page. You notice a file called empPageDef.xml. What is this file for? (Choose best Answer)

- A. it is the page definition that contains the XML representation of the page layout and the components on that page.
- B. it is a template file into which you can write any managed bean code.
- C. it is the page template definition file that represents the chosen quick start layout.
- D. it is the file that contains the definition of the bindings to your data-bound components.
- E. it defines the binding context for all pages in your application.

Answer: D

NEW QUESTION 48

Consider a case where a view does not load with the expected data. Where would you set a breakpoint to debug the issue? (Choose the best answer.)

- A. the executable binding for the iterator on the pagedef for the view
- B. a router activity that is used to determine where to send the user after selecting a row in the view
- C. the partialTriggers property of the data bound component in the view
- D. the value binding for the iterator on the pagedef for the view

Answer: D

NEW QUESTION 49

During design time, you define two root application modules, each with a single view object. At run time, you have a single page exposing each view object as a separate table on the same page. Three users access the page at run time simultaneously. Disregarding application module pooling, how many application module instances are instantiated to serve the three users at run time? (Choose the best answer.)

- A. 1
- B. 2
- C. 3
- D. 6

Answer:

NEW QUESTION 52

What is the purpose of applying a view criteria to a list accessor (that defines the data source of a list of values)? (Choose the best answer.)

- A. it allows the data in the list to be filtered based on the view criteria.
- B. Defining a view criteria allows you to specify different UI options for the list of values.
- C. it automatically gives end users a search panel from which they can filter the data in the list of values.
- D. it defines the order in which the data in the list appears.
- E. it automatically prevents excessively long lists of values by forcing the application of view criteria if the list of values has more than a defined number of rows returned

Answer: A

NEW QUESTION 56

Which statement is true about the role of data controls in ADF? (Choose the best answer)

- A. They implement business service functions.
- B. They persist data from the database for display in the user interface
- C. They provide a consistent abstraction over the implementation details of a business service.
- D. They are a Java API that is called directly from each UI component to populate the component with data.
- E. They are the primary source of validation logic to control the behavior of your business service.

Answer: C

NEW QUESTION 61

Which two scopes can you use to make a value in a managed bean available for at least three pages in a task (low)? (Choose two.)

- A. request
- B. pageflow
- C. view
- D. application
- E. server

Answer: BD

NEW QUESTION 64


Consider a case where an application does not respond as predicted when a user submits data. Where would you set a breakpoint to debug the issue? (Choose the best answer)

- A. the value binding for the iterator on the pagedef for the view
- B. a view activity that is used to determine where to send the user
- C. the partialTriggers property of the data bound component in the view
- D. the Apply Request Values phase of the life cycle

Answer: A

NEW QUESTION 66

View the Exhibit



Which two modifications would you make in the task flow so that RegisterRouter displays the appropriate page depending on the user type and subsequently displays the confirmation page? (Choose two.)

- A. Define the isCustomer outcome in RegisterRouter
- B. Create a global control flow rule pointing to CustomerPage
- C. Create a control flow rule from EmployeePage to Confirmation
- D. Change the default activity from Register to RegisterRouter.
- E. Set the isEmployee outcome to #{FALSE}.

Answer: AB

NEW QUESTION 67

The current page includes the following entries in its page definition file:

```

<bindings>
<attributeValuesforBinding="EmployeesView1 Iterator" id="Email">
<AttrNames>
<ItemValue="Email"/>
</AttrNames>
</attributeValues>
</bindings>
  
```

Programmatically, in a managed bean, you need to read the current EmployeesView's email into a string. You write the following code to do this:

```

DCBindingContainer bc = (DCBindingContainer)BindingContext.getCurrent().getCurrentBindingsEntry();
XXXXXXXX emailBinding = <XXXXXXXX>bc.findCtrlBinding("Email"); String emailValue = emailBinding.getAttribute().getString();
  
```

What single class must you substitute for XXXXXX in the two locations in the code? (Choose the best answer.)

- A. CtrlBindingContext
- B. JUCtrlActionBinding
- C. JUCtrlValueBinding
- D. DCValueBinding E BCValueBinding

Answer: C

NEW QUESTION 70

Which two statements describe the characteristics of an entity object? (Choose two.)

- A. An entity object represents a cache for records retrieved from the database.
- B. An entity object includes an ORDER clause to allow you to order the data in it.
- C. An entity object includes a WHERE clause to allow you to shape the data in it.
- D. Every column in a database table must be represented as an entity object attribute.
- E. An entity object definition is described in XML.

Answer: AD

NEW QUESTION 74

Which three options are available in the ADF Controller that are not available in the generic JSF 2.0 controller layer? (Choose three.)

- A. pageflow scope: a memory scope for managed beans that is available for several pages (longer than a request scope and shorter than a sessionscope)
- B. ability to break the page flow of an application into multiple files
- C. subflows that can be included as regions inside a page
- D. method calls as part of the definition of a page flow
- E. defining managed beans that contain references to components on a page

Answer: ACE

NEW QUESTION 79

Consider a development organization divided into two teams, one developing ADF Business Components and related methods, and one developing the view and controller layers. What two steps would the Business Components team perform to deliver the results of their work to the other team? (Choose two.)

- A. Share the root AppModuleImpl file on the file system or other shared location.
- B. Create an ADF Library JAR file for the model project
- C. Create a path to the ADF Library JAR file in Tools > Manage Libraries
- D. Add the ADF Library JAR to the ViewController project
- E. Share the ADF Library JAR file on the file system or other shared location

Answer: BD

NEW QUESTION 82

Which three statements are true about `afpanelTabbed`? (Choose three.)

- A. Tab position can be only top or bottom.
- B. Content inside a tab can stretch horizontally.
- C. You can use icons instead of text on tabs.
- D. You can have only one disclosed tab at a time.
- E. You cannot have an `afpanelTabbed` component inside one of the tabs.

Answer: BDE

NEW QUESTION 84

Select three options that page template developers can use when creating a page template. (Choose three.)

- A. Create a page template based on a quick start layout.
- B. Create a page template based on an existing JavaServer Faces (JSF) page.
- C. Create a JavaServer Faces Fragment (JSFF) and register it as a page template.
- D. Create a page template based on an existing template.
- E. Create a page or fragment from a blank layout and register it as a page template.
- F. Create a page template from a blank layout.

Answer: BDF

NEW QUESTION 87

You have two entities, `ItemEO` and `ProductEO`. `ItemEO` contains the `OrderId`, `itemId`, `ProductId`, `Price`, and `Quantity` attributes. `ProductEO` contains the `Id`, `ProductName`, and `ListPrice` attributes. You need to return rows as shown in the table.

OrderId	ItemId	ProductId	ProductName
101	1001		
	34321		
	Ski hat	101	
	100?		
	38997		
	Downhill ski poles	102	
	1003		
	30315		
	Swim goggles	103	
	1004		
	31876		
	Baseball mitt		

How would you create a view object to encapsulate these rows? (Choose the best answer)

- A. Create a view object based on the `ItemEO` entity and add `ProductEO` as a reference entity.
- B. Create a view object based on the `ItemEO` entity and modify the generated query to include `SELECT ProductEO NAME`
- C. `ProductEOJD, FROM S_PRODUCT ProductEO.`
- D. Create a view object based on the `ItemEO` entity and modify the `WHERE` clause to include `ItemEO PRODUCTJD = ProductEO ID`
- E. Create a view object based on the `ItemEO` entity and create a view criteria to add `ItemEO PRODUCTJD - :productI`
- F. Define `productId` as a bind variable to be passed in by the UI
- G. Create a view object based on the `ItemEO` entity and change the query mode to Expert. Define the query as `SELECT Item ORDJD, Item ITEMJD, Item.PRODUCTJD, Product.NAME, FROM SJTEM Item JOIN S_PRODUCT Product ON Item.PRODUCT_ID=ProductId.`

Answer: E

NEW QUESTION 90

What should be in a managed bean, rather than a backing bean? (Choose the best answer.)

- A. code that manipulates the color of a text field on a JSF page
- B. data that is used to decide if a field is shown as mandatory or not
- C. data that is used on another page in the task flow
- D. code that opens a pop-up in the page

Answer: C

NEW QUESTION 92

Which statement is true about creating a method at the application module level? (Choose the best answer.)

- A. You cannot create methods at the application module level.
- B. Application module methods provide an interface for the view layer to call custom business logic that may work across multiple data views.
- C. Application module methods are best suited to writing validation logic for entity objects.
- D. Methods in an application module allow you to manipulate UI components in the ViewController project
- E. Because ADF provides no way at run time to automatically create or delete view object records, you must create application module methods to do this.

Answer: B

NEW QUESTION 93

Which statement is false? (Choose the best answer)

- A. A panelDashboard has the same rowHeight (or all the rows)
- B. AFStretchWidth in the style class of a panelGroupLayout causes it to fill the page horizontally
- C. panelGroupLayout cannot have a vertical scroll bar
- D. panelBox stretches if placed inside a panelStretchLayout center facet

Answer: C

NEW QUESTION 98

Consider the JSF managed bean code to execute a function in ADF Business Components via an af:button ActionListener on a page:

```
public void doSomething(ActionEvent event) {
    BindingContainer bindings = BindingContext.getCurrent().getCurrentBindingsEntry();
    OperationMethod method = bindings.getOperationBinding("appModuleMethod");
    Map paramsMap = method.getParamsMap();
    paramsMap.put("someParameter", "someValue"); method.execute();
}
```

Which three options must be implemented for this code to work? (Choose three.)

- A. For the page definition file this code is called from, it must have a <methodAction> binding mapped to the ADF BC data control application module function
- B. For the page definition file this code is called from, it must have a <parameter> binding mapped to the parameters of the ADF BC data control application module function.
- C. An appModuleMethod function must exist in the ADF BC application module to call from the <methodAction> binding.
- D. An appModuleMethod function must be exposed through the client interface editor of the ADF BC application module.

Answer: ABC

NEW QUESTION 100

Which three options does an entity object automatically implement? (Choose three.)

- A. primary key functionality based on any column in the database that is marked as a primary key
- B. not-null functionality based on any column in the database that is marked as not null
- C. attribute precision based on column size
- D. all table check constraints
- E. any table triggers

Answer: ABC

NEW QUESTION 105

You want to configure an application so that users can shop for products anonymously without authentication, and must then authenticate after they enter the checkout process How would you enable this requirement? (Choose the best answer)

- A. Grant roles access rights to the task flow containing the checkout process
- B. Ensure the task flow containing the shopping process is unbounded
- C. Remove ADF Security for the application and replace it with Java EE Security for the task flow containing the checkout process
- D. Add a view containing a login form to the task flow containing the checkout process

Answer: D

NEW QUESTION 107


Which method must you override to ensure that messages are logged each time bind variable values are set in an application? (Choose the best answer.)

- A. bindParametersForCollection() method in any ViewObjectImpl that uses bind variables
- B. setBindVariables() method in any ViewObjectImpl that uses bind variables
- C. bindParametersForCollection() method in the super-class of ViewObjectImpl
- D. bindParametersForCollection() method in the super-class of ApplicationModuleImpl

Answer: C

NEW QUESTION 111

View the Exhibit



You have defined a compare validation rule on the CommissionPct attribute of the Employees entity object such that Commission must be greater than zero. How would you define that the validation rule applies only to those with the JobId "SA_MAN" using the declarative features of ADF Business Components? (Choose the best answer.)

- A. Remove the current validator and, instead, write a method validator in Java and use an if statement to check the value of JobID.

- B. Remove the current validator and, instead, write a script validator using Groovy and use an if statement to check the value of JobID.
- C. Remove the current validator and, instead, write a regular expression validator to check the value of JobID
- D. The entity object has a Validation Execution tab and you use this to set a conditional execution expression JobId = "SA_MAN".
- E. Change the literal value in the current validation rule to be if JobId = SA_MAN then return 0.1 else return null.

Answer: B

NEW QUESTION 114

When creating a bounded task flow that uses ADF Business Components, which two steps do you need to perform to enable the task flow to manage its own transaction"? (Choose two.)

- A. Define transaction properties at the task-flow level
- B. Include a phaseUstener in a managed bean with methods for commit and rollback
- C. Add the application module commit and rollback operations as buttons or links on the last JSF page of the flow
- D. Define task flow return activities in the flow and associate "End transaction" attribute values with them

Answer: AD

NEW QUESTION 117


When you manually create a binding such as an attribute value binding, what name would you give to the binding? (Choose the best answer.)

- A. a name that reflects the UI component to which it is bound
- B. the page name suffixed with the UI component name to which it is bound
- C. the page name suffixed with the data control name
- D. the name of the data control attribute to which the binding refers
- E. an EL (Expression Language) of the form #{bindmgs<datacontrolname> value}

Answer: B

NEW QUESTION 119

View the Exhibit



What does the SetCurrentRowWithKey activity do for this task flow? (Choose the best answer.)

- A. calls a method
- B. calls the updateCustomer page
- C. determines whether the user is navigated to the updateCustomer or callEmployeeTF activity
- D. displays a pop-up that allows the user to enter a value for the current row

Answer: B

NEW QUESTION 122

Which three statements are true about using a dvt;map component on a page? (Choose three.)

- A. You need to define a connection to a server that provides map images.
- B. You can use an exact street address to show a point theme.
- C. There is no way to display the distance between two points on a map.
- D. You can modify the icon used to represent a point on a map.

Answer: A

NEW QUESTION 126

Your organization has specified that menu components should be located on the left-hand side of a page and that the main content should be displayed in the center. How do you ensure that developers adhere to this standard? (Choose the best answer.)

- A. Ask all developers to use the two-column quick start layout.
- B. Create a page template that defines the specified layout and distribute it to developers
- C. Create an ADF library that contains a collection of ADF Faces components that developers must use
- D. Create a task flow template that defines the specified layout; this will enforce the correct layout on all pages that are built from the template.

Answer: B

NEW QUESTION 129

Which two occur when a bounded task flow is created as a region on a page? (Choose two.)

- A. The transaction property of the task flow is set to "Use Existing Transaction if Possible."
- B. Any views defined as pages on the bounded task flow are changed to page fragments.
- C. An af:region tag is added to the page.
- D. The refresh property of the task flow binding is set to ifNeeded.
- E. a task flow binding is added to the page definition for the page.

Answer: CE

NEW QUESTION 130

Which three statements are true about declarative features of view objects? (Choose three.)

- A. You can use view object bind variables to parameterize a view object where clause with values supplied at run time.
- B. By default, a view object instance retrieves all database rows into the view object cache.
- C. To implement master-detail behavior between two view object instances, you define an association between those instances.
- D. a view accessor defines a validation expression that you apply to a view object attribute.
- E. A view object can include attributes whose values are based on SQL expressions rather than mapping directly to a database column.
- F. A view object definition can include many view criteria but you can choose which view criteria to apply for each view object instance.

Answer: ACE

NEW QUESTION 133

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Z0-419 Practice Exam Features:

- * 1Z0-419 Questions and Answers Updated Frequently
- * 1Z0-419 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-419 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-419 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Z0-419 Practice Test Here](#)