

1z0-934 Dumps

Oracle Cloud Platform Application Integration 2018 Associate

<https://www.certleader.com/1z0-934-dumps.html>



NEW QUESTION 1

Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Node Service Account
- B. Deploy API
- C. View all Details
- D. Deploy to Gateway

Answer: A

NEW QUESTION 2

Which two are NOT default start and end events in Process Cloud Service?

- A. Folder start and None end event
- B. SOAP start and SOAP end event
- C. None start and end event
- D. Task start and end event

Answer: BD

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-process-start-and-end.html#GUID-E3E20D7>

NEW QUESTION 3

Which two are On-prem Connectivity Options with Oracle Integration Cloud (OIC)?

- A. VPN
- B. Connectivity Agent
- C. PaaS Agent
- D. Execution Agent

Answer: BC

Explanation: <https://blogs.oracle.com/soaproactive/announcing-oracle-integration-cloud-oic>

NEW QUESTION 4

What are the three threshold values for Database space?

- A. Quiesced Mode Threshold
- B. Un-Quiesce Threshold
- C. Warning Threshold
- D. Error Threshold

Answer: ABC

NEW QUESTION 5

Which two are execution modes supported by gateway node in Integration API Platform Cloud Service?

- A. Production
- B. Development
- C. Stage
- D. Test

Answer: AB

Explanation: <https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/installing-gateway-node.html#GUID-A02059C9>

NEW QUESTION 6

Which four are states that a device can be in throughout its lifecycle?

- A. Activated
- B. Decommissioned
- C. Disabled
- D. Saved
- E. Deactivated
- F. Registered

Answer: ABEF

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 7

Which is a required prerequisites for API Platform Cloud Services?

- A. Storage Cloud Service and Compute Cloud Service
- B. Integration Cloud Service
- C. Database Cloud Service (DBCS) and Storage Cloud Service
- D. Java Cloud Service (JCS) and Database Cloud Service (DBCS)

Answer: B

NEW QUESTION 8

Which three are ways enterprise applications can interact with Oracle Internet of Things (IoT) Cloud Service?

- A. send commands/messages
- B. insert/update/delete data
- C. subscribe to data
- D. query data
- E. subscribe to commands/messages

Answer: ABD

NEW QUESTION 9

Which is NOT an activity that an Application Developer (API Consumer) can perform in the Developer Portal in Integration API Platform Cloud Service?

- A. Learn about APIs
- B. Subscribe to a plan
- C. Create an API
- D. Test an API
- E. Create Application
- F. Monitor performance

Answer: F

Explanation: <https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfdv/typical-workflow-consuming-apis.html#GUID-0>

NEW QUESTION 10

Which four are valid for integration using Service Oriented Architecture Cloud Service (SOACS)?

- A. Retrieve/Update supported data elements on the SaaS applications using REST Services in real time.
- B. SOACS has read access to HCM and ERP Cloud (SaaS) Applications data.
- C. Create Files in the required format and Orchestrate PBL data loads into the HCM/ERP Cloud.
- D. Create Files in the required format and Orchestrate FBDL data loads into the HCM/ERP Cloud.
- E. Create Files in the required format and Orchestrate ADFDi data loads into the HCM/ERP Cloud.
- F. Create Files in the required format and Orchestrate HDL data loads into the HCM/ERP Cloud.

Answer: ABEF

NEW QUESTION 10

What fields are used to define static or dynamic list of values in web forms in Process Cloud Service?

- A. Links, Email and Message Fields
- B. Checklists, Radio button or Select controls
- C. Date, Time and Number Fields
- D. Text Input and Area Fields

Answer: B

Explanation: To configure static and dynamic list of values (for checklist, radio button and select controls):

- ▶ From the Basic Palette, drag and drop a checklist, radio button or select control onto the canvas.
- ▶ Select the control and configure its static list of values on the Properties pane General tab.
- ▶ Go to Option Source
- ▶ In the Option Names
- ▶ In the Option Values and clickStatic.
- field, enter a label to display for each option. field, enter an internal value for each option.
- ▶ Specify a default value from the option values available in the Default Value field.
- ▶ Select an option in the Autofocus loads.
- field to make that option the selected option when the form
- ▶ Optionally, configure dynamic list of values for the checklist, radio button or select control. There are two options to configure dynamic list of values.
- ▶ Specify that the control's options should come from a list of value data attributes defined in the Data definition pane.
- ▶ Click From Data.

- ▶ Select the list of values options source from available attributes in the Options List field.
 - ▶ Specify a default value from the options available in the Default Value field.
 - ▶ Select an option in the Autofocus form loads.
field to make that option the selected option when the
 - ▶ Specify that the control's options should come from a REST connector created for the application.
 - ▶ Click Connector.
 - ▶ Specify the connector settings in the Connector, Resource and Operation fields and map response settings. See Populating Controls Using REST Calls.
 - ▶ Select an option in the Autofocus form loads.
field to make that option the selected option when the
 - ▶ Click Preview to try out using the control.
- <https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced-controls.html#GUID-0A790FE5>

NEW QUESTION 12

Which two are types of Authentication that are supported for Services in Integration API Platform Cloud Service?

- A. Kerberos
- B. WSS Username Token
- C. OAuth2
- D. BasicAuth

Answer: CD

Explanation: https://cloud.oracle.com/opc/paas/datasheets/APIPCSDatSheet_Jan2018.pdf

NEW QUESTION 13

Oracle Application Adapters in Service-Oriented Architecture Cloud Service (SOA CS) can connect to on-Premise systems. What are 2 key elements that you need to review in this architecture?

- A. Account for network connectivity and latency sensitivity to the on-premise application in the architecture.
- B. Ensure that Oracle Support Notes for a hybrid cloud architecture with that application are reviewed and supported.
- C. Design a load balancer solution for connectivity.
- D. The DMZ needs to open port 80 for proper connectivity.

Answer: AC

NEW QUESTION 18

Which three are types of certificates that can be imported from Settings?

- A. Identity Certificate
- B. Multi Domain SSL Certificate
- C. Trust Certificate
- D. Message Protection Certificate
- E. Unified Communications Certificate

Answer: ACD

NEW QUESTION 22

Which built-in API platform policy lets you manipulate the request context?

- A. Application Rate Limiting Policy
- B. Key Validation Policy
- C. Redaction Policy
- D. Groovy Script Policy

Answer: D

Explanation: https://docs.oracle.com/cd/E83857_01/paas/api-platform-cloud/apfad/using-oracle-api-platform-cloud-service.p

NEW QUESTION 23

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors' What needs to be verified when this exception message is received?

- A. Run this command to verify code.keystore has system certificates: keytool -list -stotetype JKS -keystore config\code.keystore
- B. Run this command to verify code.truststore has system certificates: keytool -list -storetype JKS -keystore config\code.truststore
- C. Run this command to verify cacerts has system certificates: keytool -list -storetype JKS -keystore security\cacerts
- D. Run this command to verify code.certstore has system certificates: keytool -list -storetype JKS -keystore config\code.certstore

Answer: A

NEW QUESTION 28

Which two statements are true about implementing an API-First strategy?

- A. The API is to be developed first before any UI or new business logic are created.
- B. It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- C. The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D. You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

Answer: AB

NEW QUESTION 29

What two tasks can a user with the Application Developer role perform?

- A. Subscribe to a Plan.
- B. Deploy to a Gateway.
- C. Create an API.
- D. Create an Application.

Answer: CD

Explanation: https://docs.oracle.com/cd/A58617_01/server.804/a58241/ch2.htm

NEW QUESTION 30

Which expression can you use to schedule integration runs?

- A. a XPATH
- B. an iCal
- C. a JavaScript
- D. a XSLT

Answer: B

Explanation: https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.

NEW QUESTION 31

Which Enterprise Application System can be integrated with Oracle Internet of Things (IoT) Cloud Service?

- A. any system capable of receiving HTTP connections or making HTTP requests
- B. only systems which are deployed on Windows or Unix platform
- C. a system which exposes REST Service
- D. a system which exposes WSDL

Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/integrating-oracle-integration-cloud-service-oracle-iot-clou>

NEW QUESTION 34

Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

- A. Notification
- B. Metadata
- C. Orchestration
- D. Map Data

Answer: CD

Explanation: <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-integrations.html#GUID-FC613C>

NEW QUESTION 39

Which three are tasks that can be performed in the Monitoring page for device data messages and alert messages?

- A. Create
- B. Update
- C. View
- D. Filter
- E. Search

Answer: ACE

NEW QUESTION 41

What options are available for Escalation and Expiration of human tasks in Process Cloud Service?

- A. Escalate, Restart, Next or Previous
- B. Renew, start, end, or error
- C. Never Escalate, Skip, hierarchy, or New

D. Never expire, Expire, Renew, or Escalate

Answer: D

Explanation: Configuring Task Expiration, Renewal, or Escalation

You can configure a human task to never expire, to expire after a certain time, to renew the expiration time, or to escalate after a certain time passes.

To configure an action to perform on a specific deadline:

▶ Click the Escalation and Expiration tab on the implementation pane.

The Escalation and Expiration tab appears.

▶ Use the radio buttons to specify if you want the human task to Never expire, Expire, Renew, or Escalate.

▶ Never expire: the human task doesn't expire and if no user completes it, it remains in the users task list for an indeterminate period of time.

▶ Expire: the human task expires after the specified time and is no longer accessible from the task list.

▶ Renew: when the specified time passes, the expiration date is extended for one more period until it reaches the specified amount of renewals allowed.

▶ Escalate: when the specified time passes, the human task is escalated to the specified escalation levels.

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-human-tasks.html#GUID-3869867C-45A>

NEW QUESTION 42

Oracle JCA (J2EE Connector Architecture) Adapters simplify how applications connect to each other. Which three technology adapters are supported in Oracle's Service-Oriented Architecture (SOA) Cloud Service?

- A. Oracle JCA Adapter for Sockets
- B. Oracle EBS Application Adapter
- C. Oracle JCA Adapter for Files/FTP
- D. Oracle JCSA Adapter for JMS

Answer: ACD

Explanation: https://docs.oracle.com/cd/E28280_01/integration.11111/e10231/intro.htm#TKADP112

NEW QUESTION 47

Which four statements are correct regarding the differences between WSDL/SOAP and REST/JSON?

- A. REST is typically invoked with HTTP verbs.
- B. WSDL is simpler, REST is richer
- C. Modern API-First architectures prefer to use the old and true WSDUSOAP services over REST services because they are richer and provide a tighter contract
- D. WSDL is a request for a service; REST is a request for a resource
- E. WSDL is a tight contract; REST is a loose contract
- F. REST more easily used in developing UIs than WSDUSOA
- G. REST is gaining popularity in application development.

Answer: BCDF

NEW QUESTION 49

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)
- D. Process Expression Language (PEL)

Answer: C

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-language> Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model.

In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

NEW QUESTION 50

Which operation is NOT supported by Stage activity?

- A. Read Entire File
- B. Delete File
- C. Write File
- D. Unzip File
- E. Zip File
- F. Read File in Segments

Answer: F

NEW QUESTION 52

What policy is required to be in an API if that API is to be used under a Plan?

- A. Application Rate Limiting
- B. Basic Auth
- C. Key Validation
- D. Interface Filtering

Answer: C

NEW QUESTION 57

Which two options cannot be performed from the Monitoring Dashboard?

- A. Activity Stream Download
- B. Artifacts Download
- C. Download Incident Logs
- D. Download Lookup
- E. Download Diagnostic Logs

Answer: BC

NEW QUESTION 59

Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

- A. Cross-Origin Resource Sharing (CORS)
- B. Management Console Timeout Interval
- C. Message Storage and Command Notification
- D. OAuth Access Token Lifetime

Answer: A

Explanation: The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing-value.html>

NEW QUESTION 63

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. Manage API
- C. Entitle API
- D. View all Details and Deploy API

Answer: A

NEW QUESTION 64

Which REST API can be used for registering a device as third party device?

- A. CREATE `/iot/api/v2/private/partners`
- B. POST `/iot/api/v2/private/partners`
- C. REGISTER `/iot/api/v2/private/partners`
- D. PUT `/iot/api/v2/private/partners`
- E. GET `/iot/api/v2/private/partners`

Answer: B

Explanation: You can register all devices in Oracle IoT Cloud as third party partner devices by using this REST API: POST `/iot/api/v2/private/partners`.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/develop/specifying-devices-third-party-partner-devices-oracle-io>

NEW QUESTION 66

What are the four steps required to complete the task 'create a connection'?

- A. Configure Connection Properties
- B. Import SSL Certificate
- C. Test Connection
- D. Select an Adapter
- E. Configure Lookup
- F. Configure Connection Security

Answer: ACDF

NEW QUESTION 69

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

Answer: CD

Explanation: <https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

NEW QUESTION 72

Which is NOT a key advantage of using Oracle Integration Cloud (OIC)?

- A. Public/Private Cloud Portability
- B. choice of IDE for development
- C. Auto Association of Oracle SaaS Applications
- D. prebuilt integrations
- E. recommendations

Answer: B

NEW QUESTION 77

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

Answer: ABC

Explanation: <https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcs/components-oracle-soa-cloud-service.html>

NEW QUESTION 80

Which three options are available for Business rule conflict resolution in Process Cloud Service?

- A. No Conflict
- B. Skip
- C. Override
- D. Escalate
- E. Conflict

Answer: ACE

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/editing-rule-and-decision-table-properties.html>

NEW QUESTION 82

Which role is needed for managing users from Oracle Internet of Things (IoT) Cloud Service?

- A. lotUsersGroup
- B. TotAdministratorsGroup
- C. System Administrator
- D. lotOperatorsGroup

Answer: C

NEW QUESTION 83

Which two are ways Business Rules can be modeled in Process Cloud Service (PCS)?

- A. using Oracle Business Rules Editor
- B. using OIC Rule Editor
- C. using BPM Rule Editor
- D. using Decision Model Editor

Answer: AD

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-rules.html>

NEW QUESTION 86

Which Service-Oriented Architecture Cloud Service (SOA CS) component provides stateful orchestration?

- A. Oracle Mediator
- B. Oracle Business Activity Monitoring
- C. Oracle Service Bus
- D. Oracle Business Rules
- E. Oracle BPEL Process Manager

Answer: E

NEW QUESTION 87

Which two statements are true regarding mapper activity?

- A. You can drag and drop a source on to multiple targets.
- B. You cannot drag and drop a source on to a target that is already mapped.
- C. You can drag and drop function activity in the target.
- D. You can drag and drop switcher activity in the target.

Answer: CD

NEW QUESTION 89

Which schema is used for defining the field structure of an analytic object?

- A. Apache Avro schema
- B. XSD schema
- C. Database schema
- D. XSL Schema

Answer: A

Explanation: Using Schemas to Define the Fields of Analytics Objects You can import an Apache Avro schema file to define the field structure of your analytics object.

To import a schema file, your analytics object must not have any fields defined.

The namespace and object name in your schema file must match the name of the analytics object that you created.

▶ After you create your analytics object, click Import Schema.

The file browser dialog box appears.

▶ Select a valid Avro schema file from your computer and click Open.

For more information about Avro schemas, see Apache Avro.

The field structure defined in the schema file appears in the Fields section.

▶ Click Save.

The field structure defined in your Avro schema file is imported to your analytics object.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/using-schemas-define-fields-analytics-objects.html>

NEW QUESTION 94

Which three are valid Oracle Integration Cloud (OIC) Roles ?

- A. ServiceDeployer
- B. ServiceImplementor
- C. ServiceUser
- D. ServiceAdministrator

Answer: ACD

Explanation: Oracle Integration Cloud Roles Oracle Integration Cloud predefined roles govern access to various Oracle Integration Cloud features: Integrations, Processes, Visual Builder, Integration Insight, and Stream Analytics . Oracle Integration Cloud predefined roles include ServiceAdministrator, ServiceDeveloper, ServiceMonitor, ServiceDeployer, and ServiceUser.

<https://docs.oracle.com/en/cloud/paas/integration-cloud-um/integration-cloud-user-um/administering-oracle-inte>

NEW QUESTION 95

Which four are key features of Oracle Integration Cloud Enterprise (OIC)?

- A. Data stream analytics
- B. Application Integration
- C. Web and Mobile application creation
- D. Business process automation
- E. Enterprise Service Bus (ESB)
- F. Business to Business (B2B)

Answer: ABCE

NEW QUESTION 98

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

- A. a user with the Designer Role
- B. the same user who has edited the connection
- C. any user

D. a user with the Administrator Role

Answer: BD

Explanation: <https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-085410> Unlocking a Connection

When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited.

To unlock the connection:

▶ Log in again as the same user who was editing the connection when the browser crashed, then log out. For example, if you were logged in as icsdeveloper when the browser crashed, log in again as icsdeveloper, and log out. This action unlocks the connection.

or

▶ Log in as a user with the Administrators role.

▶ On the Oracle Integration Cloud Service home page, click Cthoennections diagram.

▶ For the connection that is locked, click the menu at the far right, then selUecntlock.

NEW QUESTION 99

What are the correct steps involved in Business process creation in Process Cloud Service?

A. Visio (vdx), BPMN 2.0 (bpmn) and XPDL 2.x (xpd)

B. Perform WSDL configuration, XML message definition and web page design

C. Create an Abstract, Design Services, Set up Notify, Configure Send and Receive and Decisions

D. Create a process; assign roles to the process; Design the flow; Configure flow element properties; Define the data and then Associate the data

Answer: D

Explanation: <https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-business-process.html#GUID-DE37452E-E16>

NEW QUESTION 100

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-934 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-934-dumps.html>