

2V0-651 Dumps

VMware Certified Professional 6 - Desktop and Mobility Beta

<https://www.certleader.com/2V0-651-dumps.html>



NEW QUESTION 1

A View environment includes a View Connection Server and View Security Server.

The View Connection Server has the following configuration:

? DNSName: view.company.com

? IP Address: 192.168.1.1

The View Security Server has the following configuration:

? DNSName:security.company.com

? IP Address: 10.10.10.1

An administrator needs to set up View to allow external access for users via PCoIP.

Which option represents the format in which information must be entered into the PCoIP External URL field in View Administrator?

A. https://security.company.com:443

B. https://10.10.10.1:4172

C. 10.10.10.1:4172

D. security.company.com:4172

Answer: C

NEW QUESTION 2

Several users within a corporation installed a team collaboration utility onto their Mirage- managed systems. The systems became erratic, so they uninstalled the application, but the problem remained.

An administrator needs to repair the users' systems and ensure they are compliant with the corporate image. All user profile data must remain intact.

What should the administrator do?

A. Revert to Snapshot with Restore System Only option selected.

B. Enforce All Layers with the Preserve user applications option selected.

C. Revert to Snapshot without Restore System Only option selected.

D. Enforce All Layers with the Remove user applications option selected.

Answer: D

NEW QUESTION 3

An administrator is creating a new Floating Assignment Linked-Clone pool. The pool will contain approximately 30 virtual machines based on a parent virtual machine with a 12GB disk and 100GB datastore.

What is the lowest Storage Overcommit Level that will support this pool?

A. None

B. Conservative

C. Moderate

D. Aggressive

Answer: B

NEW QUESTION 4

An administrator is creating a pool of desktops for a group of developers. The administrator needs to provide control to a user from the group to manage the recompose and refresh operations. The user's controls must apply only to the developer pool.

What should the administrator do?

A. Create a developer folder, add the developer pool, and assign a user with the Inventory Administrators role to the folder.

B. Create the developer pool and assign the Manage Desktops global privilege to the virtual desktops.

C. Create the developer pool and assign the Inventory Control global privilege to the virtual desktops.

D. Create a developer folder, add the desktops, and assign a user with the Manage Desktops role to the folder.

Answer: A

NEW QUESTION 5

What two prerequisites must be met before View Composer can be installed? (Choose two.)

A. No other application on the View Composer server should use Windows SSLv2 libraries.

B. A domain user account with Administrator privileges on the system must be used.

C. No other application on the View Composer server should use OpenSSLv2 libraries.

D. A local user account with Administrator privileges on the system must be used.

Answer: AB

NEW QUESTION 6

An administrator is adding a new desktop pool for a business unit that has recently started using Virtual Desktops. A new Organizational Unit (OU) has been created beside the original OU.

During provisioning of this new pool, the administrator receives an error message stating that creation of the computer accounts failed. The same View Composer domain account is being used for the existing pool and the new pool. The existing View Composer domain account is still functioning correctly for the original desktop pool.

What is causing the failure to create the computer accounts?

A. The Parent virtual machine being used for the pool has not been enabled for use in the new OU.

B. The new OU does not have the correct View-specific GPO settings applied.

C. The existing domain account is being used by the original OU and is locked for use on the new OU.

D. The new OU does not have the correct permissions applied for the View Composer domain account.

Answer: D

NEW QUESTION 7

An administrator is performing a silent installation of a security server and needs to ensure that clients can remotely access their desktops using View's default protocol.

Which parameter should the administrator use?

- A. VDM_SERVER_SS_BSG_EXTURL
- B. VDM_SERVER_SS_EXTURL
- C. VDM_SERVER_SS_PCOIP_IPADDR
- D. VDM_SERVER_SS_PCOIP_TCPPORT

Answer: C

NEW QUESTION 8

An administrator is building a new View parent image to boot the operating system (OS) from an .ISO file that is loaded with the virtual machine's CD-ROM. When the virtual machine boots, the .ISO does not load and instead, attempts a PXE boot.

What should the administrator verify the CD-ROM is set to in order to correct this issue?

- A. is set to Emulate IDE.
- B. is set to Connect at Power On.
- C. is set to Device Type - Client Device.
- D. is set to Device Type - Host Device.

Answer: B

NEW QUESTION 9

An administrator deployed a linked-clone pool with virtual desktops running Windows XP for a branch office. The Active Directory server supporting the office is a Windows Server 2008 Read Only Domain Controller (RODC). The administrator makes the following changes to Sysprep:

? Join the Domain

? Use the Virtual Machine name for the NetBIOS name

When the administrator attempts to provision the desktops using View Composer, the following error message is displayed:

View Composer agent initialization state error (18): Failed to join the domain (waited 565 seconds)


What should the administrator do to provision the virtual desktops?

- A. Configure the desktop pool to use Quickprep instead of Sysprep to provision the Linked Clones.
- B. Log in to the parent virtual machine and apply the RODC compatibility update for X
- C. Take a new snapshot and recompose the pool.
- D. Configure the virtual desktops to synchronize time from another domain controller that is available on the network.
- E. Log in to the parent virtual machine and reinstall the View Agen
- F. Take a new snapshot and recompose the pool.

Answer: B

NEW QUESTION 10

Refer to the Exhibit.



Based on the exhibit, which two paths are used for PCoIP traffic? (Choose two.)

- A. Path A
- B. Path B
- C. Path C
- D. Path D

Answer: AC

NEW QUESTION 10

An administrator is deleting a manual pool that contains unmanaged desktop sources and selects the Leave active option. How will the administrator's action affect connections to the pool?

- A. Connections will remain active until the user logs off.
- B. Connections will be accepted until the desktop source is unregistered.
- C. Connections will remain active for the period of time specified by the administrator.
- D. Connections will remain available until the next session state monitoring interval.

Answer: A

NEW QUESTION 13

A View environment includes a View Connection Server and View security server. The View Connection Server has the following configuration:

? DNSName: view.company.com

? IP Address: 192.168.1.1

The View security server has the following configuration:

? DNS Name: view.company.com

? IP Address: 192.168.1.1

An administrator needs to set up View to allow external access for the users over Blast.

Which option represents the format in which information must be entered into the Blast External URL field of the security server in View Administrator?

- A. <https://security.company.com:443>
- B. <https://10.10.10.1:18443>
- C. <https://security.company.com:8443>
- D. security.company.com:22443

Answer: C

NEW QUESTION 14

An organization has deployed a View environment. Users need to connect USB devices to their View sessions.

? All client endpoints are Windows 7 thin clients.

? A firewall is in place through which all network traffic flows.

? All Windows patches are up to date on guest virtual machines and endpoints.

Users report that USB devices are not connecting to the View sessions when they are plugged in to the thin clients.

What are two reasons that could cause this behavior? (Choose two.)

- A. TCP port 9427 is closed on the firewall.
- B. TCP port 32111 is closed on the firewall.
- C. Windows Mobile Device Center is preventing USB redirection.
- D. USB redirection drivers on the guest virtual machine are missing or disabled.

Answer: BD

NEW QUESTION 18

An administrator has installed a View security server and needs to verify that the installation was successful.

In addition to the security server, which three services should be installed? (Choose three.)

- A. VMware View Framework
- B. VMware View Security Framework
- C. VMware View PCoIP Secure Gateway
- D. VMware View Security Gateway
- E. VMware View Framework Gateway

Answer: ACD

NEW QUESTION 21

An administrator experiences a system failure on the vCenter Server during a Linked-Clone recompose operation.

Which two methods should the administrator use to resolve the unsuccessful recompose operation? (Choose two.)

- A. Select a new snapshot and then recompose once more.
- B. Delete the failed snapshot and then recompose once more.
- C. Delete the failed snapshot, create a new snapshot, and then recompose once more.
- D. Select the snapshot that was used in the last successful recomposition and then recompose once more.

Answer: AD

NEW QUESTION 22

While deploying a View desktop pool, an administrator determines that the virtual desktops remain at a status of Customizing.

In the debug-timestamp.txt log file of the View Agent, the administrator finds the error message:

Debug - Unable to connect to JMS Server.com.vmware.vdi.agent.messageserver.Jmsmanager.a(SourceFile:238) javax.jms.JMSEException:Unable to create a connection to:[ServerEntry, hostname, port=4001]

What should the administrator do to troubleshoot the connection problem?

- A. Verify that the View Composer Guest Agent Server service is set Started on the virtual desktops.
- B. Verify that the View Agent can communicate with the View Connection Server over port 4001.
- C. Verify that the View Connection Server can resolve the DNS name of the vCenter Server.
- D. Verify that the View Security Server can establish a connection using the AJP13 protocol over port 4001.

Answer: B

NEW QUESTION 24

An administrator is installing View Connection server and stops at the Authorize a View Administrators account step.

Which user or group is the default suggestion at this stage?

- A. The Domain Admins group
- B. The local user performing the install
- C. The local Administrators group
- D. The domain user performing the install

Answer: D

NEW QUESTION 27

An administrator is deploying a pool of virtual desktops and receives the following message when testing a desktop connection from a View Client machine:

The Desktop Currently Has No Desktop Sources Available. The administrator has confirmed that:

? The desktops are built and are visible in the View Administrator console.

? The desktops display a Agent Unreachable status in the View Administrator.
After logging in to the vCenter Server, what should the administrator ensure to troubleshoot the issue?

- A. The virtual desktops are powered on.
- B. There are no Memory reservations.
- C. There are no CPU reservations.
- D. The View Composer service is running.

Answer: A

NEW QUESTION 32

An administrator is configuring the View Connection Broker Agent. The Adapter instance is properly configured within vCenter Operations Manager for Horizon. When the administrator clicks on the Test button to pair the server, the test fails. IP address and name resolution are validated and working for both servers. What should the administrator do to verify connectivity between both servers?

- A. Verify that a proper Fully Qualified Domain Name exists for the vCenter Operations for Horizon servers.
- B. Verify that the certificate on the vCenter Operations for Horizon server is recognized by the View server.
- C. Login with a domain admin account, instead of a local account on the View server.
- D. Verify that the proper port is open between vCenter Operations for Horizon and the View server.

Answer: D

NEW QUESTION 37

Which two commands will allow export and import of the Minimal Restore Set? (Choose two.)

- A. addMinimalSet C:\minimalset.xml
- B. exportMinimalSet C:\minimalset.xml
- C. getMinimalSet C:\minimalset.xml
- D. removeMinimalSet C:\minimalset.xml

Answer: AC

NEW QUESTION 42

Several users spanning multiple Active Directory groups have been assigned to a special project and need access to a set of applications. An administrator needs to create a group to manage these users in Workspace Portal but does not have access to Active Directory to create a new group there. What should the administrator do?

- A. Edit the Directory Sync rules to create a filter group.
- B. Create a new Connector virtual appliance and sync only the selected users.
- C. Create a group in Workspace Portal and assign the users to this group.
- D. Create a group in the Configurator virtual appliance console and add the users to this group.

Answer: C

NEW QUESTION 47

An administrator needs to configure virtual printing to allow users to access locally attached printers. What must the administrator do to enable this functionality?

- A. Ensure virtual printing is enabled in the View Agent installation options.
- B. Install printer drivers in the base image for the pool.
- C. Register the TPVMGPPoACmap.dll file on the base image for the pool.
- D. Import the vdm_client.adm template to the Active Directory server and enable local printing.

Answer: A

NEW QUESTION 51

An administrator is planning a Floating Linked-Clone desktop pool using local solid state drives. A stateless configuration is suitable for this group of users. Local solid state drive capacity is limited. The administrator plans to use the storagetiringcapabilities of View Composer to place the Linked-Clones on shared storage and place only the Replica on local disk. Why will the administrator be prevented from using this configuration?

- A. Storagetiringis supported only when using Full Clone desktops.
- B. Replica and Linked-Clone disks must reside on the same datastore when using local disks.
- C. Replica disks must always reside on shared storage for Linked-Clone pools.
- D. Storagetiringis supported only for Dedicated Assignment Linked-Clone desktops.

Answer: B

NEW QUESTION 53

A recompose operation on a linked-clone pool has failed. An error on the pool indicates the Computer Account in Active Directory is missing, but a search for the account in Active Directory verifies that it is present. What condition would cause this error in View?

- A. The Computer Account has been moved out of the Organizational Unit in which it was created.
- B. The Quickprep domain user account has been moved to a different Organizational Unit.
- C. A new GPO has been applied to the Computer Account.
- D. The Quickprep domain user account does not have the Administrator role in View Administrator.

Answer: A

NEW QUESTION 55

Refer to the Exhibit.

User Profile Service	This service ...	Started	Automatic	Local System
vCenter Operations for View Agent	This service ...	Started	Automatic	Local System
VMware Blast	Provides HT...	Started	Automatic	Local System
VMware Tools Service	Provides su...	Started	Automatic	Local System
VMware USB Arbitration Service	Arbitration ...	Started	Automatic	Local System
VMware View Agent	Provides Vie...	Started	Automatic	Local System
VMware View Composer Guest Agent Server	Provides V...	Started	Automatic	Local System
VMware View Persona Management	This service ...	Started	Automatic	Local System
Windows Audio	Manages au...	Started	Automatic	Local Service
Windows Audio Endpoint Builder	Manages au...	Started	Automatic	Local System
Windows Event Log	This service ...	Started	Automatic	Local Service
Windows Firewall	Windows Fi...	Started	Automatic	Local Service
Windows Font Cache Service	Optimizes p...	Started	Automatic	Local Service
Windows Management Instrumentation	Provides a c...	Started	Automatic	Local System
Workstation	Creates and...	Started	Automatic	Network Service
Microsoft .NET Framework NGEN v4.0.30319_X86	Microsoft ...	Started	Automatic (D...	Local System
Software Protection	Enables the ...	Started	Automatic (D...	Network Service
Windows Search	Provides co...	Started	Automatic (D...	Local System
TP AutoConnect Service	ThinPrint .p...	Started	Disabled	Local System
BitLocker Drive Encryption Service	BDESVC hos...	Started	Disabled	Local System
Block Level Backup Engine Service	The WBENG...	Started	Disabled	Local System
Desktop Window Manager Session Manager	Provides De...	Started	Disabled	Local System
Disk Defragmenter	Provides Dis...	Started	Disabled	Local System

An administrator recently updated a linked-clone desktop pool with optimizations to improve performance. After the desktop pool is recomposed, users are unable to connect to their client printers. The administrator examines the services on the desktop, as shown in the exhibit. Based on the exhibit, which Windows service is causing the client printers to fail to connect to virtual desktops?

- A. Desktop Window Manager Session Manager
- B. VMware USB Arbitration Service
- C. TP AutoConnect Service
- D. Windows Firewall

Answer: C

NEW QUESTION 56

Which prerequisite must an administrator verify before installing a View Connection server?

- A. Internet Information Services (IIS)
- B. Dynamic IP address
- C. Apache Web Server
- D. Static IP address

Answer: D

NEW QUESTION 60

An administrator needs to add Location-Based Printing to five virtual desktops.

Which two steps must the administrator take to accomplish this task? (Choose two.)

- A. Create a GPO containing the AutoConnect Map Additional Printers for VMware View group policy setting.
- B. Create a GPO containing the Enable Printer Location Tracking for VMware View group policy setting.
- C. Add the computer names of the desktops using Security Filtering.
- D. Add the MAC addresses of the desktops using Security Filtering.

Answer: AC

NEW QUESTION 65

A View environment consists of a Connection Server named connect-01 and a security server named security-01.

An administrator needs to configure RSA SecurID authentication for external users. Internal users must not be prompted for the RSA SecurID token code. What should the administrator do?

- A. Configure 2-factor authentication on the security-01 security server.
- B. Configure 2-factor authentication on the connect-01 Connection Server.
- C. Add a new Connection Server named connect-02 for internal user
- D. Configure 2-factor authentication on the connect-01 Connection Server.

- E. Add a new security server named security-02 for internal user
- F. Configure 2-factor authentication on the security-01 security server.

Answer: C

NEW QUESTION 67

An administrator has completed an integration of View with Workspace Portal. The administrator added new pools and entitlements in View Administrator. However, the new pools are not displaying in Workspace Portal. The administrator must ensure updates to View are regularly reflected in the Workspace Portal administrator console. What should the administrator do?

- A. Enable/Click on Sync Now.
- B. Enable SAML Authentication.
- C. Set the synchronization frequency appropriately.
- D. Set the update frequency appropriately.

Answer: C

NEW QUESTION 70

A View administrator needs to ensure that an environment is ready to use Smart Cards. The cards use certificates generated by a third-party Certificate Authority (CA). The administrator has verified that each certificate contains a UPN. What must the administrator do to complete the preparation of the environment?

- A. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities group policy in Active Directory.
- B. Import the root and intermediate CA certificates into the Trusted Root Certification Authorities store on the View Connection server.
- C. Import the root and intermediate CA certificates into each user's Smart Card.
- D. Enable Smart Card Authentication in the authentication settings in View Administrator.

Answer: A

NEW QUESTION 73

An administrator needs to prevent specific application-related setting files from being overwritten during a base layer update. What should the administrator do?

- A. Use Base Layer Override Policy to exclude application configuration files if they exist.
- B. Use Upload Policy to exclude application configuration files in the User Area section of the policy.
- C. Use Base Layer rules to exclude files from being deployed to workstations.
- D. Use Upload Policy to exclude application configuration files in the Unprotected Area of the policy.

Answer: A

NEW QUESTION 77

An administrator is granted access to a vCenter Server with a custom Active Directory user account. The user account should have the required permissions for full management of the View environment. However, when the administrator attempts to enable View Storage Accelerator, permission is denied. Which View privilege within vCenter Server needs to be configured?

- A. Storage Views > View
- B. Global > Act as vCenter Server
- C. Host.Configuration > Advanced settings
- D. Virtual Machine.Configuration > Modify device settings

Answer: B

NEW QUESTION 82

An administrator identifies PCoIP packet fragmentation on the network. The following items have been discovered:
? Network Path Maximum Transmission Unit (MTU) is 1200
? PCoIP Traffic has Quality of Service (QoS)
What should the administrator do?

- A. Set router buffers to tail drop.
- B. Set router buffers to Weighted Random Early Detection (WRED).
- C. Set PCoIP MTU to 1500
- D. Set PCoIP MTU to 1100

Answer: D

NEW QUESTION 87

An administrator is planning a new pool for a group of users. The pool requirements are:
? User data must be portable between desktops.
? User-installed applications must persist between sessions.
? SE Sparse disk will be used to reclaim storage capacity.
? Linked-clones will be used to conserve storage capacity.
? Desktops will be refreshed on log off.
The administrator plans to use View Composer persistent disks to support the requirements for this pool. Which requirement will prevent the use of View Composer persistent disks?

- A. User data must be portable between desktops.
- B. User-installed applications must persist between sessions.
- C. SE Sparse disk will be used to reclaim storage capacity.
- D. Linked-clones will be used to conserve storage capacity.

Answer: B

NEW QUESTION 90

An administrator is attempting to create a Windows 8 full clone desktop pool. The View Agent has been installed and a snapshot has been taken. However, the virtual machine is not listed during the Add Pool wizard. What is the likely cause of the issue?

- A. Windows 8 desktops are not supported with full clones desktop pools.
- B. Full clones desktop pools require virtual machine templates and not snapshots.
- C. The Add Pool wizard must be refreshed to list new snapshots.
- D. View Composer linked clones as selected instead of full virtual machines.

Answer: B

NEW QUESTION 94

An administrator is configuring RADIUS authentication for a View implementation and enters the RADIUS server host name into the View Administrator console. Which additional information must be entered into View Administrator to properly configure RADIUS?

- A. Port number, authentication type, and shared secret
- B. DNS server, port number, and shared secret
- C. Authentication type, shared secret, and public key
- D. Public key, authentication type, and shared secret

Answer: A

NEW QUESTION 98

An administrator needs to provide access to applications for users regardless of whether the users have network access. Which two VMware components should the administrator choose? (Choose two.)

- A. VMware Workspace
- B. VMware ThinApp
- C. VMware Horizon View
- D. VMware Mirage

Answer: BD

NEW QUESTION 101

An administrator enables Persona Management for a desktop pool and leaves the universal naming convention (UNC) path blank in the session variable Persona Repository Location. What is the likely outcome?

- A. The User Profile will not be created.
- B. The User Profile will be created but when users log on again their files will not be available.
- C. The User Profile Path in Active Directory will be used.
- D. The User Profile Path will default to the local My Documents.

Answer: C

NEW QUESTION 105

An administrator needs to install View Composer. The current environment uses a vCenter Server appliance and four ESXi hosts. Which two steps should the administrator take to complete the installation? (Choose two.)

- A. Log in using a domain user account with local Administrator privileges.
- B. Install the View Composer server on the vCenter Server.
- C. Log in using Administrator@vsphere.local.
- D. Install the View Composer server on a standalone Windows server.

Answer: AD

NEW QUESTION 107

An administrator installed compatible physical GPUs in all ESXi hosts specified for a View desktop pool. The administrator needs to configure the desktop pool with Virtual Shared Graphics Acceleration (vSGA). Which virtual machine configuration should the administrator use to meet this requirement?

- A. Virtual machine hardware version 9 or later
- B. Video card > Auto-detect settings
- C. Video memory = 512MB
- D. Virtual machine hardware version 8 or later

Answer: A

NEW QUESTION 108

An administrator receives reports from users connected to View PCoIP sessions of slow desktop responsiveness and blurry images. Additionally, some users report being randomly disconnected from their sessions.

The administrator determines the following:

? Network Latency is 100ms.

? PCoIP Packet Loss is more than 5%.

Which two solutions should the administrator implement to resolve the issues? (Choose two.)

- A. Increase priority of PCoIP traffic.
- B. Enable the Turn Off Build-to-Lossless GPO Setting.
- C. Disable Spanning Tree on the switches.
- D. Add additional vNICs to the virtual desktops.

Answer: AB

NEW QUESTION 109

An administrator has asked the help desk to reset a virtual desktop in newly created Desktop Pool B. The help desk user logs in to the View Administrator, but only the previously existing Desktop Pool A is available.

What is causing this issue?

- A. Help desk user accounts can only be assigned to a single pool at a time.
- B. The help desk user's account does not have the appropriate permissions in vCenter Server.
- C. The help desk user cannot see Desktop Pool B because provisioning is disabled on the pool.
- D. The help desk user's account has only been granted privileges to see Desktop Pool A.

Answer: D

NEW QUESTION 110

An administrator creates a Windows 7 parent virtual machine for a linked-clone pool but finds that some of the virtual machines fail to customize. The administrator has confirmed that the View Agent is installed with the correct components. The virtual machines are configured with the following hardware specifications:

? 1 vCPU

? 4GB RAM

? VMXNET3 NIC

? 64MB Video RAM

What is causing the problem?

- A. The Receive Side Scaling (RSS) setting for the VMXNET3 driver is set to 2.
- B. Parent virtual machines for a linked-clone pool require a minimum of 2 vCPUs.
- C. The parent virtual machine does not have enough video RAM configured.
- D. The Microsoft Windows 7 patch for the VMXNET3 driver has not been installed.

Answer: D

NEW QUESTION 115

An administrator is configuring a Group Policy Object (GPO) for an Organizational Unit (OU) that contains virtual Windows 7 desktops. The administrator needs several user settings to apply only to users accessing desktops in this OU.

After configuring the GPO, the administrator notices that the group policy user settings are not being applied.

Why are the user settings not being applied?

- A. The Loopback processing GPO setting was not enabled on the Computers OU.
- B. The OU does not contain both User and Computer objects.
- C. The Windows 7 desktops were not restarted after GPO was configured.
- D. The user settings must also be applied to the default Users OU.

Answer: A

NEW QUESTION 118

Which two requirements must be met to enable use of the View Composer Array Integration feature? (Choose two.)

- A. A Full-Clone Desktop Pool
- B. A Linked-Clone Desktop Pool
- C. An NFS Array
- D. A VMFS Array

Answer: BC

NEW QUESTION 119

Which storage component is considered only when calculating capacity for a Linked Clone?

- A. Growth
- B. .vswp
- C. Overhead
- D. User Data

Answer: A

NEW QUESTION 123

An application was packaged using ThinApp and access is restricted to an Active Directory group called Customer Services. An administrator needs to remove this restriction.

What should the administrator do to remove this restriction with the least effort?

- A. Repackage the application, selecting Everyone from the Setup Capture wizard.
- B. Remove the PermittedGroups section from package.ini and execute build.bat.
- C. Change PermittedGroups=1 to 0 within package.ini and execute sbmerge.exe.
- D. Change PermittedGroups=0 to 1 within package.ini and execute sbmerge.exe.

Answer: B

NEW QUESTION 126

A potential Branch Reflector has ample disk space to store base layers, application layers, driver libraries, and User State Migration Tool (USMT) files.

Which other conditions are required for an endpoint to become a Branch Reflector?

- A. Power-saving features enabled Directly connected to the LANTCP port 8001 to support connections from other Mirage endpoints
- B. Power-saving features disabled Directly connected to the LAN
- C. TCP port 8001 to support connections from other Mirage endpoints
- D. Power-saving features disabled Directly connected to the WANTCP port 8000 to support connections from other Mirage endpoints
- E. Power-saving features enabled Directly connected to the wireless network TCP port 8001 to support connections from other Mirage endpoints

Answer: B

NEW QUESTION 130

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 2V0-651 Exam with Our Prep Materials Via below:

<https://www.certleader.com/2V0-651-dumps.html>