

Exam Questions 1z0-074

Upgrade Oracle DBA 11g/12c to 12cR2

<https://www.2passeasy.com/dumps/1z0-074/>



NEW QUESTION 1

You create a refreshable copy PDB, PDB_COPY, from the PDB_ORG PDB by using the REFRESH MODE EVERY 5 MINUTES clause. What happens every five minutes?

- A. An automatic refresh is done provided PDB_COPY is closed; otherwise the refresh is deferred and attempted again after five minutes.
- B. PDB_COPY is automatically closed provided there is no ongoing transaction in PDB_ORG and then reopened as read-only after the refresh is complete.
- C. PDB_COPY's state is automatically changed to read-write and back to read-only after the refresh is complete.
- D. PDB_COPY's state is automatically changed to read-only and then reopened as read-write after the refresh is complete.
- E. An automatic refresh is done provided PDB_COPY is in read-only mode; otherwise the refresh is deferred and attempted again after five minutes.

Answer: E

NEW QUESTION 2

Which statement is true about Trace File Analyzer (TFA) Collector?

- A. TFA collects diagnostic data only for Oracle 12c Release 2 databases or later versions.
- B. If TFA is installed on any cluster node, it automatically collects diagnostic data on all other cluster nodes.
- C. It can be used to collect diagnostic data for predefined events, and can be configured to automatically collect data for other events.
- D. In Oracle 12c Release 2, TFA installation can be done only while executing root.sh.
- E. It is used to collect diagnostic data only for ORA-600, ORA-7445, and ORA-4031 events.

Answer: D

NEW QUESTION 3

Examine these statements:

```
SQL> SELECT VALIDATE_CONVERSION('200 00:00:00' AS INTERVAL DAY TO SECOND) FROM DUAL;

SQL> SELECT VALIDATE_CONVERSION('P1Y2M' AS INTERVAL YEAR TO MONTH) FROM DUAL;

SQL> SELECT VALIDATE_CONVERSION('July 20, 1969, 20:18' AS DATE, 'MONTH dd, YYYY, HH24:MI', 'NLS_DATE_LANGUAGE = American') FROM DUAL;
```

Which statement is true?

- A. Statements 2 and 3 will validate the conversion
- B. Only statement 3 will validate the conversion
- C. Only statement 1 will validate the conversion
- D. Statement 1 will return an error
- E. All the statements will validate the conversion

Answer: B

NEW QUESTION 4

In which four situations does the RMAN DUPLICATE command use the "pull" method? (Choose four.)

- A. when the USING BACKUPSET clause is used
- B. when the SET ENCRYPTION clause is added before the DUPLICATE command
- C. when the SECTION SIZE clause is used
- D. when the number of auxiliary channels allocated is less than the number of target channels allocated
- E. when the USING COMPRESSED BACKUPSET clause is used
- F. when no auxiliary channels are allocated
- G. when IMAGE COPIES are used for the DUPLICATE operation

Answer: ACDE

NEW QUESTION 5

In an Oracle 12c Release 2 database, USER1 has CREATE SESSION, CREATE PROCEDURE, and CREATE FUNCTION privileges. Examine these commands:

```
$ sqlplus / as sysdba

SQL> REVOKE INHERIT PRIVILEGES ON USER sys FROM user1;

SQL> CONNECT user1/oracle

SQL> CREATE OR REPLACE PROCEDURE create_user AUTHID CURRENT_USER AS
PRAGMA AUTONOMOUS_TRANSACTION;
BEGIN
DBMS_OUTPUT.PUT_LINE('The result is: ');
EXECUTE IMMEDIATE 'CREATE USER testdba IDENTIFIED BY oracle';
EXECUTE IMMEDIATE 'GRANT SYSDBA TO testdba';
EXCEPTION
WHEN OTHERS THEN
NULL;
END;
/

SQL> CREATE OR REPLACE FUNCTION add_num(num1 IN NUMBER, num2 IN NUMBER)
RETURN NUMBER AUTHID CURRENT_USER
AS
BEGIN
create_user;
RETURN (num1+num2);
END;
/
```

SYSEXECUTE this command:

```
SQL> SELECT add_num(1,2) FROM DUAL;
```

What is the result?

- A. An error is returned
- B. The message "The result is 3" only is displayed
- C. TESTDBA is created with the SYSDBA privilege only
- D. Only "3" is displayed
- E. TESTDBA is created with the SYSDBA privilege and the message "The result is 3" is displayed

Answer: C

NEW QUESTION 6

HR.EMP.EMPLOYEE_ID is the primary key of the HR.EMP partitioned table, which contains 108 rows and resides in the EXAMPLE tablespace.

HR executes this command:

```
SQL> CREATE TABLE employees TABLESPACE users FOR EXCHANGE WITH TABLE hr.emp;
```

Table created.

Which two statements are true? (Choose two.)

- A. Dependent objects of HR.EMP are automatically created for HR.EMPLOYEES.
- B. HR.EMP is moved to the USER tablespace.
- C. The column names HR.EMP and HR.EMPLOYEES are identical.
- D. The HR.EMPLOYEE table has 108 records.
- E. HR.EMPLOYEES.EMPLOYEE_ID is the PRIMARY KEY of HR.EMPLOYEES
- F. The column order HR.EMP and HR.EMPLOYEES are identical

Answer: CF

NEW QUESTION 7

Which three types of database objects can have their columns stored in the In-Memory column store? (Choose three.)

- A. heap tables with composite primary key constraints
- B. heap tables with dependent materialized views
- C. clustered tables with dependent materialized views
- D. index-organized tables stored in system-defined tablespaces
- E. sys-owned objects stored in sysaux-defined tablespaces

Answer: BDE

NEW QUESTION 8

U1.T1 is in a tablespace TBS_UNCMP which has no default compression and U1.T2 is in a tablespace, TBS_CMP with default compression for query low. You execute commands:

```
SQL> EXEC DBMS_REDEFINITION.START_REDEF_TABLE (uname=>
'u1',orig_table => 't1', int_table => 't2',options_flag =>
DBMS_REDEFINITION.CONS_USE_PK, enable_rollback => TRUE);

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.SYNC_INTERIM_TABLE (uname => 'u',
orig_table => 't1', int_table => 't2');

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.FINISH_REDEF_TABLE (uname => 'u1',
orig_table => 't1', int_table => 't2');

PL/SQL procedure successfully completed.

SQL> EXEC DBMS_REDEFINITION.ROLLBACK (uname => 'u1', orig_table =>
't1', int_table => 't2');

PL/SQL procedure successfully completed.
```

Which three statements are true? (Choose three.)

- A. The primary key constraints on T1 are dropped
- B. T1 is in the TBS_UNCMP tablespace
- C. T1 is in the TBS_CMP tablespace
- D. T1 is in compressed format
- E. T1 is in uncompressed format
- F. All indexes on T1 remain valid

Answer: ACE

NEW QUESTION 9

A multi-tenant container database (CDB) contains three PDBs.

Which three are prerequisites for performing a cross-platform transport of any of the PDBs? (Choose three.)

- A. The CDB should be in MOUNT state.
- B. The source and target platforms must have the same endianness.
- C. The COMPATIBLE parameter must be set to 12.2 or greater in the CDB.
- D. The source PDBs must be closed for a cross-platform PDB backup.
- E. Flashback database must be enabled for the CDB.
- F. The CDB must use Automatic Memory Management.

Answer: BCD

NEW QUESTION 10

Identify a situation where performance profiles can be used for application containers.

- A. to specify the total number of parallel execution servers available
- B. to specify the maximum time, in seconds, that a parallel statement can wait in the parallel statement queue before it is timed out
- C. to specify the maximum percentage of the parallel execution server pool that a particular application container can use
- D. to enforce a limit on the number of I/Os issued per second
- E. to enforce a limit on I/O throughput per second

Answer: A

NEW QUESTION 10

Examine these commands executed in the cdb1 container database:

```
$ sqlplus sys/oracle@cdb1 as sysdba

SQL> CREATE PROFILE c##prof LIMIT
      FAILED_LOGIN_ATTEMPTS 4
      PASSWORD_LIFE_TIME 90
      PASSWORD_GRACE_TIME 3
      PASSWORD_LOCK_TIME 2;

Profile created.

SQL> GRANT SYSDBA TO c##user1 container=all;

Grant succeeded.

SQL> ALTER USER c##user1 PROFILE c##prof;

User altered.
```

Which statement is true about the c##USER1 account?

- A. It is locked for two days after the password expires.
- B. It is locked if the password is not changed within three weeks.
- C. It is locked for 90 minutes after four failed login attempts.
- D. It is locked after for consecutive failed login attempts.
- E. It is not affected by the profile because the user has the SYSDBA privilege.

Answer: D

NEW QUESTION 12

Which three statements are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose three.)

- A. It analyzes only those memory components of the database instance that are impacting performance.
- B. It determines the segments on which waits are occurring when the database has a high number of buffer busy waits.
- C. It analyzes the performance of the database instance based on the latest two AWR snapshots.
- D. It determines SQL statements that are performing poorly.
- E. It recommends implementing SQL profiles to generate better execution plans.
- F. It analyzes only the components and waits that are impacting database performance.

Answer: BCD

NEW QUESTION 17

Which two statements are true about a PDB lockdown profile? (Choose two.)

- A. It is created by a local user with the SYSDBA privilege in each PDB where it needs to be applied.
- B. It is created by a common user with the SYSDBA privilege in CDB\$ROOT.
- C. It is created by a common user with the SYSDBA privilege in each PDB where it needs to be applied.
- D. It is enabled by default on creation.
- E. It is enabled by using the PDB_LOCKDOWN parameter in each PDBs where it needs to be applied.
- F. It is enabled in PDBs only after the CDB to which the PDBs belong is restarted.

Answer: BC

NEW QUESTION 19

From which two failure scenarios can a database be restored and recovered with the REPAIR DATABASE command? (Choose two.)

- A. loss of ARCHIVELOGS
- B. loss of a redo log member
- C. loss of a noncritical data file
- D. loss of all copies of the control file
- E. loss of a critical data file such as SYSTEM, SYSAUX or UNDO
- F. loss of SPFILE

Answer: DE

NEW QUESTION 22

Which three tasks are performed automatically by Database Upgrade Assistant (DBUA) when the database to be upgraded is in archive log mode and has the database flashback feature enabled? (Choose three.)

- A. It changes Oracle kernel parameters if required
- B. It creates a restore point to restore the database if the upgrade fails
- C. It drops all the invalid objects
- D. It calls the catctl.pl script to perform the upgrade process in parallel
- E. It automatically resets the COMPATIBLE parameter value to 12.0.0
- F. It modifies or creates new tablespaces as required

Answer: BCD

NEW QUESTION 24

One of your databases supports an OLTP workload.

If a better plan is discovered for a statement, then you want that plan to be used. Which two can cause better plans to be used for a statement? (Choose two.)

- A. adaptive cursor sharing
- B. using literals in SQL statements
- C. SQL Access Advisor
- D. SQL Performance Analyzer
- E. adaptive execution plans

Answer: CE

NEW QUESTION 29

In which two situations does the INHERIT ANY PRIVILEGES privilege regulate the privileges used?

- A. when a user creates a new user
- B. when a user performs a GRANT or REVOKE operation
- C. when a user queries a BEQUEATH CURRENT_USER view that references an invoker's right procedure
- D. when a user runs a procedure created with invoker's right
- E. when a user runs a procedure created with definer's right

Answer: CD

NEW QUESTION 31

QUERY_REWRITE_INTEGRITY and QUERY_REWRITE_ENABLED are set to TRUSTED and TRUE respectively in an Oracle 12c Release 2 database.

You create the SALES_EVAL real-time materialized view (MV) on the SALES, CUSTOMERS, and PRODUCT tables, which supports COMPLETE REFRESH by executing these statements.

```
SQL> CREATE MATERIALIZED VIEW SALES_EVAL
      BUILD IMMEDIATE
      REFRESH COMPLETE
      ENABLE QUERY REWRITE
      AS SELECT c.cust_id, sum(s.amount_sold)
      AS dollars,
      p.prod_id, sum(s.quantity_sold) as quantity
      FROM sales s, customers c, products p
      WHERE c.cust_id=s.cust_id AND s.prod_id = p.prod_id
      GROUP BY c.cust_id, p.prod_id;

SQL> SELECT c.cust_last_name,
      sum(s.quantity_sold) as quantity
      FROM sales s, customers c, products p
      WHERE c.cust_id = s.cust_id AND s.prod_id = p.prod_id
      GROUP BY c.cust_last_name, p.prod;
```

There is a constraint on the PRODUCT table with ENABLE, NOVALIDATE, and RELY attributes. No updates have been done to SALES, CUSTOMERS, or PRODUCT since the MV was created. From where are rows returned and why?

- A. from the SALES_EVAL MV because the QUERY_REWRITE_ENABLED setting permits rewrites on unverified constraints if the table is not stale
- B. from the SALES, CUSTOMERS, and PRODUCT tables because QUERY_REWRITE_INTEGRITY is set to TRUSTED
- C. from the SALES, CUSTOMERS, and PRODUCT tables because the column in the GROUP BY clause is different from the SALES_EVAL MV definition
- D. from the SALES, CUSTOMERS, and PRODUCT tables because the columns used in the SELECT list are different from the SALES_EVAL MV definition
- E. from the SALES_EVAL MV because the WHERE clause in the query and in the SALES_EVAL definition are the same

Answer: E

NEW QUESTION 32

Which three resources can be controlled or managed by using Oracle Database Resource Manager? (Choose three.)

- A. number of parallel queries issued by a consumer group
- B. maximum number of DML operations performed by a consumer group
- C. sessions that are blocking other sessions
- D. sessions that are not blocking other sessions
- E. UNDO quota for a consumer group

Answer: ACE

NEW QUESTION 33

Which method can be used to migrate from an on-premises Oracle Database 11g to Oracle Database 12c in the cloud if the on-premises platform is big-endian?

- A. Oracle Loader-type external tables
- B. remote cloning
- C. RMAN Transportable Tablespace with Data Pump for all tablespaces
- D. Data Pump Transportable Tablespace for all tablespaces
- E. Data Pump Conventional Export/Import

Answer: C

NEW QUESTION 34

APP1 is an application container that has an application seed and two application PDBs, APP_PDB1 and APP_PDB2. 1.1 is the current version of the application. You execute this block in the application root:

```
ALTER PLUGGABLE DATABASE APPLICATION app1
BEGIN UPGRADE '1.0' TO '1.5';
CREATE ROLE role1;
ALTER PLUGGABLE DATABASE APPLICATION app1
END UPGRADE TO '1.5';
```

What is the outcome?

- A. An error is thrown because the version number should be sequential, either 1.1 or 2.0.
- B. An error is thrown because the CONTAINER=ALL clause is missing.
- C. An error is thrown because the c## prefix is missing in the role name.
- D. A common role is created only in the application root.
- E. A common role is created only in the application root and application seed.
- F. A common role is created in the application root, application seed, APP_PDB1, and APP_PDB2.

Answer: D

NEW QUESTION 39

The In-Memory compression level is set to MEMCOMPRESS FOR QUERY HIGH. For what purpose is this optimized?

- A. for parallel query performance only
- B. for query performance and space saving
- C. for query performance and space saving with greater bias toward space saving
- D. for query performance only
- E. for space saving only

Answer: B

NEW QUESTION 41

Users BIXBY, RLAYTON, and MURDOK each have a table named CUST_RECORDS in their schema. BIXBY has created a procedure, UPDATE_CUST, which updates the CUST_RECORDS table with invoker's right.

BIXBY grants the execute permission on UPDATE_CUST to the RLAYTON user.

When RLAYTON executes the UPDATE_CUST procedure, which table does the procedure attempt to update?

- A. CUST_RECORDS table in Bixby's schema
- B. CUST_RECORDS table in Murdok's schema
- C. CUST_RECORDS table in Rlayton's schema
- D. CUST_RECORDS table in the schema of Bixby and Rlayton
- E. CUST_RECORDS table in the schema of Bixby, Rlayton, and Murdok

Answer: C

NEW QUESTION 44

The ORCLCDB has a PDB, ORCL_PDB.

Examine these parameters in ORCL:

NAME	TYPE	VALUE
sga_max_size	big integer	1360M
sga_min_size	big integer	0
sga_target	big integer	1360M
db_cache_size	big integer	0

Examine these parameters in ORCL_PDB:

NAME	TYPE	VALUE
sga_max_size	big integer	1360M
sga_min_size	big integer	0
sga_target	big integer	0
db_cache_size	big integer	0

You switch to ORCL_PDB and plan to execute these commands:

```
ALTER SYSTEM SET DB_CACHE_SIZE = 200M;
ALTER SYSTEM SET SGA_TARGET = 600M;
```

What will be the outcome?

- A. SGA_TARGET is set to 600M. The other values remain unchanged in both ORCL and ORCL_PDB.
- B. SGA_TARGET is set to 600M and DB_CACHE_SIZE to 200M in ORCL_PD
- C. The other values remain unchanged in both ORCL and ORCL_PDB.
- D. SGA_TARGET and SGA_MAX_SIZE are set to 600M and DB_CACHE_SIZE to 200M in ORCL_PD
- E. SGA_TARGET and SGA_MAX_SIZE are set to (1360-600)M and DB_CACHE_SIZE to 200M in ORCL.
- F. Altering the DB_CACHE_SIZE results in an error because SGA_TARGET should be altered to 600M first.
- G. Altering the DB_CACHE_SIZE results in an error because it cannot be altered in a PD
- H. SGA_TARGET size is changed to 600 M.

Answer: D

NEW QUESTION 48

Your CDB is in ARCHIVELOG mode and has an application container with a container PDB. A backup exists for the CDB.

When you connect to the container PDB and try to execute a query, you get an error that a SYSTEM data file is missing in the container PDB.

You want to use the RMAN RESTORE DATABASE and RECOVER DATABASE commands to perform the recovery.

Examine these actions:

1. Connect to CDB\$ROOT and execute SHUTDOWN ABORT and STARTUP MOUNT.

2. Connect to the application container and execute SHUTDOWN ABORT.

3. Connect to the application container and execute ALTER PLUGGABLE DATABASE CLOSE ABORT. Which option correctly lists the actions that you must execute before performing the recovery?

- A. 1 and 3
- B. 1 and 2
- C. only 2
- D. only 3

Answer: A

NEW QUESTION 52

Which two statements are true about a band join? (Choose two.)

- A. The optimizer always uses the smaller of the two row sources to build a hash table on the join key.
- B. It returns rows for SQL statements that contain an equijoin.
- C. It is a non-equijoin in which the key values in one data set must fall within the specified range of the second data set.
- D. For each row in the first row source, Oracle probes the second row source for matching rows and joins them.
- E. The SQL runtime engine avoids unnecessary scanning of rows that fall outside the defined ranges.

Answer: CE

NEW QUESTION 54

The EMP_CDB1 and EMP_CDB2 CDBs are in ARCHIVELOG mode. Oracle Managed Files is enabled in both CDBs.

EMP_CDB1 has a PDB, EMP_PDB1.

In EMP_CDB2, you log in as the SYS user. You plan to execute this statement:

```
CREATE PLUGGABLE DATABASE emp_pdb2 FROM emp_pdb1 @emp_link RELOCATE;
```

Which two statements are true? (Choose two.)

- A. TheAVAILABILITY MAXclause should be added to the command to ensure transaction consistency during the relocation process.
- B. SYSOPERprivilege should be granted to the user defined inEMP_LINKand used to connect to the remotedatabase.
- C. EMP_PDB2should be opened in read-write mode to complete the relocation process.
- D. EMP_PDB1should be dropped manually fromEMP_CDB1after executing the relocating command.
- E. EMP_LINKshould exist as a public link inEMP_CDB1andEMP_CDB2.
- F. OnlyEMP_PDB1should be in local undo mode.

Answer: CE

NEW QUESTION 59

Which statement is true about policy expressions?

- A. A named policy expression is stored in the Data Masking format library.
- B. A named policy expression applied to a column in a redacted table overrides the default expression of its redaction policy.
- C. A redacted table can have only one policy expression defined on it.
- D. A policy expression can be applied to columns in different redacted tables.
- E. A named policy expression is stored in the Enterprise Manager Database Express repository.

Answer: C

NEW QUESTION 61

The TESTDB container database (CDB) running inARCHIVELOGmode contains two pluggable databases (PDBs)PDB1andPDB2. A connect descriptor forTESTDBis mapped to the TNS alias testdb in tnsnames.ora. The defaultRMANconfiguration is used. Examine these commands:

```
$ RMAN sys/oracle_4U@TESTDB
RMAN> BACKUP PLUGGABLE DATABASE "CDB$ROOT", PDB1;
```

Which files are backed up?

- A. all root andPDB1data files, and theCONTROLFILE, SPFILE, andFLASHBACKLOGS
- B. all root andPDB1data files, and theCONTROLFILE, SPFILE, andARCHIVELOGS
- C. all root andPDB1data files, and theCONTROLFILEandSPFILE
- D. all root andPDB1data files, and theCONTROLFILE, SPFILE, ONLINE REDO LOG FILES, and ARCHIVELOGS
- E. all root andPDB1data files

Answer: E

NEW QUESTION 63

To which two components does the term "shape" refer in Oracle Database Cloud Service (DBaaS)? (Choose two.)

- A. number of network interface cards (NICs)
- B. number of database instances
- C. number of CPUs
- D. amount of RAM
- E. number of storage LUNs

Answer: CD

NEW QUESTION 67

You create and enable a unified audit policy on a database that has the default auditing configuration.

```
$ sqlplus sys/oracle@pdb_orcl as sysdba

SQL> CREATE AUDIT POLICY aud_syspriv
      PRIVILEGES SELECT ANY TABLE, CREATE LIBRARY
      WHEN 'SYS_CONTEXT(''USERENV'', ''SESSION_USER'')='''OE'''
      EVALUATE PER STATEMENT;

Audit policy created.

SQL> AUDIT POLICY aud_syspriv;

Audit succeeded.
```

The OE user, who has the DBA role, executes these statements.

```
SQL> CONNECT OE/password@pdb_orcl
Connected.
SQL> SELECT *
      FROM HR.EMPLOYEES;
```

What is true about the SELECT statement and why?

- A. It is audited because unified auditing is disabled by default.
- B. It is audited because, by default, the database is in mixed auditing mode with default policies enabled.
- C. It is audited because, by default, all user activities in the database are audited.
- D. It is not audited because the table belongs to another schema.
- E. It is not audited because audit records are stored only when unified auditing is enabled in the database.

Answer: C

NEW QUESTION 70

Which three statements are true about the SQL Performance Analyzer? (Choose three.)

- A. It recommends the use of SQL Tuning Advisor for regressed SQL statements.
- B. It recommends the creation of indexes for regressed SQL statements.
- C. It compares and analyzes execution plans for the SQL statements in a SQL Tuning Set (STS).
- D. It always executes triggers that are fired recursively in FULLDML mode.
- E. It generates execution plans for each SQL statement in an STS.

Answer: ACE

NEW QUESTION 75

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-074 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-074 Product From:

<https://www.2passeasy.com/dumps/1z0-074/>

Money Back Guarantee

1z0-074 Practice Exam Features:

- * 1z0-074 Questions and Answers Updated Frequently
- * 1z0-074 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-074 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-074 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year