



Oracle

Exam Questions 1Z0-072

Oracle Database 12cR2 Administration

NEW QUESTION 1

As the DBA, you execute this command:

```
GRANT SELECT ON hr.emp TO brown WITH GRANT OPTION;
```

BROWN then executes this command:

```
GRANT SELECT ON hr.emp TO scott WITH GRANT OPTION;
```

Which is true?

- A. You can revoke only WITH GRANT OPTION from BROWN.
- B. BROWN can revoke only WITH GRANT OPTION from SCOTT.
- C. When you revoke the SELECT privilege from BROWN, it is automatically revoked from SCOTT.
- D. When you revoke the SELECT privilege from BROWN, nothing is revoked from SCOTT.
- E. When you revoke the SELECT privilege from BROWN, only the WITH GRANT OPTION is revoked from SCOTT.

Answer: B

NEW QUESTION 2

Which two are true about the roles? (Choose two.)

- A. All privileges and roles granted to a user are enabled by default when the user logs in.
- B. The SET ROLE statement can be used once per session.
- C. The SET ROLE statement enables as well as disables roles in a session.
- D. A role must be disabled before it can be revoked from a user.
- E. The ALTER USER statement must be used to set specific default roles for a user.

Answer: AC

NEW QUESTION 3

orcl.dmp contains a full export of the ORCL database.

This command is executed to load data from orcl.dmp into the TESTDB database: [oracle@host01 ~] impdp system/oracle \

```
> SHEMAS=sh,oe \
```

```
> REMAP_SCHEMA=sh:hr \
```

```
> DUMPFILE=orcl.dmp \
```

```
> EXCLUDE=index \
```

```
> TABLE_EXISTS_ACTION=replace \
```

```
> LOGFILE=impdp.log
```

Which two are true? (Choose two.)

- A. It skips only tables that exist in both ORCL:SH and TESTDB:HR.
- B. It drops and recreates tables that exist in both ORCL:SH and TESTDB:HR.
- C. It skips all indexes of ORCL:SH and ORCL:OE.
- D. It skips only indexes that exist in both ORCL:SH and TESTDB:HR.
- E. It drops and re-creates indexes that exist in both ORCL:SH and TESTDB:HR.

Answer: DE

NEW QUESTION 4

Which two are true about instance recovery for a database that is open in read write mode? (Choose two.)

- A. It is guaranteed to complete within fast_start_mttr_target number of seconds.
- B. No users can log on until instance recovery has completed.
- C. Only the CURRENT REDO log group is required to perform instance recovery.
- D. It is always performed when opening a database.
- E. It always occurs during instance startup performed immediately after a SHUTDOWN ABORT.
- F. The database opens after the roll forward phase of instance recovery has completed.

Answer: DE

NEW QUESTION 5

Which two operations can be performed on external tables? (Choose two.)

- A. creating invisible indexes
- B. creating views
- C. creating partitions
- D. creating public synonyms
- E. executing UPDATE statements

Answer: BD

NEW QUESTION 6

What two are benefits of Data Pump? (Choose two.)

- A. It can execute in parallel.
- B. It can restart failed export jobs.
- C. It makes use of client system resources.
- D. It can export data into sequential media, such as tapes.
- E. It represents database metadata information as DDL statements in the dump file.

Answer: AB

NEW QUESTION 7

In a database, the default temporary tablespace is TEMP and USER1's default tablespace is DATA. Examine these parameters:

NAME	TYPE	VALUE
TEMP_UNDO_ENABLED	boolean	TRUE
UNDO_MANAGEMENT	string	AUTO
UNDO_RETENTION	integer	900
UNDO_TABLESPACE	string	UNDOTBS1

Which tablespace stores UNDO generated by USER1's DML on temporary tables?

- A. DATA
- B. SYSTEM
- C. SYSAUX
- D. TEMP
- E. UNDOTBS1

Answer: D

NEW QUESTION 8

Which is a machine image in Oracle Cloud?

- A. the number of OCPUs and amount of memory allocated to an instance
- B. the physical persistent block storage space allocated to an instance
- C. the number of OCPUs, amount of memory, and persistent block storage space allocated to an instance
- D. a template of a virtual hard disk of specific size without an operating system installed
- E. a template of a virtual hard disk of specific size with an installed operating system

Answer: E

NEW QUESTION 9

Which two are true about Oracle Database Cloud Service (DBCS)? (Choose two.)

- A. Third-party tools can be used with database instances in the cloud.
- B. Oracle-supplied tools can be used with database instances in the cloud.
- C. Database instances in the cloud can be accessed only by using SSH.
- D. DBCS only creates compute nodes; the Oracle Database software must be installed and the database created.
- E. Database instances in the cloud can be accessed only by using Oracle*Net.

Answer: BC

NEW QUESTION 10

Examine this extract from the show parameters command:

NAME	TYPE	VALUE
db_16k_cache_size	big integer	0
db_2k_cache_size	big integer	0
db_32k_cache_size	big integer	0
db_4k_cache_size	big integer	0
db_8k_cache_size	big integer	0
db_cache_size	big integer	0
java_pool_size	big integer	0
large_pool_size	big integer	0
memory_max_target	big integer	800M
memory_target	big integer	800M
pga_aggregate_limit	big integer	2G
pga_aggregate_target	big integer	0
sga_max_size	big integer	800M
sga_min_size	big integer	0
sga_target	big integer	0
shared_pool_reserved_size	big integer	7130316
shared_pool_size	big integer	0
statistics_level	string	TYPICAL
workarea_size_policy	string	AUTO

How are SGA and PGA memory managed by an instance using these parameter settings?

- A. SGA memory is manually managed and PGA memory is managed by using Automated SQL Execution Memory Management.
- B. SGA memory is managed by using Automatic Shared Memory Management (ASMM) and PGA memory is managed by using Automated SQL Execution Memory Management.
- C. SGA and PGA memory are managed by using Automatic Memory Management (AMM).
- D. SGA memory is managed by using Automatic Shared Memory Management (ASMM) and PGA memory is manually managed.
- E. SGA and PGA memory are manually managed.

Answer: C

NEW QUESTION 10

Which two are responsibilities of an Oracle DBA regarding database availability, backup, and recovery?

- A. decreasing Mean Time Between Failures (MTBF) by configuring FLASHBACK mode
- B. implementing FLASHBACK DATA ARCHIVE to decrease MTBF
- C. ensuring that critical components are protected by implementing redundancy
- D. decreasing Mean Time to Recover (MTTR) by configuring FLASHBACK mode
- E. implementing FLASHBACK DATA ARCHIVE to decrease MTTR

Answer: CD

NEW QUESTION 14

Which two are true about complete recovery? (Choose two.)

- A. The database must have FLASHBACK enabled in order to perform it.
- B. It is possible only when the database is in MOUNT state
- C. Uncommitted transactions will be rolled back after it completes.
- D. Incremental backups can be used to roll forward the database while performing it.
- E. Only RMAN backupsets can be used to restore a database as part of it.

Answer: AB

NEW QUESTION 15

In the ORCL database, DEFERRED_SEGMENT_CREATION is FALSE. Examine this command:

SQL> CREATE TABLE t1(c1 INT PRIMARY KEY, c2 CLOB);

Which table segments are created?

- A. T1 and an index segment created for the primary key only
- B. T1, an index segment for the primary key, a LOB segment, and lobindex segment
- C. T1 only

D. T1, an index segment for the primary key, and a LOB segment only

Answer: D

NEW QUESTION 19

You execute this command to connect to an instance from a client on a different machine: `CONNECT username/password@net_service_name`
No name servers are configured.

Which two are true about `net_service_name`? (Choose two.)

- A. It must contain the address protocol for only one listener.
- B. It must contain only one address protocol for one listener.
- C. It must be defined in the `tnsnames.ora` file on the client side.
- D. It must be defined in the `tnsnames.ora` file on the server side.
- E. It must have the same name as the `SERVICE_NAME` defined in it.

Answer: DE

NEW QUESTION 22

Your database instance is started by using an spfile. You want to modify the value of a static initialization parameter.

Examine these steps:

1. Shut down the database instance.
2. Modify the parameter in the spfile with `scope = SPFILE`.
3. Modify the parameter in a pfile.
4. Use the spfile to create a pfile.
5. Use the pfile to create a spfile.
6. Modify the parameter in the spfile with `scope = BOTH`.
7. Start up the database instance.

Which are the minimum required steps in the correct order?

- A. 2, 1, 7
- B. 1, 7, 2
- C. 1, 2, 7
- D. 6, 1, 7
- E. 1, 4, 3, 5, 7

Answer: C

NEW QUESTION 27

Which two are true about incomplete recovery? (Choose two.)

- A. Incremental backups cannot be used to roll forward the database while performing it.
- B. Uncommitted transactions will be rolled back after it completes.
- C. It is possible only when the database is in MOUNT state.
- D. The database must have FLASHBACK enabled in order to perform it.
- E. Only RMAN backupsets can be used to restore a database as part of it.

Answer: DE

NEW QUESTION 28

DATADIR1 and DATADIR2 are database directory objects.

Examine this command:

```
[oracle@host01 ~] expdp system/oracle \  
> FULL=y \  
> DUMPFILE=datadir1:full%U.dmp, datadir2: full2%U.dmp \  
> FILESIZE=2G \  
> PARALLEL=4 \  
> LOGFILE= datadir1:/expfull.log \  
> JOB_NAME= expfull
```

Which two are true about the expdp operation? (Choose two.)

- A. It creates a dump file for the entire database.
- B. It fails if the total size of the dump file is more than 2 GB.
- C. It creates a dump file only for objects in the SYSTEM schema.
- D. It creates a master table to store details of the export operation.
- E. It starts only when four worker processes are available.

Answer: AE

NEW QUESTION 32

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1Z0-072 Practice Exam Features:

- * 1Z0-072 Questions and Answers Updated Frequently
- * 1Z0-072 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-072 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 1Z0-072 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1Z0-072 Practice Test Here](#)