

## 1Z0-072 Dumps

### Oracle Database 12cR2 Administration

<https://www.certleader.com/1Z0-072-dumps.html>



**NEW QUESTION 1**

A user complains about poor database performance. You suspect that the user's session is waiting for an event to complete. You want to verify this.

Which two views may reveal for what the user's session is currently waiting? (Choose two.)

- A. V\$SYSTEM\_EVENT
- B. V\$SESSION\_EVENT
- C. V\$SESSION\_WAIT\_CLASS
- D. V\$SESSION\_WAIT
- E. V\$SESSION

**Answer:** BD

**NEW QUESTION 2**

Which three types of files are created by expdp operations? (Choose three.)

- A. SQL files
- B. dump files
- C. reject files
- D. log files
- E. input data files
- F. bad files
- G. control files

**Answer:** ABD

**NEW QUESTION 3**

Which two can you use to recover a dropped table? (Choose two.)

- A. FLASHBACK QUERY
- B. FLASHBACK DATABASE
- C. FLASHBACK TRANSACTION
- D. FLASHBACK TABLE TO SCN
- E. FLASHBACK DROP

**Answer:** DE

**NEW QUESTION 4**

Which three types of files are used by conventional path SQL\*Loader when the TABLE option is not specified? (Choose three.)

- A. control files
- B. bad files
- C. input files
- D. password files
- E. server parameter files (SPFILE)
- F. dump files

**Answer:** BCD

**NEW QUESTION 5**

Which two are segment types? (Choose two.)

- A. table partition
- B. materialized views on a prebuilt container
- C. stored procedure
- D. sequence
- E. table
- F. view

**Answer:** AE

**NEW QUESTION 6**

The DATA tablespace uses Automatic Segment Space Management. Examine this query and its output:

```
SQL> SELECT tablespace_name, pct_free
       FROM user_tables
       WHERE table_name='EMP';
```

TABLESPACE_NAME	PCT_FREE
DATA	10

A block in EMP is 90% full.

At what percentage of free space will INSERT operations into the block again be possible?

- A. 10%
- B. 25%
- C. 50%
- D. 75%
- E. 90%

**Answer:** A

#### NEW QUESTION 7

Which two are true about complete and incomplete recovery? (Choose two.)

- A. Uncommitted transactions will be rolled back after complete recovery completes.
- B. The database must have FLASHBACK enabled in order to perform incomplete recovery.
- C. Uncommitted transactions will be rolled back after incomplete recovery completes.
- D. Incomplete recovery is possible only when the database is open.
- E. Only incremental backups can be used to roll forward the database while performing complete recovery.

**Answer:** AE

#### NEW QUESTION 8

Which two are responsibilities of an Oracle DBA regarding database availability, backup, and recovery?

- A. decreasing Mean Time Between Failures (MTBF) by configuring FLASHBACK mode
- B. implementing FLASHBACK DATA ARCHIVE to decrease MTBF
- C. ensuring that critical components are protected by implementing redundancy
- D. decreasing Mean Time to Recover (MTTR) by configuring FLASHBACK mode
- E. implementing FLASHBACK DATA ARCHIVE to decrease MTTR

**Answer:** CD

#### NEW QUESTION 9

You execute this command:

```
CREATE SMALLFILE TABLESPACE sales
```

```
DATAFILE '/u01/app/oracle/sales01.dbf' SIZE 5G SEGMENT SPACE MANAGEMENT AUTO;
```

Which two statements are true about the SALES tablespace? (Choose two.)

- A. The FREELISTS and FREELIST GROUPS parameters are used to manage extent allocation.
- B. It is read-only by default.
- C. DML operations performed on objects in this tablespace are not logged by default.
- D. It uses the default blocksize used at database creation.
- E. It is a locally managed tablespace.
- F. It is offline by default.

**Answer:** AD

#### NEW QUESTION 10

In the ORCL database, DEFERRED\_SEGMENT\_CREATION is FALSE. Examine this command:

```
SQL> CREATE TABLE t1(c1 INT PRIMARY KEY, c2 CLOB);
```

Which table segments are created?

- A. T1 and an index segment created for the primary key only
- B. T1, an index segment for the primary key, a LOB segment, and lobindex segment
- C. T1 only
- D. T1, an index segment for the primary key, and a LOB segment only

**Answer:** D

#### NEW QUESTION 10

Which statement is true about smallfile tablespaces?

- A. Extent location metadata is stored in the data dictionary by default.
- B. The number of data files is constrained only by the size of the storage array.
- C. Maximum file size can be set to unlimited only if the logical volume manager supports striping.
- D. Segments can span multiple tablespaces.
- E. Segments can span multiple data files.

**Answer:** E

#### NEW QUESTION 13

Which three failures do not require intervention for recovery? (Choose three.)

- A. user process failure
- B. media failure
- C. statement failure
- D. network interface card (NIC) failure

E. transaction failure

**Answer:** ACE

#### NEW QUESTION 18

In the ORCL database, UNDOTBS1 is the active undo tablespace with a fixed size of 70 MB and RETENTION GUARANTEE.

UNDO\_RETENTION is set to 15 minutes and the tablespace does not have AUTOEXTEND on.

Which statement is true about a transaction if UNDOTBS1 fills with uncommitted undo within 10 minutes of the transaction's first update?

- A. It succeeds and the generated undo is stored in SYSAUX.
- B. It succeeds and the generated undo is stored in TEMP.
- C. It fails and returns the error message "Snapshot too old".
- D. It succeeds and the generated undo is stored in SYSTEM.
- E. It fails and returns the error message "ORA=30036": unable to extend segment by 8 in undo tablespace 'UNDOTBS1'".
- F. It succeeds and the least recently used undo block UNDOTBS1 is overwritten by the generated undo.

**Answer:** F

#### NEW QUESTION 19

You execute this command to connect to an instance from a client on a different machine: CONNECT username/password@net\_service\_name

No name servers are configured.

Which two are true about net\_service\_name? (Choose two.)

- A. It must contain the address protocol for only one listener.
- B. It must contain only one address protocol for one listener.
- C. It must be defined in the tnsnames.ora file on the client side.
- D. It must be defined in the tnsnames.ora file on the server side.
- E. It must have the same name as the SERVICE\_NAME defined in it.

**Answer:** DE

#### NEW QUESTION 20

Your database instance is started by using an spfile. You want to modify the value of a static initialization parameter.

Examine these steps:

1. Shut down the database instance.
2. Modify the parameter in the spfile with scope = SPFILE.
3. Modify the parameter in a pfile.
4. Use the spfile to create a pfile.
5. Use the pfile to create a spfile.
6. Modify the parameter in the spfile with scope = BOTH.
7. Start up the database instance.

Which are the minimum required steps in the correct order?

- A. 2, 1, 7
- B. 1, 7, 2
- C. 1, 2, 7
- D. 6, 1, 7
- E. 1, 4, 3, 5, 7

**Answer:** C

#### NEW QUESTION 23

Which is true about revoking roles?

- A. Only users who are granted the DBA role can revoke a role.
- B. Only users who are granted SYSDBA can revoke a role.
- C. Users who have the GRANT ANY ROLE privilege can revoke any role.
- D. Users who are granted a role with ADMIN OPTION can revoke that role only from users to whom they have granted the role.
- E. Users can revoke a role that is granted to them through other roles.

**Answer:** D

#### NEW QUESTION 28

Which three failures require intervention for recovery? (Choose three.)

- A. a user error such as dropping the wrong table
- B. network interface card (NIC) failure
- C. user process failure
- D. statement failure
- E. media failure

**Answer:** ACE

#### NEW QUESTION 32

Which two are true about the AL32UTF8 character set? (Choose two.)

- A. It is used to encode data for columns of any data type.

- B. It supports multilingual databases.
- C. It uses less space than other character sets, for all data types.
- D. It is used to store PL/SQL source code.
- E. It improves the I/O performance of a database compared to other character sets.

**Answer:** BC

#### NEW QUESTION 36

What three are true about Oracle Flashback technology? (Choose three.)

- A. FLASHBACK TRANSACTION can be used to undo the changes made by a committed transaction.
- B. FLASHBACK TABLE can be used to rewind a table back in time.
- C. FLASHBACK DATABASE can be used to rewind a database back and forth in time.
- D. FLASHBACK TABLE can be used to undo dropping a column from a table.
- E. FLASHBACK QUERY can be used to view committed data at any given point in time.

**Answer:** ACD

#### NEW QUESTION 38

Which two are prerequisites for shrinking a table online?

- A. It must have a unique key constraint.
- B. It must not have any referential integrity constraints.
- C. It must not have any DML triggers.
- D. It must be in a tablespace that uses Automatic Segment Space Management (ASSM) .
- E. It must have row movement enabled.

**Answer:** AB

#### NEW QUESTION 39

Which two are true about the default listener for a single instance database?

- A. It listens on the default port 1521.
- B. It must be defined in the listener, ORA file.
- C. It uses the settings of the instance name and SERVICE\_NAMES parameters from all databases using that listener.
- D. It must be defined by using the Listener Control utility.
- E. It must support at least one service on startup.

**Answer:** AB

#### NEW QUESTION 43

Which two are true about Oracle database wait events that are described in V\$EVENT\_NAME? (Choose two.)

- A. They reveal the cause of performance problems.
- B. They are grouped into classes.
- C. They are maintained at the session and system level.
- D. They display how often a database instance performs particular operations.
- E. All events might be used by an instance regardless of parameter settings.

**Answer:** AB

#### NEW QUESTION 48

DATADIR1 and DATADIR2 are database directory objects.

Examine this command:

```
[oracle@host01 ~] expdp system/oracle \  
> FULL=y \  
> DUMPFILE=datadir1:full%U.dmp, datadir2: full2%U.dmp \  
> FILESIZE=2G \  
> PARALLEL=4 \  
> LOGFILE= datadir1:/expfull.log  
> JOB_NAME= expfull
```

Which two are true about the expdp operation? (Choose two.)

- A. It creates a dump file for the entire database.
- B. It fails if the total size of the dump file is more than 2 GB.
- C. It creates a dump file only for objects in the SYSTEM schema.
- D. It creates a master table to store details of the export operation.
- E. It starts only when four worker processes are available.

**Answer:** AE

#### NEW QUESTION 49

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 1Z0-072 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/1Z0-072-dumps.html>