

Exam Questions 1Z0-632

PeopleSoft PeopleTools 8.5x Implementation Essentials

<https://www.2passeasy.com/dumps/1Z0-632/>



NEW QUESTION 1

Your client has stipulated that a bonus of greater than 10% requires prior approval. The following SaveEdit program was developed to issue a warning when the bonus exceeds that amount:

```
If PAY_TABLE.BONUS_PCT.Value > 10 Then
    Warning MsgGet(23224, 10, "Message not found.");
End-If;
```

However, as written, this warning is reissued for previously approved and saved bonus amounts that exceed 10%. How should you revise the conditions in the If clause to display a warning for new or updates bonuses only?

- A. Check the IsDirty property of the Field object
- B. Check the IsNew property of the Row object
- C. Check the IsChanged property of the Field object
- D. Check the IsNew property of the Field object
- E. Check the IsDirty property of the Row object
- F. Check the IsNew property of the Record object

Answer: CF

NEW QUESTION 2

Which two PeopleCode excerpts contain syntax errors?

1	If All(PSU_CRS_SESSN.START_DATE, PSU_CRS_SESSN.END_DATE) And PSU_CRS_SESSN.START_DATE > PSU_CRS_SESSN.END_DATE Then Error MsgGet(1040, 3, "Message Not Found.") End-If;
2	If PSU_EMP_RVW_RVR.REVIEW_TYPE = "E" Then COMMENT Reviewer is an employee; COMMENT Disable REVIEWER_ID; PSU_EMP_RVW_RVR.REVIEWER_ID.Value = PSU_EMP_RVW_RVR.EMPLID; PSU_EMP_RVW_RVR.REVIEWER_ID.Enabled = False; End-If;
3	Local Message &request, &response; Local Row &Row; Local Rowset &Rowset;
4	Local Field &Crstype; &Crstype = GetField(PSU_COURSE_TBL.COURSE_TYPE); &Crstype.Value = "T"; &Crstype.Enabled = False;
5	&OLD_PRICE > &TOTAL_PRICE; &TOTAL_PRICE = &QTY_ORDERED * &PRICE; &GRAND_TOTAL = &GRAND_TOTAL + &TOTAL_PRICE - &OLD_PRICE;

- A. 2
- B. 4
- C. 5
- D. 1
- E. 3

Answer: CE

NEW QUESTION 3

What are the required steps for using a PeopleCode application class? Arrange them in the correct order.

1. Declare an object of the application class.
2. Import the application class.
3. Invoke methods or use properties.
4. Instantiate the object.
5. Initialize the object.

- A. 1, 2, 5, 3
- B. 1, 2, 4, 5, 3
- C. 2, 1, 4, 3
- D. 1, 2, 4, 3
- E. 2, 1, 4, 5, 3

Answer: E

NEW QUESTION 4

This exhibit displays your test for the new Student Suggestions page, which has a design error.

Student Suggestions

*Student ID 2001 Larsen, Mark D

Suggestion Details Find | View all First 1 of 1 Last

Number ☐ Implemented

*Suggestion Category Other

Course Code

Instructor

*Suggestion Award PeopleSoft T-Shirt

Size
☐ Small ☐ Medium ☐ Large ☐ Extra Large

*Description

Save Return to Search Previous in List Next in List Notify

How should you fix this page?

- A. In the page definition, make Student ID a display control field
- B. In the record definition, make Student ID an alternate search key
- C. In the page definition, make Student ID display-only
- D. In the component definition, select the correct search record
- E. In the record definition, make Student ID the high-level key

Answer: C

NEW QUESTION 5

View the exhibits.

Question Exhibit 1 Exhibit 2

PSU_CUST_PROD (Page)

Layout Order

Customer: NNNN AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Products Purchased |<< %d of %d >>|

PeopleSoft Product: AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

Database Platform:

Kick Off Date:

Anticipated Production Date:

Production Status:

Number of Employees

Number of Clients

Question Exhibit 1 Exhibit 2

Products Purchased

Enter any information you have and click Search. Leave fields blank for a list of all values.

Find an Existing Value Add a New Value

Search Criteria

Customer: begins with

Description: begins with

☐ Case Sensitive

Search Clear Basic Search Save Search Criteria

Based on the page layout, what is wrong with the search page and how should you fix it?

- A. The Add actions should not be available; check the component definition for the Item Label
- B. Include History and Correction should be displayed; check the Internet tab of the Component Properties dialog box
- C. The Add action should not be available; check the Internet tab of the Component Properties dialog box

- D. Include History and Correction should be displayed; check the Use tab of the Component Properties dialog box
 E. The Add action should not be available; check the Use tab of the Component Properties dialog box

Answer: D

NEW QUESTION 6


Which three statements are true regarding PeopleCert user-defined variables? (Select three.)

- A. Explicitly declaring object type variables provides no benefit over allowing them to be auto-declared
 B. All local variables must be declared at the beginning of the program
 C. Local variables can be declared and instantiated in a single statement
 D. All component variables must be declared before the first line of executable code
 E. Local variables can be declared and assigned in a single statement
 F. All variables of type Any must be explicitly declared

Answer: D

NEW QUESTION 7

You have these items selected in the Suppress on Form Factor group box on the Fluid tab for a page control.



How will the system treat this control?

- A. PeopleTools will compress the size of this control to reduce the amount of data sent over the wireless network for smartphones and tablets
 B. The control will display only a laptop and desktop computers
 C. The control will display only on smartphones and tablets
 D. The control will consume less space on the page when rendered on a smartphone or tablet

Answer: D

NEW QUESTION 8

This PeopleCode statement appears in a PreBuild program:

&Object = GetLevel10();

Which two statements are true? (Choose two.)

- A. &Object is a Rowset object that contains the level 0 row
 B. &Object represents the entire component buffer
 C. &Object is a Row object that contains the level 0 rowset
 D. &Object is a stand-alone rowset
 E. &Object is a stand-alone row
 F. &Object is a Record object that contains the level 0 record

Answer: CF

NEW QUESTION 9

This SQL definition uses effective-date logic to return the current row from PSXLATITEM.

```
SQLExec ("SELECT A.XLATSHORTNAME, A.XLATLONGNAME
FROM PSXLATITEM A
WHERE A.EFFDT = (
SELECT MAX(B.EFFDT)
FROM PSXLATITEM B
WHERE A.FIELDNAME = B.FIELDNAME
AND A.FIELDVALUE = B.FIELDVALUE
AND B.EFFDT <= date)");
```


Which meta-SQL element should be substituted for date so the SQL correctly returns the current row as of the run date for all supported database platforms?

- A. %CurretnDateIn
 B. %CurrentDateOut
 C. %Date
 D. %DateTime
 E. %EffDtCheck

Answer: D

NEW QUESTION 10

View the exhibits.



Professional Details

Student ID2924

*Student Name

Adams, Joe

X

*Customer

FLE

Friends-Little Egg Lighthouse

Project Role

Developer

V

Same address as Customer

Telephone201/907-0101

Street

101 Restoration Lane

City

Teaneck

Country

USA

United States

State

NJ

New Jersey

Zip Code

0000007666

Student Emphasis

Functional

Technical

Save

Return to Search

Previous in List

Next in List

Add

Update/Display

Personal Details

Education and Skills

You just added a second page to the student component as shown in Exhibit 1. When you test the page as shown in Exhibit 2, no tabs are displayed. What do you need to do to display the tabs?

- A. On the Internet tab of the Component Properties dialog box, select the Display Hyperlinks check box
- B. On the Internet tab of the Component Properties dialog box, select the Display Folder Tabs check box
- C. Enter the labels for the folder tab labels and on the Use tab of the Component Properties dialog box,select the Include in Navigation check box
- D. On the Use tab of the Component Properties dialog box, select the Include in Navigation check box
- E. Enter the labels for the folder tab labels

Answer: A

NEW QUESTION 10

You configure embedded pop-up help for a scroll area header or a grid header by .

- A. using the Insert menu to insert a Popup help button on the grid header or scroll area header in place of the Navigation bar
- B. adding a hyperlink or push button to the header linking to the delivered online help
- C. adding a hyperlink or push button to the header linking to your custom online help
- D. selecting Message Catalog Popup on the Label tab of the Grid Properties Dialog box or the Scroll Area Properties dialog box

Answer: D

NEW QUESTION 14

Select the record definition that is configured correctly.

A

COURSE_TBL (Record)											
Record Fields Record Type											
	Num	Field Name	Type	Key	Ordr	Dir	Cur	Srch	List	Sys	Audt
	1	COURSE	Char	Key	1	Asc		Yes	Yes	No	
	2	EFFDT	Date	Key	2	Desc		No	No	No	
	3	EFF_STATUS	Char	Key	3	Asc		No	No	No	
	4	DESCR	Char	Alt		Asc		No	Yes	No	
	5	COURSE_TYPE	Char					No	No	No	
	6	LENGTH_DAYS	Nbr					No	No	No	
	7	TRAINING_UNITS	Nbr					No	No	No	
	8	ONSITE	Char					No	No	No	
	9	INSTRUCTOR	Char					No	No	No	
	10	APP_REL	Char					No	No	No	
	11	TOOLS_REL	Char					No	No	No	
	12	DESCRLONG	Long					No	No	No	

B

COURSE_TBL (Record)											
Record Fields			Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No		
2	EFFDT	Date	Key	2	Asc		No	No	No		
3	EFF_STATUS	Char					No	No	No		
4	DESCR	Char	Alt		Asc		No	Yes	No		
5	COURSE_TYPE	Char					No	No	No		
6	LENGTH_DAYS	Nbr					No	No	No		
7	TRAINING_UNITS	Nbr					No	No	No		
8	ONSITE	Char					No	No	No		
9	INSTRUCTOR	Char					No	No	No		
10	APP_REL	Char					No	No	No		
11	DESCRLONG	Long					No	No	No		
12	TOOLS_REL	Char					No	No	No		

C

COURSE_TBL (Record)											
Record Fields			Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No		
2	EFFDT	Date	Key	2	Desc		No	No	No		
3	EFF_STATUS	Char					No	No	No		
4	DESCR	Char	Alt		Asc		No	Yes	No		
5	COURSE_TYPE	Char					No	No	No		
6	LENGTH_DAYS	Nbr					No	No	No		
7	TRAINING_UNITS	Nbr					No	No	No		
8	ONSITE	Char					No	No	No		
9	INSTRUCTOR	Char					No	No	No		
10	APP_REL	Char					No	No	No		
11	DESCRLONG	Long					No	No	No		
12	TOOLS_REL	Char					No	No	No		

D

COURSE_TBL (Record)											
Record Fields			Record Type								
Num	Field Name	Type	Key	Ordr	Dir	CurC	Srch	List	Sys	Audt	
1	COURSE	Char	Key	1	Asc		Yes	Yes	No		
2	EFFDT	Date	Key	2	Desc		No	No	No		
3	EFF_STATUS	Char					No	No	No		
4	DESCR	Char	Alt		Asc		No	Yes	No		
5	COURSE_TYPE	Char					No	No	No		
6	LENGTH_DAYS	Nbr					No	No	No		
7	TRAINING_UNITS	Nbr					No	No	No		
8	ONSITE	Char					No	No	No		
9	INSTRUCTOR	Char					No	No	No		
10	APP_REL	Char					No	No	No		
11	TOOLS_REL	Char					No	No	No		
12	DESCRLONG	Long					No	No	No		

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Answer: A

NEW QUESTION 18

Which PeopleCode program will take the input student name values and produce the output values?

Input	Output
Dr. Jane Smith, Ph.D.	Dr. Jane Smith
Mark Larsen, B.A.	Mark Larsen
Dr. Gustavo Hinojosa, M.D.	Dr. Gustavo Hinojosa
Vivek Patel, B.S.	Vivek Patel
Jonathan Marsh, M.B.A.	Jonathan Marsh

```

A
&comma_pos = Find(",", &student);
&out = Substring(&student, 1, &comma_pos - 1);

B

&out = LTrim(&student, ",");

C

&out = RTrim(&student, ",");

D

&out = LTrim(&student, ",. ABDMPSh");

E

&comma_pos = Find(",", &student);
&length = Len(&student);
&out = Substring(&student, 1, &length - &comma_pos);

F

&out = RTrim(&student, ",. ABDMPSh");

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E
- F. Option F

Answer: D

NEW QUESTION 19

Which event or events should you use for PeopleCode to autogenerate the purchase order number, the high-level key for the orders page?

- A. SaveEdit
- B. SavePostChange
- C. SaveEdit and SavePreChange
- D. SavePreChange
- E. SaveEdit and SavePostChange

Answer: B

NEW QUESTION 22

Put the events of the search process flow in the correct order.

1. User selects the search key.
2. Search page is built dynamically.
3. Search key is passed to the component.
4. Component search record properties are accessed.
5. User clicks in the menu to access a component.

- A. 5, 4, 2, 1, 3
- B. 1, 5, 4, 3, 2
- C. 5, 2, 4, 1, 3
- D. 1, 3, 4, 2, 5

Answer: C

NEW QUESTION 25

You have a CUSTOMER_CONTACT page that uses a subpage that groups commonly used fields. The subpage is also used on the VENDOR_CONTACT page and the EMPLOYEE_CONTACT page.

Customers have unanimously requested that the fields in the subpage be displayed on a grid format on the CUSTOMER_CONTACT page, as opposed to the current display of individual edit boxes. Your product manager has asked you to identify a solution to this request that is the quickest, the most efficient, has the least impact on other pages, and is technically possible.

Which of these options best satisfies these requirements?

- A. Organize an effort to seek agreement from the owners of the VENDOR_CONTACT page and the EMPLOYEE_CONTACT page regarding your proposed addition of the grid control to the subpage, in addition to a testing plan and deployment plan.
- B. Modify just the CUSTOMER_CONTACT page by inserting a grid control and dragging the subpage onto the grid
- C. Modify just the subpage by removing the edit boxes, adding a grid control, and then adding the equivalent fields to the grid control
- D. Modify just the CUSTOMER_CONTACT page by removing the subpage, adding a grid control, and then adding the equivalent fields individually to the grid control

Answer: D

NEW QUESTION 27


Choose the correct statement about translate values appearing in the drop-down list on a page.

- A. The translate values must be active and have an effective date earlier than the effective date on the prompting table
- B. The translate values must be active and you must enter a short name when adding the translate value
- C. The translate values must be active and not contain any special characters
- D. The translate values must be active and all values must have the same length
- E. The translate values must be active and have an effective date later than the effective date on the prompting table

Answer: A

NEW QUESTION 28

You are testing the Course Session Details page. You click the Lookup button for the Instructor field and select a name. When you tab off the field, a message is displayed.



The screenshot shows the 'Course Session Details' page. The 'Instructor' field is highlighted in red. A message dialog box is displayed with the following text: 'Invalid value - press the prompt button on hyperlink for a list of valid values (15,11). The value entered in the field does not match one of the allowable values. You can see the allowable values by pressing the Prompt button on hyperlink.' The dialog box has an 'OK' button.

What caused this issue and how do you fix it?

- A. The menu definition associated with this page has the wrong search record; examine the menu definition
- B. The page field definition has the wrong prompt table assigned; examine the page definition
- C. The component definition associated with this page has the wrong search record; examine the component definition
- D. The record field definition has the wrong prompt table assigned; examine the record definition
- E. You selected an incorrect value from the prompt; select a different value

Answer: C

NEW QUESTION 33

Instructors have complained that they do not have access to a newly registered component and page. The Instructor role that includes the Instructor permission list already exists; both are available for your use. Select the two correct methods that add access for just this user group. (Choose two.)

- A. Modify the content reference (CREF) definition in the portal registry and enable the Author Access option
- B. Re-run the Registration Wizard
- C. Select the option to modify only a permission list, and add the Instructor permission list to this component
- D. Modify the CREF definition in the portal registry and add the Instructor role
- E. Modify the Instructor permission list definition and add access to the new component and page
- F. Modify the CREF definition in the portal registry and add the Instructor permission list
- G. Modify the CREF definition in the portal registry and enable the Public Access option

Answer: BD

NEW QUESTION 37

When you are modifying, customizing, or configuring PeopleSoft application definitions using Application Designer, which two statements are true regarding the impact on other application elements? (Choose two.)

- A. Running an alter table process in Application Designer is required only during major upgrades, not after small changes to a single record definition
- B. PeopleTools provides utilities to help you determine relationships between application definitions, such as PeopleTools cross-reference reports and the Find Definition References option
- C. If you modify field definition properties or record definition properties, the PeopleTools system insanity and automatically synchronizes the definition changes with the underlying SQL database table
- D. Changing a single field property, such as the field name or type, typically has no effect on other definitions such as records or pages
- E. If you alter a table, you must rebuild any views that reference the altered table

Answer: BE

NEW QUESTION 42

Examine the following code:

```
&SQL = GetSQL(SQL.ABSENCE_SQL, JOB.EMPL_ID);
While &SQL.Fetch(&start_dt)
    /* Do some processing here. */
End-While;
```

Which two statements are correct? (Choose two.)

- A. ABSENCE_SQL contains an INSERT clause
- B. ABSENCE_SQL contains a DELETE clause
- C. ABSENCE_SQL is a SQL object
- D. ABSENCE_SQL is a SQL definition name
- E. ABSENCE_SQL contains a SELECT clause
- F. ABSENCE_SQL is a SQL method

Answer: EF

NEW QUESTION 45

Select two true statements about translate values. (Select two.)

- A. You can assign translate values to any character field that is four characters long or less
- B. The default label for a page field is the translate long name
- C. You can inactivate any translate value by changing the value of the effective status field to "I"
- D. You must maintain translate values through Application Designer
- E. You must enter a translate short name

Answer: AE

NEW QUESTION 48

In this exhibit, identify two settings on the Internet tab of the Component Properties dialog box that apply to fluid components. (Choose two.)



- A. In the Search Page group box: Primary Action
- B. In the Search Page group box: Instructional Text
- C. In the Pagebar group box: Help Link
- D. In the Toolbar group box: Notify
- E. In the Toolbar group box: Save
- F. In the Multi-Page Navigation group box: Display Folder Tabs (top)

Answer: AF

NEW QUESTION 53

Select three steps that comprise the user interface phase of PeopleSoft application development? (Choose three.)

- A. Register components
- B. Define fields
- C. Define pages
- D. Define components
- E. Define records

F. Build records

Answer: ACD

NEW QUESTION 56

Which three statements are correct? (Choose three.)

- A. Derived/work fields and variables can be displayed on the page
- B. Derived/work fields and variables provide temporary storage of calculated values
- C. Derived/work fields and record fields provide permanent storage of values
- D. Derived/work fields and record fields can be displayed on the page
- E. Derived/work fields and record fields can include executable PeopleCode programs

Answer: ADE

NEW QUESTION 57

When registering fluid components, assume you usually create the content references so that they reside in the My Fluid Applications folder as shown in the exhibit.



However, for your Fluid Billing component, you register the component so the content reference resides in a folder outside the Fluid Pages folder in the Billing folder (Root>Billing).

What effect does this have on users accessing this component?

- A. A tile for this fluid component cannot be added to a fluid homepage using the Add Tile button on the Personalize Homepage page
- B. Users will not be able to add this component to their Favorites list
- C. There is no effect on the user accessing the componen
- D. The component can be accessed the same ways as any fluid component
- E. Users will not be able to access this component using a smartphone or tablet
- F. Users will not be able to navigate to the component using the NavBar, Navigator option

Answer: A

NEW QUESTION 59

You are asked to modify the Customer Products Purchased application to provide auto complete on the search page for the customer name. This application uses the following definitions.

- Search record: PSU_CUST_TBL
- Record: PSU_CUST_PROD
- Page: PSU_CUST_PROD
- Component: PSU_CUST_PROD


How will you implement this change?

- A. Select the Enable Autocomplete when used in Search Record check box for the DESCR field on the PSU_ CUST_PROD record
- B. Select the Enable Autocomplete when used in Search Record check box for the CUSTOMER_ID field on the PSU_ CUST_PROD record
- C. Select the Force Search Processing check box on the Use tab of the Component Properties dialog box for PSU_CUST_PROD
- D. Select the Enable Autocomplete when used in Search Record check box for the DESCR field on the PSU_ CUST_TBL record
- E. Select the Enable Autocomplete when used in Search Record check box for the CUSTOMER_ID field on the PSU_CUST_TBL record
- F. Select the Show Prompt Button check box for the DESCR field on the PSU_CUST_PROD page

Answer: C

NEW QUESTION 60

View the exhibits. Based on this page layout and page order, select two true statements about this page definition.



Question Exhibit 1 Exhibit 2

TS_EMP_REVIEW (Page)

	ID	Lv	Label	Type	Field	Record	Display Control	Related Field	Control Field
1	1	0	EmpID	Edit Box	EMPID	PERSONAL_DAT			
2	2	0	Name	Edit Box	NAME	PERSONAL_DAT			
3	14	0	Personal Details	Push Btn/Link	PSU_EMP_RVW				
4	3	1	Reviews Details	Scroll Area					
5	16	1	Edit Table	Edit Box	EDITTABLE	DERIVED			
6	4	1	Review for Year	Edit Box	REVIEW_YEAR	TS_EMP_REVIEW			
7	6	1	From Date	Edit Box	FROM_DT	TS_EMP_REVIEW			
8	7	1	to	Edit Box	TO_DT	TS_EMP_REVIEW			
9	8	1	Next Review Date	Edit Box	DATE	TS_EMP_REVIEW			
10	9	1	Review Days	Edit Box	REVIEW_DAYS	TS_EMP_REVIEW			
11	10	1	Reviews Details	Scroll Area					
12	15	1	Review Type	Drop Down List	REVIEW_TYPE	TS_EMP_RVW			
13	11	1	Reviewer ID	Edit Box	REVIEWER_ID	TS_EMP_RVW			
14	13	1	Name	Edit Box	NAME	PERSONAL_DAT			13

- A. The TS_EMP_REVIEW page is saved without error
B. The TS_EMP_REVIEW page contains a parent/child design error
C. The TS_EMP_REVIEW page is saved with a related field error
D. The TS_EMP_REVIEW page is saved with a duplicate record field warning

Answer: A

NEW QUESTION 63

The following PeopleCode program compares two editable fields on a component.

```

If All(PSU_CRS_SESSN.START_DATE, PSU_CRS_SESSN.END_DATE) And
    PSU_CRS_SESSN.START_DATE > PSU_CRS_SESSN.END_DATE Then
    Error MsgGet(1040, 3, "Message Not Found: Course Start Date must not be later than End Date.",
End-If;

```

On which event or events should the program be placed?

- A. FieldEdit and RowInit
B. SaveEdit and SavePreChange
C. SaveEdit
D. FieldChange and SavePreChange
E. SaveEdit and RowInit
F. FieldEdit

Answer: B

NEW QUESTION 67

Which two field types should be places as the last field in the list of fields in a PeopleSoft record definition? (Select two.)

- A. Character
B. Attachment
C. ImageReference
D. Prompt
E. Image
F. LongCharacter

Answer: DEF

NEW QUESTION 71

The following object-oriented program is inefficient and includes many unnecessary statements.

```

01 Local Record &Rec = GetRecord();
02 Local Field &StartDt, &EndDt;
03
04 &StartDt = &Rec.GetField (Field.START_DATE);
05 &StartDt = &Rec.GetField (Field.END_DATE);
06 If All (&StartDt.Value, &EndDt.Value) And
07     &StartDt.Value > &EndDt.Value Then
08     &StartDt.SetDefault();
09     Error MsgSet(1040, 3, "Message Not Found.", &StartDt.Value, &EndDt.Value)
10 End-If;

```

If you delete lines 2-5, how would you rewrite lines 6-10 to be efficient, compact, and correct?

A.
If All (&Rec.GetField (START_DATE.Value), &Rec.GetField(END_DATE.Value)) And
(&Rec.GetField (START_DATE.Value) > &Rec.GetField(END_DATE.Value) Then
&Rec.GetField(START_DATE) .SetDefault();
Error MsgGet (1040, 3, "Message Not Found.", &Rec.GetField (START_DATE.Value),
&Rec.GetField(END_DATE.Value));
End-If;

B.
If All (&Rec.START_DATE.Value), &Rec.END_DATE.Value)) And
(&Rec.START_DATE.Value) > &Rec.END_DATE.Value) Then
&Rec.START_DATE.SetDefault();
Error MsgGet (1040, 3, "Message Not Found.", &Rec.START_DATE.Value,
&Rec.END_DATE.Value);
End-If;

C.
If All (START_DATE.Value, END_DATE.Value) And
START_DATE.Value) > END_DATE.Value Then
START_DATE.SetDefault();
Error MsgGet (1040, 3, "Message Not Found.", START_DATE, END_DATE);
End-If;

D.
If All (START_DATE.Value, END_DATE.Value) And
START_DATE.Value) > END_DATE.Value Then
START_DATE.SetDefault();
Error MsgGet (1040, 3, "Message Not Found.", START_DATE.Value, END_DATE.Value);
End-If;

E.
If All (&START_DATE.Value, &END_DATE.Value) And
&START_DATE.Value) > END_DATE.Value Then
&START_DATE.SetDefault();
Error MsgGet (1040, 3, "Message Not Found.", &START_DATE.Value,
&END_DATE.Value);
End-If;

- A. Option A
B. Option B
C. Option C
D. Option D
E. Option E

Answer: A

NEW QUESTION 72

Select the two Application Designer definitions that demonstrate how referential integrity is maintained in PeopleSoft applications. (Select two.)

A

PSU_CUST.GBL (Component)					
Definition					
	Page Name	Item Name	Hidden	Item Label	Folder Tab Label
1	PSU_CUST	PSU_CUST_TABLE		Customer Table	

B

PSU_ITEM_TBL (Record)							
Record Fields							
	Num	Field Name	Type	Len	Format	Short Name	Long Name
	1	SETID	Char	5	Upper	SetID	SetID
	2	ITEM_CD	Char	6	Upper	Item	Item Code
	3	EFFDT	Date	10		Eff Date	Effective Date
	4	EFF_STATUS	Char	1	Upper	Status	Status as of Effective D
	5	DESCR	Char	30	Mixed	Descr	Description
	6	PRICE	Nbr	6.2		Price	Price
	7	DESCRLONG	Long	0		Descr	Description

C

PSU_PO_HDR (Record)						
Record Fields						
	Num	Field Name	Type	Req	Edit	Prompt Table
	1	ORDER_NBR	Char	Yes		
	2	BUSINESS_UNIT	Char	Yes	Prompt	BUS_UNIT_TBL_TR
	3	ORDER_DT	Date	Yes		
	4	VENDOR_CD	Char	No	Prompt	PSU_VENDOR_TBL
	5	ORDER_STATUS	Char	No	Xdat	
	6	STATUS_DT	Date	No		
	7	DELIVER_METHOD	Char	No	Prompt	PSU_TRANSPT_TBL
	8	ADDED_BY	Char	No		
	9	APPR_STATUS	Char	No	Xdat	
	10	APPR_INSTANCE	Nbr	No		

D



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: CD

NEW QUESTION 75

Examine this PeopleCode program excerpt:

```
class OCP_ROWSET extends Rowset

    property integer FilledRowCount get;
    method OCP_ROWSET(&strRecName As string, &strDataFld As string, &strGetOrCreate As string);
    method InsertRow(&iRow As integer) Returns boolean;

end-class;
```

Select the three correct statements. (Choose three.)

- A. The OCP_ROWSET method runs automatically whenever an object is instantiated from the OCP_ROWSET class
- B. OCP_ROWSET is the constructor method for the OCP_ROWSET class
- C. Executing the RO_ROWSET method instantiates an object of the OCP_ROWSET class
- D. The OCP_ROWSET method must initialize an object of the Rowset class
- E. The OCP_ROWSET method is added to the Rowset class, and, by extension, to any instances of the Rowset class

Answer: ABD

NEW QUESTION 77

Select three changes to a record definition that require you to rebuild the SQL table. (Choose three.)

- A. You change an ascending key to a descending key
- B. You deselect the Alternate Search Key check box
- C. You change the length of a non-key field
- D. You deselect the Search Key check box (only) for a field
- E. You change the label of a key field

Answer: ACD

NEW QUESTION 82

You surround a set of page controls with a group box on a fluid page. When rendered in HTML, what tag will those page controls be within?

- A. <div>
- B. <embed>
- C. <iframe>
- D. <datalist>
- E. <frame>
- F. <area>

Answer: E

NEW QUESTION 84

At what occurs level is the Reviewer Details scroll area?

Empl ID 00001 Aguilar, Cornelia

Personal Details

Review Details Find | View all First 1 of 3 Last

Review for Year 2007

Reviewer Details Find | View all First 1 of 2 Last

Review Type Employee SelfAssessment

Reviewer ID 00001 Aguilar, Cornelia

*review Factor	Description	Factor Weight (%)	*Rating
1		25.0	Too new to rate

- A. 1
- B. 3
- C. 2
- D. 4

Answer: A

NEW QUESTION 86

The following FieldChange program conditionally populates DERIVED.EDITABLE, based on the value of PSU_EMP_RVW_RVR.REVIEW_TYPE.

```

PSU_EMP_REVIEW.GBL.PSU_EMP_RVW_RVR.REVIEW_TYPE.FieldChange (Component PeopleCod...
REVIEW_TYPE (field) FieldChange
/* Need to blank out REVIEWER_ID when Type changes
** and enable REVIEWER_ID */

PSU_EMP_RVW_RVR.REVIEWER_ID.SetDefault();
PSU_EMP_RVW_RVR.REVIEWER_ID.Enabled = True;

Evaluate PSU_EMP_RVW_RVR.REVIEW_TYPE
When = "S"
/* Supervisor review */
DERIVED.EDITABLE = "PSU_SUPVR_VU";
Break;
When = "F"
/* Performance review */
When = "P"
/* Peer review */
DERIVED.EDITABLE = "PERSONAL_DATA";
Break;
When = "E"
/* Self review */
DERIVED.EDITABLE = "NONE";
/* Also need to populate field with ENPLID
** and disable the field */

```

Another similar program should be placed in a companion event. In which other event should the other PeopleCode program be placed?

- A. SavePreChange
- B. FieldEdit
- C. Rowinit
- D. Rowinsert

Answer: C

NEW QUESTION 91

An end user saves the data after making a change to their personal address, and the system updates the table for that page. In this case, that personal address information is also stored in a table used to generate reports. Upon saving the address, the system also updates the equivalent information stored in the reporting table.

What form of maintaining referential integrity has been implemented in this scenario?

- A. Parent-child relationship
- B. Occurs level
- C. Prompt table edit
- D. PeopleCode running a SQLExec statement
- E. Expert entry

Answer: C

NEW QUESTION 96

Which two statements indicate the actions that need to be taken before changing the default field label on a field definition? (Choose two.)

- A. Check if the default label is used in any page definitions
- B. Check if the default label is used in any record definitions
- C. Check if the default label is used in any component definitions
- D. Check if the default label is used in any PeopleCode

E. Check if the default label is active

Answer: AB

NEW QUESTION 97

Consider the following three scenarios and six tools or techniques. For each scenario, identify the most appropriate tool or technique for updating the portal registry.

Scenarios:

- S1. Create new content reference (CREF) definitions for three new fluid components.
- S2. Update node and security settings for 10 menu folders containing over 150 CREF definitions.
- S3. Create tile definitions from three existing classic components.

Tools:

- T1. Programmatically with PeopleCode
- T2. Using the CREF Wizard
- T3. Using a component interface
- T4. Manually in the Structure and Content component
- T5. Using the Registration Wizard
- T6. Programmatically with SQR

- A. S1-T2, S2-T1, S3-T3
- B. S1-T2, S2-T6, S3-T4
- C. S1-T5, S2-T4, S3-T3
- D. S1-T5, S2-T3, S3-T4
- E. S1-T5, S2-T1, S3-T4

Answer: D

NEW QUESTION 100

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1Z0-632 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1Z0-632 Product From:

<https://www.2passeasy.com/dumps/1Z0-632/>

Money Back Guarantee

1Z0-632 Practice Exam Features:

- * 1Z0-632 Questions and Answers Updated Frequently
- * 1Z0-632 Practice Questions Verified by Expert Senior Certified Staff
- * 1Z0-632 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1Z0-632 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year