

Microsoft

Exam Questions MS-200

Planning and Configuring a Messaging Platform



NEW QUESTION 1

- (Exam Topic 2)

You need to configure the virtual directories to meet the technical requirements.

How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

<div>▼</div> <div>Set-MapVirtualDirectory</div> <div>Set-OrganizationConfig</div> <div>Set-OutlookAnywhere</div> <div>Set-RpcClientAccess</div>	<div>▼</div> <div>-Identity "<servername>\mapi (Default Web Site)"</div>	<div>▼</div> <div>-MapiHttpEnabled \$true</div> <div>-Internal https://mail.contoso.com/mapi</div> <div>-Internal https://mail.contoso.com/rpc</div>
<div>▼</div> <div>-ExternalUri https://mail.contoso.com/rpc</div> <div>-ExternalUri https://mail.contoso.com/mapi</div> <div>-MapiHttpEnabled \$false</div>	<div>▼</div> <div>-IISAuthenticationMethods Negotiate</div>	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

<div>▼</div> <div>Set-MapVirtualDirectory</div> <div>Set-OrganizationConfig</div> <div>Set-OutlookAnywhere</div> <div>Set-RpcClientAccess</div>	<div>▼</div> <div>-Identity "<servername>\mapi (Default Web Site)"</div>	<div>▼</div> <div>-MapiHttpEnabled \$true</div> <div>-Internal https://mail.contoso.com/mapi</div> <div>-Internal https://mail.contoso.com/rpc</div>
<div>▼</div> <div>-ExternalUri https://mail.contoso.com/rpc</div> <div>-ExternalUri https://mail.contoso.com/mapi</div> <div>-MapiHttpEnabled \$false</div>	<div>▼</div> <div>-IISAuthenticationMethods Negotiate</div>	

NEW QUESTION 2

- (Exam Topic 2)

You need to recommend a deployment plan that meets the technical requirements for the mailbox databases. What should you include in the recommendation?

- A. Deploy one Exchange server to the main office and two Exchange servers to each branch office
- B. Create one mailbox database on each server.
- C. Deploy 10 Exchange servers to the main office and one Exchange server to each branch office
- D. Create two mailbox databases on each server.
- E. Deploy 11 Exchange servers to the main office and one Exchange server to each branch office
- F. Create one mailbox database on each server.
- G. Deploy one Exchange server to each office
- H. Create two mailbox databases on each server
- I. Create copies of the databases on another server.

Answer: D

NEW QUESTION 3

- (Exam Topic 2)

You need to recommend a load balancing solution for the client connections that must be created to meet the disaster recovery requirements.

What should you recommend?

- A. Deploy a Layer 7 load balancing solution.
- B. Deploy a Layer 4 load balancing solution.
- C. Implement Network Load Balancing (NLB) on each Exchange server.
- D. Implement DNS load balancing for all the Exchange-related DNS records and implement round robin for DNS name resolution.

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/architecture/client-access/load-balancing?view=exchserver-2019>

NEW QUESTION 4

- (Exam Topic 3)

You need to configure a Microsoft Exchange Server 2019 organization to meet the following requirements: ☒ Retain connectivity log data for up to 60 days.

☒ Retain message tracking log data for up to 60 days.

What should you use to meet each requirement? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Answer Area
The Set-TransportService cmdlet	
The Set-TransportConfig cmdlet	Retain connectivity log data for up to 60 days: <input type="text"/>
The Set-TransportRule cmdlet	Retain message tracking log data for up to 60 days: <input type="text"/>
The Exchange admin center (EAC)	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/set-transportservice?view=exchange-p>

NEW QUESTION 5

- (Exam Topic 3)

You have a Microsoft Exchange Server organization.

You configure an Exchange server named EX1 to deliver email messages for an application named App1. App1 sends messages in large bursts overnight by using a client frontend Receive connector on EX1. You discover that it takes a long time to deliver the messages.

You need to reduce how long it takes to deliver the messages. Which value should you configure on the Receive connector?

- A. maximum inbound connections
- B. message rate limit
- C. connection time out
- D. tarpit interval

Answer: B

NEW QUESTION 6

- (Exam Topic 3)

You have a Microsoft Exchange Online subscription. A user loses a mobile device.

You need to tell the user how to remove corporate data from the lost device. What should you instruct the user to use?

- A. Outlook on the web
- B. the Exchange admin center
- C. the Security & Compliance admin center
- D. the Microsoft 365 admin center

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/clients/exchange-activesync/remote-wipe?view=exchserver-2019>

NEW QUESTION 7

- (Exam Topic 3)

Your company purchases new mobile devices for each user in its sales department and marketing department. The new devices only support Exchange ActiveSync.

You need to configure mobile device access to meet the following requirements: Apply a specific password policy to all the sales department users.

Prevent all the marketing department users from using an Exchange ActiveSync-based client to access their mailbox.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

For the sales department users:	<div><div></div><div>Create a mobile device access rule</div><div>Create and assign a mobile device policy</div><div>Create a client access rule scoped to the users</div></div>
For the marketing department users:	<div><div></div><div>Run the Set-Mailbox cmdlet</div><div>Run the Set-CasMailbox cmdlet</div><div>Run the Set-ActiveSyncDeviceAccessRule cmdlet</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

For the sales department users:

▼

Create a mobile device access rule

Create and assign a mobile device policy

Create a client access rule scoped to the users

For the marketing department users:

▼

Run the Set-Mailbox cmdlet

Run the Set-CasMailbox cmdlet

Run the Set-ActiveSyncDeviceAccessRule cmdlet

NEW QUESTION 8

- (Exam Topic 3)

Your company named Contoso, Ltd. has a Microsoft Exchange Online subscription.

You have several transport rules. The rules automatically apply a disclaimer to email messages that contain certain keywords in the subject and are sent to recipients in an email domain named fabrikam.com.

You receive a report that some messages are delivered without the disclaimer.

You need to view which transport rules were applied to messages sent to the fabrikam.com recipients. What should you use?

- A. a URL trace
- B. a message trace
- C. the SMTP protocol logs
- D. the transport logs

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/monitoring/trace-an-email-message/run-a-message-trace-andview-re>

NEW QUESTION 9

- (Exam Topic 3)

Your company has a main office and 20 remote offices.

The network contains an Active Directory forest. The forest contains domain controllers that run Windows Server 2012 R2. The forest functional level is Windows Server 2008 R2.

The company has a Microsoft Exchange Server organization. Most servers have Exchange Server 2013 installed. Three servers in the remote offices have Exchange Server 2010 installed.

One quarter of users have voicemail provided by Unified Messaging (UM).

You need to deploy an Exchange Server 2019 database availability group (DAG) to the main office. Which two actions should you perform to prepare the organization for the DAG deployment? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Disable UM for all the users.
- B. Upgrade all the domain controllers to Windows Server 2019.
- C. Create a new Active Directory site for the main office.
- D. Raise the forest functional level to Windows Server 2012 R2.
- E. Upgrade the remaining Exchange Server 2010 servers to Exchange Server 2013.

Answer: DE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Exchange/plan-and-deploy/system-requirements?view=exchserver-2019>

NEW QUESTION 10

- (Exam Topic 3)

Your network contains an Active Directory forest. The forest contains two Active Directory sites named Site1 and Site2.

You have a Microsoft Exchange Server 2019 organization that contains a database availability group (DAG) named DAG1. DAG1 has three member servers in each site.

You need to prevent users from Site1 from sending email messages larger than 5 MB to the mailboxes in Site2.

What should you do?

- A. Modify the properties of the Active Directory site link.
- B. From Site1, create a custom Send connector, and then modify the address space.
- C. From Site2, create a custom Receive connector, and then modify the remote IP address range.
- D. Modify the properties of DAG1.

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

Your company plant to allow user to use their mailbox phone to access their mailbox.

You need to ensure the user devices are password protected before the user can connect to their mailbox. What should you create?

- A. A device access rule
- B. A client access rule
- C. A data loss prevention (DLP) rule
- D. A mobile device mailbox policy

Answer: D

NEW QUESTION 12

- (Exam Topic 3)

You have a Microsoft Exchange Server 2019 organization.

Ten days ago, a user named User1 sent an email message to a user named User2. User2 never received the message.

You need to identify whether the message was delivered to User2.

What should you run from Exchange Management Shell?

- A. Get-MessageTraceDetail
- B. Search-MessageTrackingReport
- C. Get-MessageTrackingReport
- D. Get-MessageTrace

Answer: C

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetrackingreport?view=exchange-ps>

NEW QUESTION 16

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has two offices.

The network contains an Active Directory forest. The forest contains two domains. Each office is configured as an Active Directory site.

You need to recommend a plan for the deployment of Microsoft Exchange Server 2019 servers. The plan must ensure that a copy of each sent email message is always retained in a shadow queue.

Solution: Deploy a standalone Exchange server to each site. Add each server to a different domain. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 21

- (Exam Topic 3)

You have a Microsoft 365 subscription.

Several users report today that they cannot access email from their mobile device. They successfully accessed their email from the same device yesterday.

You need to identify which mobile device access rule applies to the devices. Which cmdlet should you run?

- A. Get-MsolDevice
- B. Get-ActiveSyncMailboxPolicy
- C. Get-ActiveSyncDeviceClass
- D. Get-MobileDevice

Answer: D

NEW QUESTION 24

- (Exam Topic 3)

DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named MBX01. You back up MBX01 by using Windows Server Backup.

You need to recover a deleted mailbox. The solution must minimize the impact on other mailboxes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Run the `isinteg.exe` command and specify the `-fix` parameter.

Create a recovery database.

Run the `New-MailboxRestoreRequest` cmdlet.

Restore the database backup.

Run the `New-MailboxMoveRequest` cmdlet.

Install Exchange Server 2019 on a new server.

Run the `eseutil.exe` command and specify the `/r` parameter.

Answer Area

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:
<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/restore-data-using-recovery-dbs?v>

NEW QUESTION 27

- (Exam Topic 3)

HOTSPOT

You have a Microsoft Exchange Server 2019 organization.
You are configuring backups of a server that has a single mailbox database named MDB01. The database file is in a folder named MDB01 on drive E, and the log files that are in a folder named MDB01 on drive F.
You need to back up the server to meet the following requirements:

- Ensure that all the logs truncate automatically after a backup
- Ensure that all the logs replay automatically when restored
- Minimize the amount of storage used for the backups.

Which two items should you select for the backups? To answer, select the appropriate items in the answer area.
NOTE: Each correct selection is worth one point.

Select Items

×

Specify items to include in the backup by selecting or cleaning the associated check boxes.
The items that you have included in the current backup are already selected.

☐

Bare metal recovery

☐

System state

☐

EFI System Partition

☐

Local disk (C:)

☐

Databases (E:)

☒

\$RECYCLE BIN

☒

Archived PST Files

☒

MDB01

☒

Recovery Database

☐

Logs (F:)

☒

\$RECYCLE BIN

☒

MDB01

☐

Recovery

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Select Items ×

Specify items to include in the backup by selecting or cleaning the associated check boxes.
The items that you have included in the current backup are already selected.

☐ Bare metal recovery

☐ System state

☐ EFI System Partition

☐ Local disk (C:)

☐ Databases (E:)

☒ \$RECYCLE BIN

☒ Archived PST Files

☒ MDB01

☒ Recovery Database

☐ Logs (F:)

☒ \$RECYCLE BIN

☒ MDB01

☐ Recovery

NEW QUESTION 28

- (Exam Topic 3)

Your network contains the subnets shown in the following table.

Office	Subnet
London	172.16.0.0/16
Prague	172.17.0.0/16
Moscow	172.18.0.0/16
New York	172.19.0.0/16

You have a Microsoft Exchange Server 2019 organization.

You need to prevent users in the London office from accessing the Exchange admin center (EAC). How should you complete the command? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

New-ClientAccessRule

New-OwaMailboxPolicy

New-NetFirewallRule

▼

-Name "Restrict Admin Access"

-Action DenyAccess

-Action AllowAccess

-Protocol TCP

-Protocol ICMPv4

▼

-AnyOfProtocols ExchangeAdminCenter

-ExceptAnyOfClientIPAddressesOrRanges 172.16.0.0/16

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

References:

https://docs.microsoft.com/en-us/powershell/module/exchange/client-access/new-clientaccessrule?view=exchan

NEW QUESTION 30

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

Get-MailboxDatabase | Get-MailboxStatistics | Where {\$_.DisconnectReason -eq "Disabled"} | Format-Table DisplayName, Database, DisconnectDate

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/Exchange/recipients/disconnected-mailboxes/restore-deleted-mailboxes?view=>

NEW QUESTION 31

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1. Solution: You run the following command.

\$30 days – (Get-Date).AddDays(30)

Get-MailboxDatabase | Get-MailboxStatistics | Where {\$_.DisconnectDate –lt \$30days} | Format-Table DisplayName,Database,DisconnectDate

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 36

- (Exam Topic 3)

You have a Microsoft Exchange 2019 server that contains a mailbox database named DB01. DB01 is located on a drive named E. The transaction log files for DB01 are located on a drive named F.

You receive several disk alerts for drive E and suspect that the drive is failing. You dismount DB01 and verify that the database is in a clean shutdown state. You create a new mailbox database named DB02 on a drive named G.

You need to ensure that users can connect to their mailbox as quickly as possible.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Move the log files of DB01 to drive G.	
Run the Move-DatabasePath cmdlet.	
Move the database files of DB01 to drive G.	➤
Run the Set-Mailbox cmdlet.	➤
Mount DB02.	⬆
From DB02, select the This database can be overwritten by a restore check box.	⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/database-portability?view=exchse>

NEW QUESTION 37

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

MS-200 Practice Exam Features:

- * MS-200 Questions and Answers Updated Frequently
- * MS-200 Practice Questions Verified by Expert Senior Certified Staff
- * MS-200 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * MS-200 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The MS-200 Practice Test Here](#)