

Exam Questions 1z0-1042

Oracle Cloud Platform Application Integration 2019 Associate

<https://www.2passeasy.com/dumps/1z0-1042/>



NEW QUESTION 1

Which two actions can be repositioned in integration with Oracle Integration Cloud (OIC)?

- A. Function Call
- B. Switch
- C. Stage File with Read File in Segments
- D. Stage File

Answer: AB

NEW QUESTION 2

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors' What needs to be verified when this exception message is received?

- A. Run this command to verify code.keystore has system certificates: keytool -list -stotetype JKS -keystore config\code.keystore
- B. Run this command to verify code.truststore has system certificates: keytool -list -storetype JKS -keystore config\code.truststore
- C. Run this command to verify cacerts has system certificates: keytool -list -storetype JKS -keystore security\cacerts
- D. Run this command to verify code.certstore has system certificates: keytool -list -storetype JKS -keystore config\code.certstore

Answer: A

NEW QUESTION 3

What are the four steps required to complete the task 'create a connection'?

- A. Configure Connection Properties
- B. Import SSL Certificate
- C. Test Connection
- D. Select an Adapter
- E. Configure Lookup
- F. Configure Connection Security

Answer: ACDF

NEW QUESTION 4

Which four Client Software Libraries can be used for developing applications with Oracle Internet of Things (IoT) Cloud Service?

- A. C POSIX
- B. Java SE
- C. .NET
- D. JavaScript
- E. Android
- F. VB Script

Answer: ABDE

NEW QUESTION 5

Oracle JCA (J2EE Connector Architecture) Adapters simplify how applications connect to each other. Which three technology adapters are supported in Oracle's Service-Oriented Architecture (SOA) Cloud Service?

- A. Oracle JCA Adapter for Sockets
- B. Oracle EBS Application Adapter
- C. Oracle JCA Adapter for Files/FTP
- D. Oracle JCSA Adapter for JMS

Answer: ACD

Explanation:

https://docs.oracle.com/cd/E28280_01/integration.1111/e10231/intro.htm#TKADP112

NEW QUESTION 6

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbc/components-oracle-soa-cloud-service.html>

NEW QUESTION 7

What is the default value for Command Notification Timeout?

- A. 5 seconds
- B. 2 seconds
- C. 10 seconds
- D. 1 second

Answer: A

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-command-notification-timeout-value.html>

NEW QUESTION 8

Which operation is NOT supported by Stage activity?

- A. Read Entire File
- B. Delete File
- C. Write File
- D. Unzip File
- E. Zip File
- F. Read File in Segments

Answer: F

NEW QUESTION 9

Which Service-Oriented Architecture Cloud Service (SOA CS) component provides stateful orchestration?

- A. Oracle Mediator
- B. Oracle Business Activity Monitoring
- C. Oracle Service Bus
- D. Oracle Business Rules
- E. Oracle BPEL Process Manager

Answer: E

NEW QUESTION 10

Which two statements are true about implementing an API-First strategy?

- A. The API is to be developed first before any UI or new business logic are created.
- B. It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- C. The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D. You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

Answer: AB

NEW QUESTION 10

Which three statements are true about SOAP and advantages it provides?

- A. RPC (Remote procedure calls) are sometimes blocked by firewalls and proxy servers - SOAPovercomes that.
- B. It is able to act like a cleaning agent to remove excess data from the transmission protocol
- C. Since its XML based, it is platform and programming language independent
- D. It stands for Simple Object Application Protocol
- E. It uses XML based content to communicate between two client machines across any modem network.

Answer: ACD

NEW QUESTION 14

You want to configure SOA Cloud Service instance to allow for a cluster of three WebLogic server instances. Which is a valid consideration when configuring the Load Balancer within your SOA instance?

- A. Load balancer configuration may only be configured after the SOA instance cluster has been provisioned.
- B. Each load balancer node will share the same public IP address utilizing virtual routing redundancy protocol (VRRP).
- C. A SOA instance can include up to three load balancer virtual machine nodes.
- D. Oracle Traffic Director (OTD) is the only available implementation option.

Answer: A

NEW QUESTION 16

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. GetLookupValue
- B. FindLookupValue
- C. LookupValue
- D. SearchLookupValue

Answer: C

NEW QUESTION 21

Which Enterprise Application System can be integrated with Oracle Internet of Things (IoT) Cloud Service?

- A. any system capable of receiving HTTP connections or making HTTP requests
- B. only systems which are deployed on Windows or Unix platform
- C. a system which exposes REST Service
- D. a system which exposes WSDL

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/integrating-oracle-integration-cloud-service-oracle-iot-clou>

NEW QUESTION 23

Your organization maintains two SOA Cloud Service instances used separately for testing and production. What is the best method for setting the property values and endpoint addresses that may be unique to each environment while deploying the same SOA composite application to both instances?

- A. Update any required values for changed properties or endpoint addresses in the Fusion Middleware Control web application immediately following the deployment of the SOA archive.
- B. Edit the application's configuration plan to dynamically retrieve values for properties and endpoint addresses from the environment upon deployment.
- C. Define specific properties and endpoint addresses within the deployment descriptors contained within each of two versioned SOA archives.
- D. Create two configuration plans that contain the environment-specific values for properties and endpoint addresses.

Answer: B

NEW QUESTION 24

Which four are types of links that can be created to read data and events from devices, access different data sources for reading and writing data, and to deliver the results of analytics processing?

- A. Device Message and Analyzed Message
- B. Oracle Storage Cloud Service
- C. Spark SQL and Oracle NoSQL
- D. Oracle Database as a Service
- E. Local File System

Answer: ABCD

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 29

Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

- A. Notification
- B. Metadata
- C. Orchestration
- D. Map Data

Answer: CD

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-integrations.html#GUID-FC613C>

NEW QUESTION 32

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not rea
- F. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

Answer: BCD

NEW QUESTION 37

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)
- D. Process Expression Language (PEL)

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-language> Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model. In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

NEW QUESTION 42

Which schema is used for defining the field structure of an analytic object?

- A. Apache Avro schema
- B. XSD schema
- C. Database schema
- D. XSL Schema

Answer: A

Explanation:

Using Schemas to Define the Fields of Analytics Objects You can import an Apache Avro schema file to define the field structure of your analytics object. To import a schema file, your analytics object must not have any fields defined.

The namespace and object name in your schema file must match the name of the analytics object that you created.

➤ After you create your analytics object, click Import Schema.

The file browser dialog box appears.

➤ Select a valid Avro schema file from your computer and click Open.

For more information about Avro schemas, see Apache Avro.

The field structure defined in the schema file appears in the Fields section.

➤ Click Save.

The field structure defined in your Avro schema file is imported to your analytics object. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/using-schemas-define-fields-analytics-objects.html>

NEW QUESTION 44

Which Process type should you choose to model non-sequential process type in Oracle Integration Cloud (OIC)?

- A. Adaptive Case Management process
- B. Structured Process
- C. Dynamic process
- D. Unstructured Process

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/using-processes-oracle-integration-cloud>

NEW QUESTION 47

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs
- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

Answer: A

Explanation:

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic.

Developers can also import external APIs and use them in their application. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

NEW QUESTION 48

Which four are key features of Oracle Integration Cloud Enterprise (OIC)?

- A. Data stream analytics
- B. Application Integration
- C. Web and Mobile application creation
- D. Business process automation
- E. Enterprise Service Bus (ESB)
- F. Business to Business (B2B)

Answer: ABCE

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-stream-analytics/working-stream-analytics.html#> https://cloud.oracle.com/en_US/OIC/features

NEW QUESTION 52

As a Process Cloud developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Since this is a document-centric process that will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used. Which task is NOT required?

- A. You will need to create a new process application since conversation functionality cannot be enabled for pre-existing applications.
- B. You must manually enable the document and conversation features for your process application.
- C. You will need to have the administrator configure the connection between Oracle Process Cloud and Oracle Content and Experience Cloud since developers do not have those permissions.
- D. You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.

Answer: A

NEW QUESTION 54

You have been tasked with provisioning a Managed File Transfer (MFT) Cloud Service on Oracle Cloud Infrastructure (OCI). Which of provisioning requirement is NOT valid?

- A. You are required to obtain an authentication token for an Object Storage bucket within an accessible OCI compartment.
- B. You can use any Oracle Database instance running in either OCI or OCI Classic.
- C. You must create a Virtual Cloud Network in OCI with at least two subnets.
- D. Provisioning MFT requires creating a SOA Cloud Service instance in OCI choosing "MFT Cluster" as a service type.

Answer: C

NEW QUESTION 56

Which two statements correctly define the use cases for Business Process Execution Language (BPEL) vs. Business Process Modeling Notation (BPMN) vs. Enterprise Service Bus (ESB)?

- A. Decision Model and Notation (DMN) replaces BPMN in modern Cloud Architectures.
- B. All are part of a typical/traditional on-premise enterprise integration strategy and can also be an important part of a hybrid on-premises/Cloud architecture.
- C. BPEL is inherently better than BPMN in managing orchestrations that involve people, because BPEL can also interact with systems.
- D. An ESB is used primarily for stateless messages and service mediation.
- E. The ESB construct is being replaced by API's and API Gateways in modern Cloud architectures.
- F. BPEL and ESB are both good technologies for doing heavy transformations of data before sending the data to a back-end system or database.

Answer: DE

NEW QUESTION 60

Which two are On-prem Connectivity Options with Oracle Integration Cloud (OIC)?

- A. VPN
- B. Connectivity Agent
- C. PaaS Agent
- D. Execution Agent

Answer: BC

Explanation:

<https://blogs.oracle.com/soaproactive/announcing-oracle-integration-cloud-oic>

NEW QUESTION 61

Which is NOT a valid service provided by Oracle Enterprise Scheduler Service (ESS)?

- A. running Java, PL/SQL, and binary script jobs
- B. invoking jobs on external On-Prem and SaaS applications as scheduled on the Oracle Enterprise Scheduler
- C. configurable to allow or restrict running multiple job requests associated with a single job definition concurrently
- D. distributing job-request processing across a grid of application servers
- E. invoking jobs on external On-Prem and SaaS applications as scheduled on the those Schedulers

Answer: B

NEW QUESTION 63

What is the "Decision Table" in Business Rules in Process Cloud Service?

- A. a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data objects of a decision
- B. a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives
- C. an if/then rule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true
- D. a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

Answer: C

NEW QUESTION 64

Which two are execution modes supported by gateway node in Integration API Platform Cloud Service?

- A. Production
- B. Development

C. Stage
D. Test

Answer: AB

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/installing-gateway-node.html#GUID-A02059C9>

NEW QUESTION 65

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 1z0-1042 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 1z0-1042 Product From:

<https://www.2passeasy.com/dumps/1z0-1042/>

Money Back Guarantee

1z0-1042 Practice Exam Features:

- * 1z0-1042 Questions and Answers Updated Frequently
- * 1z0-1042 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-1042 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-1042 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year