

AZ-203 Dumps

Developing Solutions for Microsoft Azure

<https://www.certleader.com/AZ-203-dumps.html>



NEW QUESTION 1

Create a `DataContainer` that contains the documents which must be added.

- A. Mastered
B. Not Mastered

Answer: A

NEW QUESTION 2

Create a `DataSource` instance and set its `Container` property to the `DataContainer`.

- A. Mastered
B. Not Mastered

Answer: A

NEW QUESTION 3

HOTSPOT

You are developing an app that manages users for a video game. You plan to store the region, email address, and phone number for the player. Some players may not have a phone number. The player's region will be used to load-balance data.

Data for the app must be stored in Azure Table Storage.

You need to develop code to retrieve data for an individual player.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```


PartitionKey = [email, phone, region] ;
RowKey = [email, phone, region] ;
}
public string Phone { get; set; }
}
public class Player
{
    protected PlayerEntity player;
    async void GetPlayer(string cs,
    {
        CloudTable
        CloudTableClient
        TableEntity
        TableEntityAdapter
        table, string pk, string rk)
    }
    TableEntity query = TableEntity.Retrieve<PlayerEntity>(pk, rk);
    TableOperation query = TableOperation.Retrieve<PlayerEntity>(pk, rk);
    TableQuery query = TableQuery.Retrieve<PlayerEntity>(pk, rk);
    TableResultSegment query = TableResult.Retrieve<PlayerEntity>(pk, rk);
}
}
TableEntity data = await table.ExecuteAsync(query);
TableOperation data = await table.ExecuteAsync(query);
TableQuery data = await table.ExecuteAsync(query);
TableResult data = await table.ExecuteAsync(query);
}
}

```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 4

HOTSPOT


You are developing a data storage solution for a social networking app.

The solution requires a mobile app that stores user information using Azure Table Storage.

You need to develop code that can insert multiple sets of user information.

How should you complete the code? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:




NEW QUESTION 5

HOTSPOT

You have an Azure Batch project that processes and converts files and stores the files in Azure storage. You are developing a function to start the batch job. You add the following parameters to the function:

Parameter name	Description
fileTasks	a list of tasks to be run
jobId	the identifier that must be assigned to the job
outputContainerSasUrl	a storage SAS URL to store successfully converted files
failedContainerSasUrl	a storage SAS URL to store copies of files that failed to convert.

You must ensure that converted files are placed in the container referenced by the outputContainerSasUrl parameter. Files which fail to convert are placed in the container referenced by the failedContainerSasUrt parameter.
You need to ensure the files are correctly processed.
How should you complete the code segment? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

EnableJob
TaskFailure
Taskcompletion
ResourceFiles

NEW QUESTION 6


DRAG DROP

You manage several existing Logic Apps.

You need to change definitions, add new logic and optimize these apps on a regular basis.

What should you use? To answer, drag the appropriate tools to the coned functionalities. Each tool may be used once, more than once, or not at all- You may need to drag the split bar between panes or scroll to view content.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 7

You have an Azure App Services Web App. Azure SQL Database instance. Azure Storage Account and an Azure Redis Cache instance in a resource group. A developer must be able to publish code to the web app. You must grant the developer the Contributor role to the web app. You need to grant the role. What two commands can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. New-AzureRmRoleAssignment
- B. az role assignment create
- C. az role definition create
- D. New-AzureRmRoleDefinition

Answer: C

NEW QUESTION 8

You need to meet the LabelMaker security requirement. What should you do?

- A. Create a conditional access policy and assign it to the Azure Kubernetes Service cluster
- B. Place the Azure Active Directory account into an Azure AD group
- C. Create a ClusterRoleBinding and assign it to the group.
- D. Create a Microsoft Azure Active Directory service principal and assign it to the Azure Kubernetes Service (AKS) cluster.
- E. Create a RoleBinding and assign it to the Azure AD account.

Answer: D

NEW QUESTION 9

HOTSPOT

You are developing an Azure Web App. You configure TLS mutual authentication for the web app. You need to validate the client certificate in the web app. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 10

HOTSPOT

A company develops a series of mobile games. All games use a single leaderboard service. You have the following requirements:

- Code should be scalable and allow for growth.
- Each record must consist of a playerId, gameId, score, and time played.
- When users reach a new high score, the system will save the new score using the SaveScore function below.
- Each game is assigned an Id based on the series title.

You have the following code. (Line numbers are included for reference only.)

```
01 public void SaveScore(string gameId, string playerId, int score, long timePlayed)
02 {
03     CloudStorageAccount storageAccount = CloudStorageAccount.Parse(connectionString);
04     CloudTableClient tableClient = storageAccount.CreateCloudTableClient();
05     CloudTable table = tableClient.GetTableReference("scoreTable");
06     table.CreateIfNotExists();
09     table.Execute(insertOperation);
10 }
11 public class PlayerScore : TableEntity
12 {
13     public PlayerScore(string gameId, string playerId, int score, long timePlayed)
14     {
15         this.PartitionKey = gameId;
16         this.RowKey = playerId;
17         Score = score;
18         TimePlayed = timePlayed;
19     }
20     public int Score { get; set; }
21     public long TimePlayed { get; set; }
22 }
```

You store customer information in an Azure Cosmos database. The following data already exists in the database:

PartitionKey	RowKey	Email
Harp	Walter	wharp@contoso.com
Smith	Steve	ssmith@contoso.com
Smith	Jeff	jsmith@contoso.com

```
01 CloudTableClient tableClient = account.CreateCloudTableClient();
02 CloudTable table = tableClient.GetTableReference("people");
03 TableQuery<CustomerEntity> query = new TableQuery<CustomerEntity>()
04     .Where(TableQuery.CombineFilters(
05         TableQuery.GenerateFilterCondition(PartitionKey, QueryComparisons.Equal, "Smith"),
06         TableOperators.And, TableQuery.GenerateFilterCondition(Email, QueryComparisons.Equal, "ssmith@contoso.com")
07     ));
08 await table.ExecuteQuerySegmentedAsync<CustomerEntity>(query, null);
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point

Answer Area

● ● ● ● ●

	Yes	No
The code will work with Cosmos DB.	<input type="radio"/>	<input type="radio"/>
The save score function will update and replace a record if one already exists with the same playerId and gameId.	<input type="radio"/>	<input type="radio"/>
The data for the game will be automatically partitioned.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

● ● ● ● ●

	Yes	No
The code will work with Cosmos DB.	<input type="radio"/>	<input checked="" type="radio"/>
The save score function will update and replace a record if one already exists with the same playerId and gameId.	<input checked="" type="radio"/>	<input type="radio"/>
The data for the game will be automatically partitioned.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 10

HOTSPOT

You have an app that stores player scores for an online game. The app stores data in Azure tables using a class named PlayerScore as the table entity. The table is populated with 100,000 records.

You are reviewing the following section of code that is intended to retrieve 20 records where the player score exceeds 15,000. (Line numbers are included for reference only.)

```
1 public void GetScore(string playerId, int score, string gameName)
2 {
3     TableQuery<DynamicTableEntity> query = new TableQuery<DynamicTableEntity>().Select(new string[] { "Score" })
        .Where(TableQuery.GenerateFilterConditionForInt("Score", QueryComparisons.GreaterThanOrEqual, 15000)).Take(20);
4     EntityResolver<KeyValuePair<string, int?>> resolver =
        (partitionKey, rowKey, ts, props, etag) => new KeyValuePair<string, int?>(rowKey, props["Score"].Int32Value);
5     foreach (var scoreItem in scoreTable.ExecuteQuery(query, resolver, null, null))
6     {
7         Console.WriteLine($"{scoreItem.Key} {scoreItem.Value}");
8     }
9
10 public class PlayerScore : TableEntity
11 {
12     public PlayerScore(string gameId, string playerId, int score, long timePlayed)
13     {
14         PartitionKey = gameId;
15         RowKey = playerId;
16         Score = score;
17         TimePlayed = timePlayed;
18     }
19     public int Score { get; set; }
20     public long TimePlayed { get; set; }
21 }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point

Answer Area

	Yes	No
The code queries the Azure table and retrieves the TimePlayed property from the table.	<input type="radio"/>	<input type="radio"/>
The code will display a maximum of twenty records.	<input type="radio"/>	<input type="radio"/>
All records will be sent to the client. The client will display records for scores greater than or equal to 15,000.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

• • • • •

	Yes	No
The code will work with Cosmos DB.	<input type="radio"/>	<input checked="" type="radio"/>
The save score function will update and replace a record if one already exists with the same playerId and gameId.	<input checked="" type="radio"/>	<input type="radio"/>
The data for the game will be automatically partitioned.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 15

HOTSPOT

You are developing a .NET Core MVC application for customers to research hotels. The application will use Azure Search. The application will search the index by using various criteria to locate documents related to hotels. The index will include search fields for rate, a list of amenities, and distance to the nearest airport.

The application must support the following scenarios for specifying search criteria and organizing results:

- Search the index by using regular expressions.
- Organize results by counts for name-value pairs.
- List hotels within a specified distance to an airport and that fall within a specific price range.

You need to configure the SearchParameters class.

Which properties should you configure? To answer, select the appropriate options in the answer area.

NOTE Each correct selection is worth one point.

Scenario	Property
Search the index by using regular expressions.	<div>QueryType OrderBy SearchMode</div>
Organize results by counts for name-value pairs.	<div>Facets Filter SearchMode</div>
List hotels within a specified distance to an airport and that fall within a specific price range.	<div>Order by Top Filter</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Scenario	Property
Search the index by using regular expressions.	<div>QueryType <input checked="" type="checkbox"/> OrderBy SearchMode</div>
Organize results by counts for name-value pairs.	<div>Facets <input checked="" type="checkbox"/> Filter SearchMode</div>
List hotels within a specified distance to an airport and that fall within a specific price range.	<div>Order by Top <input checked="" type="checkbox"/> Filter</div>

NEW QUESTION 17

HOTSPOT

A company runs an international travel and bookings management service. The company plans to begin offering restaurant bookings. You must develop a solution that uses Azure Search and meets the following requirements:

- Users must be able to search for restaurants by name, description, location, and cuisine.

- Users must be able to narrow the results further by location, cuisine, rating, and family-friendliness.
 - All words in descriptions must be included in searches. You need to add annotations to the restaurant class.
- How should you complete the code segment? To answer, select the appropriate options in the answer area.
- NOTE: Each correct selection is worth one point.

```
{
  [Key, IsFilterable]
  public int RestaurantId { get; set; }
  [IsSearchable, IsFilterable, IsSortable]
  public string Name { get; set; }

  public string Description { get; set; }
  public string Name { get; set; }

  public string Location { get; set; }
  public string Phone { get; set; }

  public string Description { get; set; }

  public double Rating { get; set; }
}
```

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

```
{
  [Key, IsFilterable]
  public int RestaurantId { get; set; }
  [IsSearchable, IsFilterable, IsSortable]
  public string Name { get; set; }

  public string Description { get; set; }
  public string Name { get; set; }

  public string Location { get; set; }
  public string Phone { get; set; }

  public string Description { get; set; }

  public double Rating { get; set; }
}
```

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]

[IsSearchable, IsFilterable, IsSortable, IsFacetable]
 [IsFilterable, IsFacetable, Required]
 [IsSearchable]
 [IsSearchable, Required]


NEW QUESTION 19

HOTSPOT

You need to retrieve all order line items sorted alphabetically by the city.

How should you complete the code? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 22

You need to meet the security requirements for the E-Commerce Web App. Which two steps should you take? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Create an Azure AD service principal.
- B. Enable Managed Service Identity (MSI) on the E-Commerce Web App.
- C. Add a policy to the Azure Key Vault to grant access to the E-Commerce Web App.
- D. Update the E-Commerce Web App with the service principal's client secret.

Answer: D

NEW QUESTION 23

Note: This question is part of a series of questions that present the same scenario.

Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. You need to meet the LabelMaker application Solution; Create a conditional access policy and assign it to the Azure Kubernetes service cluster.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Scenario: The LabelMaker applications must be secured by using an AAD account that has full access to all namespaces of the Azure Kubernetes Service (AKS) cluster.

Before an Azure Active Directory account can be used with the AKS cluster, a role binding or cluster role binding needs to be created.

References:

<https://docs.microsoft.com/en-us/azure/aks/aad-integration>

NEW QUESTION 28

You need to troubleshoot the order workflow.

What should you do? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Review the run history.
- B. Review the trigger history.
- C. Review the API connections.
- D. Review the activity log.

Answer: BD

Explanation:

Scenario: The order workflow fails to run upon initial deployment to Azure. Deployment errors arise from conditions that occur during the deployment process. They appear in the activity log.

References:

<https://docs.microsoft.com/en-us/azure/azure-resource-manager/resource-group-audit>

NEW QUESTION 31

Note: In this section you will see one or more sets of questions with the same scenario and problem. Each question presents a unique solution to the problem, and you must determine whether the solution meets the stated goals. More than one solution might solve the problem. It is also possible that none of the solutions solve the problem.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the LabelMaker application security requirement. Solution: Create a RoleBinding and assign it to the Azure AD account. Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Scenario: The LabelMaker applications must be secured by using an AAD account that has full access to all namespaces of the Azure Kubernetes Service (AKS) cluster.

Permissions can be granted within a namespace with a RoleBinding, or cluster-wide with a ClusterRoleBinding.

References:

<https://kubernetes.io/docs/reference/access-authn-authz/rbac/>

NEW QUESTION 35

You need to access user claims in the e-commerce web app* What should you do first?

- A. Update the e-commerce web app to read the HTTP request header values.
- B. Assign the Contributor RBAC role to the e-commerce web app by using the Resource Manager create role assignment API.
- C. Write custom code to make a Microsoft Graph API call from the e-commerce web app.
- D. Using the Azure CU enable Cross-origin resource sharing (CORS) from the e-commerce checkout API to the e-commerce web app

Answer: C

NEW QUESTION 39

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that the SecurityPin security requirements are met.

Solution: Enable Always Encrypted for the SecurityPin column using a certificate based on a trusted certificate authority. Update the Getting Started document with instructions to ensure that the certificate is installed on user machines.

Does the solution meet the goal?

- A. Yes
- B. No


Answer: B

NEW QUESTION 43

HOTSPOT

You need to ensure that security policies are met. What code should you add at Line PC26?


To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 45

You need to construct the link to the summary report for the email that is sent to users. What should you do?

- A. Create a SharedAccessBlobPolicy and add it to the containers SharedAccessPolicie
- B. Call GetSharedAccessSignature on the blob and use the resulting link.
- C. Create a SharedAccessBlobPolicy and set the expiry time to two weeks from toda
- D. Call GetSharedAccessSignature on the blob and use the resulting link.
- E. Create a SharedAccessAccountPolicy and call GetsharedAccessSignature on storage account and use the resulting link.
- F. Create a SharedAccessBlobPolicy and set the expiry time to two weeks from toda
- G. Call GetSharedAccessSignature on the container and use the resulting link.

Answer: B

NEW QUESTION 46

DRAG DROP

You need to ensure disaster recovery requirements are met. What code should you add at line PC16?

To answer, drag the appropriate code fragments to the correct locations. Each code fragment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

Answer Area

```
var copyOptions = new CopyOptions { };  
var context = new Value (source, destination);  
context.Value (source, destination) => Task.From  
await TransferManager.CopyAsync(blob, GetDRBlob(blob), isServiceCopy:  
, context: context, options:copyOptions);copyOptions, context);
```

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Values

Answer Area

```
var copyOptions = new CopyOptions { };  
var context = new true (source, destination);  
context.SingleTransferContext (source, destination) => Task.From  
await TransferManager.CopyAsync(blob, GetDRBlob(blob), isServiceCopy:  
, context: context, options:copyOptions);copyOptions, context);
```

NEW QUESTION 49

You need to ensure the security policies are met. What code do you add at line CS07?

- A. -PermissionsToKeys wrapkey, unwrapkey, get
B. -PermissionsToKeys create, encrypt, decrypt
C. -PermissionsToCertificates wrapkey, unwrapkey, get
D. -PermissionsToCertificates create, encrypt, decrypt

Answer: D

Explanation:

Case Study: 3

Proseware, Inc

Background

You are a developer for Proseware, Inc. You are developing an application that applies a set of governance policies for Proseware's internal services, external services, and applications. The application will also provide a shared library for common functionality.

Requirements Policy service

You develop and deploy a stateful ASP.NET Core 2.1 web application named Policy service to an Azure App Service Web App. The application reacts to events from Azure Event Grid and performs policy actions based on those events.

The application must include the Event Grid Event ID field in all Application Insights telemetry.

Policy service must use Application Insights to automatically scale with the number of policy actions that it is performing.

Policies Log policy

All Azure App Service Web Apps must write logs to Azure Blob storage. All log files should be saved to a container named logdrop. Logs must remain in the container for 15 days.

Authentication events

Authentication events are used to monitor users signing in and signing out. All authentication events must be processed by Policy service. Sign outs must be processed as quickly as possible.

Policylib

You have a shared library named PolicyLib that contains functionality common to all ASP.NET Core web services and applications. The Policy Lib library must

- Exclude non-user actions from Application Insights telemetry.
- Provide methods that allow a web service to scale itself.
- Ensure that scaling actions do not disrupt application usage.

Other

Anomaly detection service

You have an anomaly detection service that analyzes log information for anomalies. It is implemented as an Azure as a web service.

If an anomaly is detected, an Azure Function that emails administrators is called by using an HTTP WebHook.

Health monitoring

All web applications and services have health monitoring at the /health service endpoint.

Issues Policy loss

When you deploy Policy service, policies may not be applied if they were in the process of being applied during the deployment.

Performance issue

When under heavy load, the anomaly detection service undergoes slowdowns and rejects connections.

Notification latency

Users report that anomaly detection emails can sometimes arrive several minutes after an anomaly is detected.

App code EnventGridController.cs

Relevant portions of the app files are shown below. Line numbers are included for reference only and include a two-character prefix that denotes the specific file to which they belong.

```
EventGridController.cs
EG01 public class EventGridController : Controller
EG02 {
EG03     public static AsyncLocal<string> EventId = new AsyncLocal<string>();
EG04     public IActionResult Process([FromBody] string eventsJson
EG05     {
EG06         var events = JObject.Parse(eventsJson);
EG07
EG08         foreach (var @event in events)
EG09         {
EG10             EventId.Value = @event["id"].ToString();
EG11             if (@event["topic"].ToString().Contains("providers/Microsoft.Storage"))
EG12             {
EG13                 SendToAnomalyDetectionService(@event["data"]["url"].ToString());
EG14             }
EG15
EG16             {
EG17                 EnsureLogging(@event["subject"].ToString());
EG18             }
EG19         }
EG20         return null;
EG21     }
EG22     private void EnsureLogging(string resource)
EG23     {
EG24         . . .
EG25     }
EG26     private async Task SendToAnomalyDetectionService(string uri)
EG27     {
EG28         var content = GetLogData(uri);
EG29         var scoreRequest = new
EG30         {
EG31             Inputs = new Dictionary<string, List<Dictionary<string, string>>>()
EG32             {
EG33                 {
EG34                     "input1",
EG35                     new List<Dictionary<string, string>>()
EG36                     {
EG37                         new Dictionary<string, string>()
EG38                         {
EG39                             {
EG40                                 "logcontent", content
EG41                             }
EG42                         }
EG43                     }
EG44                 },
EG45             },
EG46             GlobalParameters = new Dictionary<string, string>() { }
EG47         };
EG48         var result = await (new HttpClient()).PostAsJsonAsync(". . .", scoreRequest);
EG49         var rawModelResult = await result.Content.ReadAsStringAsync();
EG50         var modelResult = JObject.Parse(rawModelResult);
EG51         if (modelResult["notify"].HasValues)
EG52         {
EG53             . . .
EG54         }
EG55     }
EG56     private (string name, string resourceGroup) ParseResourceId(string
resourceId)
EG57     {
EG58         . . .
EG59     }
EG60     private string GetLogData(string uri)
EG61     {
EG62         . . .
EG63     }
EG64     static string BlobStoreAccountSAS(string containerName)
EG65     {
EG66         . . .
EG67     }
EG68 }
```

LoginEvents.cs

Relevant portions of the app files are shown below. Line numbers are included for reference only and include a two-character prefix that denotes the specific file to which they belong.

```

LoginEvent.cs
LE01  public class LoginEvent
LE02  {
LE03
LE04  public string subject { get; set; }
LE05  public DateTime eventTime { get; set; }
LE06  public Dictionary<string, string> data { get; set; }
LE07  public string Serialize()
LE08  {
LE09      return JsonConvert.SerializeObject(this);
LE10  }
LE11 }

```

NEW QUESTION 51

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that authentication events are triggered and processed according to the policy.

Solution: Create separate Azure Event Grid topics and subscriptions for sign-in and sign-out events.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 52

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that authentication events are triggered and processed according to the policy.

Solution: Create a new Azure Event Grid subscription for all authentication that delivers messages to an Azure Event Hub. Use the subscription to process signout events.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 54

HOTSPOT

You need to tool code at line LE03 of Login Event to ensure that all authentication events are processed correctly. How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 55

You need to resolve the Policy Loss issue.
What are two possible ways to achieve the goal? Each correct answer presents a complete solution.
NOTE: Each correct selection is worth one point.

- A. Add an Azure Event Hu
- B. Send the policy to the event hu
- C. Configure the Policy service to read actions from the event hub.
- D. Add an Azure Service Bus queu
- E. Send the policy to the queu
- F. Configure the Policy service to read actions from the queue.
- G. Add an Azure Queue storage queu
- H. Send the policy to the queu
- I. Configure the Policy service to read actions from the queue.
- J. Add an Azure Service Bus topi
- K. Send the policy to the topi
- L. Configure the Policy service to read actions from the topic.

Answer: BD

NEW QUESTION 58

DRAG DROP
You need to ensure that PolicyLib requirements are met.
How should you complete the code segment? To answer, drag the appropriate code segments to the correct locations. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
NOTE: Each correct selection is worth one point.

Code segments

Process

Initialize

telemetry.Sequence

ITelemetryProcessor

ITelemetryInitializer

telemetry.Context

EventGridController.EventId.Value

((EventTelemetry)telemetry).Properties["EventId"]

Answer Area

```
public class IncludeEventId : 

code


{
    public void 

code segment


        (ITelemetry telemetry)
    {
        

code segment



code segment


    }
}
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Code segments

```
Process
Initialize
telemetry.Sequence
ITelemetryProcessor
ITelemetryInitializer
telemetry.Context
EventGridController.EventId.Value
((EventTelemetry)telemetry).Properties["EventId"]
```

Answer Area

```
public class IncludeInitialize
{
    public ITelemetryProcessor
        (ITelemetry telemetry)
    {
        EventGridController.EventId.Value
        telemetry.Context
    }
}
```

NEW QUESTION 63

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Update the Delivery API to send emails by using a cloud -based email service.

Does the solution meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 65

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution.

Determine whether the solution meets the stated goals. You need to meet the vendor notification requirement.

Solution: Create and apply a custom outbound Azure API Management policy. Does the solution meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Scenario:

If a vendor is nearing the number of calls or bandwidth limit, the API must trigger email notifications to the vendor.

(API usage must not exceed 5,000 calls and 50,000 kilobytes of bandwidth per hour per vendor.)

In Azure API Management (APIM), policies are a powerful capability of the system that allow the publisher to change the behavior of the API through configuration.

Policies are a collection of Statements that are executed sequentially on the request or response of an API. Popular Statements include format conversion from XML to JSON and call rate limiting to restrict the amount of incoming calls from a developer. Many more policies are available out of the box.

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-policies>

NEW QUESTION 68

You need to implement the purchase requirement. What should you do?

- A. Use the Bot Framework REST API attachment operations to send the user's voice and the Speech Service API to recognize intents.
- B. Use the Direct line REST API to send the user's voice and the Speech Service API to recognize intents.
- C. Use the Speech Service API to send the user's voice and the Bot Framework REST API conversation operations to recognize intents.
- D. Use the Bot Framework REST API conversation operations to send the user's voice and the Speech Service API to recognize intents.

Answer: D

Explanation:

Scenario: Enable users to place an order for delivery or pickup by using their voice. You must develop a chatbot by using the Bot Builder SDK and Language Understanding Intelligence Service (LUIS). The chatbot must allow users to order food for pickup or delivery.

The Bot Framework REST APIs enable you to build bots that exchange messages with channels configured in the Bot Framework Portal, store and retrieve state data, and connect your own client applications to your bots. All Bot Framework services use industry-standard REST and JSON over HTTPS.

The Speech Service API is used to recognize intents. References:

<https://docs.microsoft.com/en-us/azure/bot-service/rest-api/bot-framework-rest-connector-concepts?view=azure-bot-service-4.0>

<https://docs.microsoft.com/en-us/azure/cognitive-services/speech-service/how-to-recognize-intents-from-speech-cpp>

NEW QUESTION 69

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-203 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-203-dumps.html>