

## AZ-300 Dumps

### Microsoft Azure Architect Technologies

<https://www.certleader.com/AZ-300-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 2)

You need to resolve a notification latency issue.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Ensure that the Azure Function is set to use a consumption plan.
- B. Set Always On to false
- C. Set Always On to true
- D. Ensure that the Azure Function is using an App Service plan.

**Answer:** AC

**NEW QUESTION 2**

- (Exam Topic 4)

You need to configure the Azure ExpressRoute circuits.

How should you configure Azure ExpressRoute routing? To answer, drag the appropriate configurations to the correct locations. Each Configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content

NOTE: Each correct selection is worth one point.

Configurations	Answer Area
Use BGP communities to configure BGP's Local Preference.	Routing from A.Datum to Azure:
Use BGP to append the private AS numbers to the advertised prefixes.	Routing from Microsoft Online Services to A.Datum:
Use BGP to append the public AS numbers to the advertised prefixes.	

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Configurations	Answer Area
Use BGP communities to configure BGP's Local Preference.	Routing from A.Datum to Azure:
Use BGP to append the private AS numbers to the advertised prefixes.	Routing from Microsoft Online Services to A.Datum:
Use BGP to append the public AS numbers to the advertised prefixes.	

**NEW QUESTION 3**

- (Exam Topic 5)

You are developing a SMS-based testing solution. The solution sends users a question by using SMS. Early responders may qualify for prizes.

Users must respond with an answer choice within 90 seconds. You must be able to track how long it takes each user to respond. You create a durable Azure Function named SendSmsQuizQuestion that uses Twilio to send messages.

You need to write the code for MessageQuiz.

How should you complete the code? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

```
[FunctionName("MessageQuiz")]
public static async Task<bool> Run([OrchestrationTrigger]
DurableOrchestrationContext context)
{
    string phoneNumber = context.GetInput<string>();
    int correctAnswerCode = await context.CallActivityAsync<int>
("SendSmsQuizQuestion", phoneNumber);
    using (var cts = new CancellationTokenSource())
    {
```

DateTime expiration = DateTime.UtcNow;
DateTime expiration = DateTime.UtcNow.AddSeconds(90);
DateTime expiration = DateTime.Now();
DateTime expiration = context.CurrentUtcDateTime.AddSeconds(90);

var timeoutTask = context.CallActivityAsync<DateTime>("timeout", expiration);
var timeoutTask = context.CreateTimer(expiration, cts.Token);
var timeoutTask = context.WaitForExternalEvent("timeout", 90000);
var timeoutTask = context.CallSubOrchestratorAsync("timeout", expiration);

```
bool isWinner = false;
for (int retryCount = 0; retryCount <= 3; retryCount++)
{
    Task<int> challengeResponseTask =
context.WaitForExternalEvent<int>("SmsQuizResponse");
    Task winner = await Task.WhenAny(challengeResponseTask,
timeoutTask);
    if (winner == challengeResponseTask)
    {
        if(challengeResponseTask.Result == correctAnswerCode)
        {
            isWinner = true;
            break;
        }
    }
    else
    {
        break;
    }
}
```

if (!timeoutTask.IsCompleted)
if (!timeoutTask.IsCanceled)
if (!context.IsReplaying)
if (!cts.IsCancellationRequested)

```
{
    cts.Cancel();
}
return isWinner;
}
```

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

```
[FunctionName("MessageQuiz")]
public static async Task<bool> Run([OrchestrationTrigger]
DurableOrchestrationContext context)
{
    string phoneNumber = context.GetInput<string>();
    int correctAnswerCode = await context.CallActivityAsync<int>
("SendSmsQuizQuestion", phoneNumber);
    using (var cts = new CancellationTokenSource())
    {
        DateTime expiration = DateTime.UtcNow;
        DateTime expiration = DateTime.UtcNow.AddSeconds(90);
        DateTime expiration = DateTime.Now();
        DateTime expiration = context.CurrentUtcDateTime.AddSeconds(90);

        var timeoutTask = context.CallActivityAsync<DateTime>("timeout", expiration);
        var timeoutTask = context.CreateTimer(expiration, cts.Token);
        var timeoutTask = context.WaitForExternalEvent("timeout", 90000);
        var timeoutTask = context.CallSubOrchestratorAsync("timeout", expiration);

        bool isWinner = false;
        for (int retryCount = 0; retryCount <= 3; retryCount++)
        {
            Task<int> challengeResponseTask =
            context.WaitForExternalEvent<int>("SmsQuizResponse");
            Task winner = await Task.WhenAny(challengeResponseTask,
            timeoutTask);
            if (winner == challengeResponseTask)
            {
                if(challengeResponseTask.Result == correctAnswerCode)
                {
                    isWinner = true;
                    break;
                }
            }
            else
            {
                break;
            }
        }

        if (!timeoutTask.IsCompleted)
        if (!timeoutTask.IsCanceled)
        if (!context.IsReplaying)
        if (!cts.IsCancellationRequested)
        {
            cts.Cancel();
        }
        return isWinner;
    }
}
```

#### NEW QUESTION 4

- (Exam Topic 5)

You configure Azure AD Connect for Azure Active Directory Seamless Single Sign-On (Azure AD Seamless SSO) for an on-premises network.

Users report that when they attempt to access myapps.microsoft.com, they are prompted multiple times to sign in and are forced to use an account name that ends with onmicrosoft.com.

You discover that there is a UPN mismatch between Azure AD and the on-premises Active Directory. You need to ensure that the users can use single-sign on (SSO) to access Azure resources. What should you do first?

- A. From the on-premises network, deploy Active Directory Federation Services (AD FS).
- B. From the server that runs Azure AD Connect, modify the filtering options.
- C. From the on-premises network, request a new certificate that contains the Active Directory domain name.
- D. From Azure AD, add and verify a custom domain name.

**Answer: D**

**NEW QUESTION 5**

- (Exam Topic 5)

You have an Azure Active Directory (Azure AD) tenant.

All administrators must enter a verification code to access the Azure portal.

You need to ensure that the administrators can access the Azure portal only from your on-premises network. What should you configure?

- A. the default for all the roles in Azure AD Privileged Identity Management
- B. an Azure AD Identity Protection user risk policy
- C. an Azure AD Identity Protection sign-in risk policy
- D. the multi-factor authentication service settings

**Answer: D**

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-mfa-mfasettings>

**NEW QUESTION 6**

- (Exam Topic 5)

You plan to develop an Azure Stream Analytics job that ingests streaming data from legacy, SaaS, and cloud applications. The data will be u data analysis.

You need to select Azure resources to handle the data input and output for the solution Which resources should you use?

- A. Input Event Hub, output: Event Hub
- B. Input Blobs, output: IoT Hub
- C. Input IoT Hub, output: Service Bus
- D. Input Service Bus, output: lot Hub

**Answer: D**

**NEW QUESTION 7**

- (Exam Topic 5)

Note: This question is part of series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

A company backs up data to on-premises servers at their main facility. The company currently has 30 TB of archived data that infrequently used. The facility has download speeds of 100 Mbps and upload speeds of 20 Mbps.

You need to securely transfer all backups to Azure Blob Storage for long-term archival. All backup data must be sent within seven days.

Solution: Use the Set-AzureStorageBlobContent Azure PowerShell command to copy all backups asynchronously to Azure Blob Storage.

Does this meet the goal?

- A. Yes
- B. No

**Answer: B**

**NEW QUESTION 8**

- (Exam Topic 5)

You are developing a back-end Azure App Service that scales based on the number of messages contained in a Service Bus queue.

A rule already exists to scale up the App Service when the average queue length of unprocessed and valid queue messages is greater than 1000.

You need to add a new rule that will continuously scale down the App Service as long as the scale up condition is not met.

How should you configure the Scale rule? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scale Rule

X

Metric source

Storage queue
Service Bus queue
Current resource
Storage queue(classic)

Resource type

Service Bus Namespaces v

Resource

MessageQueue1103 v

\*Queues

itemqueue v

Criteria

\*Metric name

Message Count
Active Message Count

1 minute time grain

\*Time grain statistic ⓘ

Total
Maximum
Average
Count

\*Operator

Greater than
Greater than or equal to
Less than
Less than or equal to

\*Threshold

1000

Action

\*Operation

Increase count by
Increase count to
Decrease count by
Decrease count to

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Scale Rule

X

Metric source

Storage queue
Service Bus queue
Current resource
Storage queue(classic)

Resource type

Service Bus Namespaces ▾

Resource

MessageQueue1103 ▾

\*Queues

itemqueue ▾

Criteria

\*Metric name

Message Count
Active Message Count

1 minute time grain

\*Time grain statistic ⓘ

Total
Maximum
Average
Count

\*Operator

Greater than
Greater than or equal to
Less than
Less than or equal to

\*Threshold

1000

Action

\*Operation

Increase count by
Increase count to
Decrease count by
Decrease count to

\*Cool down (minutes) ⓘ

5

UPDATE

DELETE

NEW QUESTION 9

- (Exam Topic 5)

Your company has offices in New York and Los Angeles.

You have an Azure subscription that contains an Azure virtual network named VNet1. Each office has a site-to-site VPN connection to VNet1.

Each network uses the address spaces shown in the following table:

Location	IP address space
VNet1	192.168.0.0/20
New York	10.0.0.0/16
Los Angeles	10.10.0.0/16

You need to ensure that all Internet-bound traffic from VNet1 is routed through the New York office. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

In Azure, run:

V

New-AzureRmLocalNetworkGateway

New-AzureRmVirtualNetworkGatewayConnection

Set-AzureRmVirtualNetworkGatewayDefaultSite

On a VPN device in the New York office, set the traffic selectors to:

V

0.0.0.0/0

10.0.0.0/16

192.168.0.0/20

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

In Azure, run:

V

New-AzureRmLocalNetworkGateway

New-AzureRmVirtualNetworkGatewayConnection

Set-AzureRmVirtualNetworkGatewayDefaultSite

On a VPN device in the New York office, set the traffic selectors to:

V

0.0.0.0/0

10.0.0.0/16

192.168.0.0/20

NEW QUESTION 10

- (Exam Topic 5)

Fourth Coffee has an ASP.Net Core web app that runs in Docker. The app is mapped to the www.fourthcoffee.com domain.

Fourth Coffee is migrating this application to Azure.

You need to provision an App Service Web App to host this docker image and map the custom domain to the App Service web app.

A resource group named FourthCofeePublicWebResourceGroup has been created in the WestUS region that contains an App Service Plan named AppServiceLinuxDockerPlan.

Which order should the CLI commands be used to develop the solution? To answer, move all of the Azure CLI commands from the list of commands to the answer

area and arrange them in the correct order.

### Azure CLI commands

```
az webapp config container set  
--docker-custom-image-name  
SdockerHubContainerPath  
--name SappName  
--resource-group  
fourthCoffeePublicWebResourceGroup
```

```
az webapp create  
--name SappName  
--plan AppServiceLinuxDockerPlan  
--resource-group  
fourthCoffeePublicWebResourceGroup
```

```
#!/bin/bash  
appName="FourthCofeePublicWebSrandom"  
location="WestUS"  
dockerHubContainerPath="FourthCofee/publicwe  
fqdn="http://fourthcofee.com">www.fourth
```

```
az webapp config hostname add  
--webapp-name SappName  
--resource-group  
fourthCoffeePublicWebResourceGroup \  
--hostname Sfqn
```

### Answer Area

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

## Azure CLI commands

## Answer Area

```
az webapp config container set
--docker-custom-image-name
SdockerHubContainerPath
--name SappName
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
#/bin/bash
appName="FourthCofeePublicWebSrandom"
location="WestUS"
dockerHubContainerPath="FourthCofee/publicwe
fqdn="http://fourthcofee.com">www.fourth
```

```
az webapp create
--name SappName
--plan AppServiceLinuxDockerPlan
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
az webapp create
--name SappName
--plan AppServiceLinuxDockerPlan
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
#/bin/bash
appName="FourthCofeePublicWebSrandom"
location="WestUS"
dockerHubContainerPath="FourthCofee/publicwe
fqdn="http://fourthcofee.com">www.fourth
```

```
az webapp config container set
--docker-custom-image-name
SdockerHubContainerPath
--name SappName
--resource-group
fourthCoffeePublicWebResourceGroup
```

```
az webapp config hostname add
--webapp-name SappName
--resource-group
fourthCoffeePublicWebResourceGroup \
--hostname Sfqn
```

```
az webapp config hostname add
--webapp-name SappName
--resource-group
fourthCoffeePublicWebResourceGroup \
--hostname Sfqn
```

### NEW QUESTION 10

- (Exam Topic 5)

You plan to migrate an on-premises Hyper-V environment to Azure by using Azure Site Recovery. The Hyper-V environment is managed by using Microsoft System Center Virtual Machine Manager (VMM).

The Hyper-V environment contains the virtual machines in the following table:

Name	Operating system (OS)	OS disk size	BitLocker Drive Encryption (BitLocker) enabled on OS disks.	Generation
DC1	Windows Server 2016	500 GB	No	2
FS1	Ubuntu 16.04 LTS	200 GB	No	2
CA1	Windows Server 2012 R2	1 TB	Yes	1
SQL1	Windows Server 2016	200 GB	No	1

Which virtual machine can be migrated by using Azure Site Recovery? Which virtual machine can be migrated by using Azure Site Recovery?

- A. FS1
- B. CA1
- C. DC1
- D. SQL1

**Answer:** D

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-support-matrix#azure-vm-requirements>

**NEW QUESTION 11**

- (Exam Topic 5)

You are developing an ASP.NET web application that you will deploy to Azure. The solution must meet the following requirements:

- Store user session state by using only serializable data types.
- Provide customizable caching of session data.
- Support scaling out the number of web hosts-
- Maximize performance.

Which solution meets these requirements?

- A. Clustered Azure Redis Cache
- B. ASP.NET Output Cache provider for Azure Redis Cache
- C. in-memory session state provider
- D. SQL Server session state provider

**Answer:** C

**NEW QUESTION 13**

- (Exam Topic 5)

You maintain an existing Azure SQL Database instance. Management of the database is performed by an external party. All cryptographic keys are stored in an Azure Key Vault.

You must ensure that the external party cannot access the data in the SSN column of the Person table

Will each protection method meet the requirement? To answer, drag the appropriate responses to the correct protection methods. Each response may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point

Responses	Answer Area	
<div><div>Yes</div><div>No</div></div>	<div>Protection method</div> <div>Enable AlwaysOn encryption.</div> <div>Set the column encryption setting to disabled.</div> <div>Assign users to the Public fixed database role.</div> <div>Store column encryption keys in the system catalog view in the database.</div>	<div>Response</div> <div>Response</div> <div>Response</div> <div>Response</div>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:  
References:  
<https://docs.microsoft.com/en-us/azure/security/azure-database-security-overview>

NEW QUESTION 15

- (Exam Topic 5)  
You are developing a speech-enabled home automation control bot. The bot interprets some spoken words incorrectly. You need to improve the spoken word recognition for the bot. What should you implement?

- A. The Skype for Business Channel and use scorable dialogs for improving conversation flow.  
B. The Web Chat Channel and Speech priming using a Bing Speech Service and LUIS app.  
C. The Skype Channel and use scorable dialogs for improving conversation flow.  
D. The Cortana Channel and use scorable dialogs for improving conversation flow.

Answer: B

NEW QUESTION 17

- (Exam Topic 5)  
You have an Azure subscription named Subscription1 that contains two Azure networks named VNet1 and VNet2. VNet1 contains a VPN gateway named VPNGW1 that uses static routing. There is a site-to-site VPN connection between your on-premises network and VNet1. On a computer named Client1 that runs Windows 10, you configure a point-to-site VPN connection to VNet1. You configure virtual network peering between VNet1 and VNet2. You verify that you can connect to VNet2 from the on-premises network. Client1 is unable to connect to VNet2. You need to ensure that you can connect Client1 to VNet2. What should you do?

- A. Select Allow gateway transit on VNet1  
B. Download and re-install the VPN client configuration package on Client1  
C. Enable BGP on VPNGW1.  
D. Select Allow gateway transit on VNet2.

Answer: B

Explanation:  
References:  
<https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 22

- (Exam Topic 5)  
You have an Azure Active Directory (Azure AD) tenant named contosodoud.onmicrosoft.com. Your company has a public DNS zone for contoso.com. You add contoso.com as a custom domain name to Azure AD You need to ensure that Azure can verify the domain name. Which type of DNS record should you create?

- A. PTR  
B. TXT  
C. NSEC3  
D. DNSKEY

Answer: B

**NEW QUESTION 26**  
- (Exam Topic 5)  
You are creating a bot for a company by using QnA Maker.  
You need to ensure that the company can update the bot without third-party assistance. What should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Scenario	Component						
Add customer question/answer content.	<table><tr><td></td><td>✓</td></tr><tr><td>QnA Maker runtime</td><td></td></tr><tr><td>QnA Maker management service.</td><td></td></tr></table>		✓	QnA Maker runtime		QnA Maker management service.	
	✓						
QnA Maker runtime							
QnA Maker management service.							
Use an Azure Application Insights resource for analytics.	<table><tr><td></td><td>✓</td></tr><tr><td>QnA Maker runtime</td><td></td></tr><tr><td>QnA Maker management service.</td><td></td></tr></table>		✓	QnA Maker runtime		QnA Maker management service.	
	✓						
QnA Maker runtime							
QnA Maker management service.							
Update and train a knowledge base.	<table><tr><td></td><td>✓</td></tr><tr><td>QnA Maker runtime</td><td></td></tr><tr><td>QnA Maker management service.</td><td></td></tr></table>		✓	QnA Maker runtime		QnA Maker management service.	
	✓						
QnA Maker runtime							
QnA Maker management service.							

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
References:  
<https://docs.microsoft.com/en-us/azure/cognitive-services/qnamaker/overview/overview>

**NEW QUESTION 29**  
- (Exam Topic 5)  
You plan to deploy five virtual machines to a virtual network subnet.  
Each virtual machine will have a public IP address and a private IP address. Each virtual machine requires the same inbound and outbound security rules.  
What is the minimum number of network interfaces and network security groups that you require? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

Minimum number of network interfaces:	<table><tr><td></td><td>✓</td></tr><tr><td>5</td><td></td></tr><tr><td>10</td><td></td></tr><tr><td>15</td><td></td></tr><tr><td>20</td><td></td></tr></table>		✓	5		10		15		20	
	✓										
5											
10											
15											
20											
Minimum number of network security groups:	<table><tr><td></td><td>✓</td></tr><tr><td>1</td><td></td></tr><tr><td>2</td><td></td></tr><tr><td>5</td><td></td></tr><tr><td>10</td><td></td></tr></table>		✓	1		2		5		10	
	✓										
1											
2											
5											
10											

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Minimum number of network interfaces:

	▼
5	
10	
15	
20	

Minimum number of network security groups:

	▼
1	
2	
5	
10	

#### NEW QUESTION 32

- (Exam Topic 5)

You have the following resource groups:

Resource group	Comments
DevServer_WestCentralUS	This resource group is located in the West Central US region and contains a single virtual machine (VM) named DevServer.  DevServer is connected to a private subnet in an Azure Virtual Network that has no internet access.
Workstation_EastUS	This resource group is located in the East US region and contains a VM named DevWorkstation.  DevWorkstation is connected to a subnet in a Virtual Network and is configured with a public IP address. A network security group has been configured to allow public incoming remote desktop protocol (RDP) connections to the DevWorkstation.

Developers must connect to Dev Server only through Dev Workstation. To maintain security, DevS erver must not accept connections from the internet. You need to create a private connection between the Dev Workstation and Dev St Solution: Configure an IP address on each subnet within the same address space. Does the solution meet the goal?

- A. Yes
- B. NO

**Answer: B**

#### NEW QUESTION 36

- (Exam Topic 5)

You have a task that includes a WebJob that should run continuously. The WebJob Log exhibit shows the text that is displayed when the WebJob runs. (Click the WebJob Log tab.)

Continuous WebJob Details

WebJob1

Pending restart

Run commans: WebJob1.exe

Toggle Output

Refreshed a moment ago, [refresh](#) or [download](#)

[08/18/2018 17:28:24 > e013ed:SYS INFO] Run script 'WebJob1.exe' with script host - 'WindowsScriptHost'

[08/18/2018 17:28:24 > e013ed:SYS INFO]Status changed to Running

[08/18/2018 17:28:25 > e013ed:INFO] WebJob Started

[08/18/2018 17:28:25 > e013ed:SYS INFO] Status changed to Success

[08/18/2018 17:28:25 > e013ed:SYS INFO] Process went down waiting for 60 seconds

[08/18/2018 17:28:25 > e013ed:SYS INFO] Status changed to PendingRestart

The WebJob is configured as shown in the WebJob Configuration exhibit. (Click the WebJob Configuration tab.)

WebApp0909 - WebJobs

App Service

Search (Ctrl+/)

+ Add

Refresh

Logs

Delete

Properties

SETTINGS

Authentication / Authorization

Application Insights

Managed service identity

Backups

Custom domains

SSL certificates

Networking

Scale up (App Service plan)

Scale out (App Service plan)

WebJobs

WebJobs

WebJobs provide an easy way to run scripts or programs as background processes in the context of your app.

NAME	TYPE	STATUS	SCHEDULE
WebJob1	Continuous	Pending Restart	n/a

The WebJob is not functioning as expected. The WebJob Code exhibit has a comment that shows where code should be added. (Click the WebJob Code tab.)

```
0 references
8 class Program
9 {
10 private static Timer workTimer = new Timer();
11
12 | 0 references
12 static void Main()
13 {
14 |     Trace.WriteLine("WebJob Setup Starting");
15 |     var config = new JobHostConfiguration();
16 |
17 |     if (config.IsDevelopment)
18 |     {
19 |         config.UseDevelopmentSettings()
20 |     }
21 |
22 |     workTimer.Interval = TimeSpan.FromSeconds(10).TotalMilliseconds;
23 |     workTimer.Elapsed += WorkTimer_Elapsed;
24 |     workTimer.AutoReset = true;
25 |     workTimer.Enabled = true;
26 |
27 |     Console.WriteLine("WebJob Started");
28 }
28
1 reference
30 private static void WorkTimer_Elapsed(object sender, ElapsedEventArgs e)
31 {
32 |     Console.WriteLine("Workload Processing ");
33 |     //ToDo-Implement code
34 |     Trace.WriteLine("Workload Complete");
35 | }
36 }
37
```

You need to identify any issues with the WebJob. For each of the following statements, select Yes if the statement is true. Otherwise, select No.  
NOTE: Each correct selection is worth one point.

	Yes	No
The WebJob will run continuously as the code is written.	<input type="radio"/>	<input type="radio"/>
The text WebJob Setup Srtating will output to the WebJob Logs.	<input type="radio"/>	<input type="radio"/>
The timer-elapsed code will be invoked and run at least once.	<input type="radio"/>	<input type="radio"/>
The WebJob settings are properly configured in the Azure portal.	<input type="radio"/>	<input type="radio"/>

A. Mastered  
B. Not Mastered

Answer: A

Explanation:

	Yes	No
The WebJob will run continuously as the code is written.	<input type="radio"/>	<input checked="" type="radio"/>
The text WebJob Setup Starting will output to the WebJob Logs.	<input type="radio"/>	<input checked="" type="radio"/>
The timer-elapsed code will be invoked and run at least once.	<input checked="" type="radio"/>	<input type="radio"/>
The WebJob settings are properly configured in the Azure portal.	<input checked="" type="radio"/>	<input type="radio"/>

#### NEW QUESTION 38

- (Exam Topic 5)

You are developing an Azure web application to store and archive patient medical records in Azure. You need to configure data storage to meet the following policies:

- Ensure that you can configure a retention period for patient records.
- Archived data must be readable.
- Archived data must not be modified or deleted. Which Azure storage service should you use?

- A. Azure Tables
- B. Azure Blobs
- C. Azure Queues
- D. Azure Files

**Answer:** A

#### NEW QUESTION 41

- (Exam Topic 5)

You set the multi-factor authentication status for a user named admin1@contoso.com to Enabled.

Admin1 accesses the Azure portal by using a web browser.

Which additional security verifications can Admin1 use when accessing the Azure portal?

- A. an app password, a text message that contains a verification code, and a verification code sent from the Microsoft Authenticator app
- B. a phone call, a text message that contains a verification code, and a notification or a verification code sent from the Microsoft Authenticator app
- C. a phone call, an email message that contains a verification code, and a text message that contains an app password
- D. an app password, a text message that contains a verification code, and a notification sent from the Microsoft Authenticator app

**Answer:** B

#### Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods>

#### NEW QUESTION 45

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Update the Delivery API to send emails by using a Microsoft Office 365 SMTP server. Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

#### NEW QUESTION 46

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Update the Delivery API to send emails by using a cloud-based email service. Does the solution meet the goal?

- A. Yes
- B. No

**Answer:** B

#### Explanation:

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

**NEW QUESTION 51**

- (Exam Topic 6)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals.

You need to meet the vendor notification requirement.

Solution: Configure notifications in the Azure API Management instance. Does the solution meet the goal?

A. Yes

B. No

**Answer:** A

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/api-management/api-management-howto-configure-notifications>

**NEW QUESTION 54**

- (Exam Topic 6)

You need to meet the security requirements. What should you use?

A. HTTP Strict Transport Security (HSTS)

B. Direct Line API

C. Multi-Factor Authentication (MFA)

D. Bot Framework Portal

E. Bot Framework authentication

**Answer:** E

**NEW QUESTION 59**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your AZ-300 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/AZ-300-dumps.html>