

1z0-1042 Dumps

Oracle Cloud Platform Application Integration 2019 Associate

<https://www.certleader.com/1z0-1042-dumps.html>



NEW QUESTION 1

You receive an exception message: "java.security.cert.CertPathValidatorException: Path does not chain with any of the trust anchors" What needs to be verified when this exception message is received?

- A. Run this command to verify code.keystore has system certificates: keytool -list -stotetype JKS -keystore config\code.keystore
- B. Run this command to verify code.truststore has system certificates: keytool -list -storetype JKS -keystore config\code.truststore
- C. Run this command to verify cacerts has system certificates: keytool -list -storetype JKS -keystore security\cacerts
- D. Run this command to verify code.certstore has system certificates: keytool -list -storetype JKS -keystore config\code.certstore

Answer: A

NEW QUESTION 2

You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Serve, and Load Balancer processes are determined automatically.

Which statement is correct after provisioning the instance in this scenario?

- A. You can change the heap size to a maximum of 32GB.
- B. You can change the heap size by logging a Oracle Cloud Support Service Request.
- C. You can change the heap size by using the Weblogic Server Administration Console.
- D. You cannot change the heap size once the Service Instance is provisioned.

Answer: C

NEW QUESTION 3

What are the four steps required to complete the task 'create a connection'?

- A. Configure Connection Properties
- B. Import SSL Certificate
- C. Test Connection
- D. Select an Adapter
- E. Configure Lookup
- F. Configure Connection Security

Answer: ACDF

NEW QUESTION 4

Which feature flag lifecycle stage includes OIC features that you can request from Oracle to be disabled within your OIC instance environment?

- A. Internal Only
- B. General Availability
- C. Feature Controlled
- D. Feature Controlled General Availability

Answer: C

NEW QUESTION 5

You are developing orchestration-style integrations in the OIC Designer Portal and have discovered that the Outline View is not available in your OIC instance environment.

What is the name of the feature flag you will need to request to be enabled by raising a Service Request from My Oracle Support?

- A. oic.console.integration.outlineview
- B. oic.ics.console.integration.layout
- C. oic.console.integration.outline
- D. oic.console.integration.pseudoviewl

Answer: B

NEW QUESTION 6

Which four Client Software Libraries can be used for developing applications with Oracle Internet of Things (IoT) Cloud Service?

- A. C POSIX
- B. Java SE
- C. .NET
- D. JavaScript
- E. Android
- F. VB Script

Answer: ABDE

NEW QUESTION 7

You receive a status code: 502 Proxy Error. Which is a possible event cause for this error?

- A. when the proxy setup is incorrect
- B. while registering a large number of devices using the Batch Registration feature under the Devices menu
- C. while adding proxy for an enterprise application device

D. while the proxy server is not responding to the request

Answer: B

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

NEW QUESTION 8

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcs/components-oracle-soa-cloud-service.html>

NEW QUESTION 9

Which is a required prerequisites for API Platform Cloud Services?

- A. Storage Cloud Service and Compute Cloud Service
- B. Integration Cloud Service
- C. Database Cloud Service (DBCS) and Storage Cloud Service
- D. Java Cloud Service (JCS) and Database Cloud Service (DBCS)

Answer: ABD

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud-um/apfad/you-begin-oracle-api-platform-cloud-service>

NEW QUESTION 10

Which four are states that a device can be in throughout its lifecycle?

- A. Activated
- B. Decommissioned
- C. Disabled
- D. Saved
- E. Deactivated
- F. Registered

Answer: ABEF

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 10

What are two possible reasons for a Gateway not getting started?

- A. The IoT Service may be down.
- B. The provisioning file may contain correct Activation ID and Activation Secret.
- C. There is an invalid certificate.
- D. The provisioning file may contain incorrect Activation ID and incorrect Activation Secret.

Answer: AD

NEW QUESTION 12

What is the default value for Command Notification Timeout?

- A. 5 seconds
- B. 2 seconds
- C. 10 seconds
- D. 1 second

Answer: A

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-command-notification-timeout-value.html>

NEW QUESTION 16

You have been tasked with monitoring the SOA composite applications and the underlying environment within a SOA Cloud Service instance. Which SOA Cloud Service web application is best for viewing completed composite instances?

- A. Fusion Middleware Control

- B. WebLogic Service Console
- C. SOA Cloud Service Console
- D. Service Bus Console
- E. SOA Composer

Answer: E

NEW QUESTION 19

Which three options are available for Business rule conflict resolution in Process Cloud Service?

- A. No Conflict
- B. Skip
- C. Override
- D. Escalate
- E. Conflict

Answer: ACE

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/editing-rule-and-decision-table-properties.html>

NEW QUESTION 23

Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Node Service Account
- B. Deploy API
- C. View all Details
- D. Deploy to Gateway

Answer: A

NEW QUESTION 26

During a design review of your OIC orchestration-style integration, it has been recommended that you refactor it into smaller integrations. Which two things should you do in order to invoke the multiple integrations without needing to create explicit connections for each endpoint?

- A. Import each local integration you wish to invoke into your calling integration environment.
- B. Add the local-enabled flag for each integration you wish to invoke.
- C. Use the local integration wizard to define each integration to be invoked.
- D. Request the enablement of the oic.ics.console.integration.local.integration feature flag.
- E. Build each smaller integration as a local-only integration interface.

Answer: CE

NEW QUESTION 27

Which two statements are true about implementing an API-First strategy?

- A. The API is to be developed first before any UI or new business logic are created.
- B. It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- C. The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D. You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

Answer: AB

NEW QUESTION 28

Which JNDI name value must be provided when configuring the properties of a new database adapter outbound connection pool to support dependent SOA composite applications?

- A. The associated XA database adapter plan deployed with this database adapter outbound connection pool.
- B. The defined XA database adapter connection factory configured for this WebLogic domain.
- C. The corresponding XA enterprise resource adapter application deployed to the same WebLogic cluster.
- D. The corresponding XA datasource configuration deployed to the same WebLogic cluster.

Answer: C

NEW QUESTION 30

Which two options cannot be performed from the Monitoring Dashboard?

- A. Activity Stream Download
- B. Artifacts Download
- C. Download Incident Logs
- D. Download Lookup
- E. Download Diagnostic Logs

Answer: BC

NEW QUESTION 35

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. GetLookupValue
- B. FindLookupValue
- C. LookupValue
- D. SearchLookupValue

Answer: C

NEW QUESTION 37

Your organization maintains two SOA Cloud Service instances used separately for testing and production. What is the best method for setting the property values and endpoint addresses that may be unique to each environment while deploying the same SOA composite application to both instances?

- A. Update any required values for changed properties or endpoint addresses in the Fusion Middleware Control web application immediately following the deployment of the SOA archive.
- B. Edit the application's configuration plan to dynamically retrieve values for properties and endpoint addresses from the environment upon deployment.
- C. Define specific properties and endpoint addresses within the deployment descriptors contained within each of two versioned SOA archives.
- D. Create two configuration plans that contain the environment-specific values for properties and endpoint addresses.

Answer: B

NEW QUESTION 42

Which is NOT an activity that an Application Developer (API Consumer) can perform in the Developer Portal in Integration API Platform Cloud Service?

- A. Learn about APIs
- B. Subscribe to a plan
- C. Create an API
- D. Test an API
- E. Create Application
- F. Monitor performance

Answer: F

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfdv/typical-workflow-consuming-apis.html#GUID-0>

NEW QUESTION 46

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. Manage API
- C. Entitle API
- D. View all Details and Deploy API

Answer: A

NEW QUESTION 47

What fields are used to define static or dynamic list of values in web forms in Process Cloud Service?

- A. Links, Email and Message Fields
- B. Checklists, Radio button or Select controls
- C. Date, Time and Number Fields
- D. Text Input and Area Fields

Answer: B

Explanation:

To configure static and dynamic list of values (for checklist, radio button and select controls):

➤ From the Basic Palette, drag and drop a checklist, radio button or select control onto the canvas.

➤ Select the control and configure its static list of values on the Properties pane General tab.

➤ In the Option Values field, enter a label to display for each option.

➤ In the clickStatic field, enter an internal value for each option.

➤ Specify a default value from the option values available in the Default Value field.

➤ Select an option in the Autofocus field.

➤ loads field to make that option the selected option when the form

➤ Optionally, configure dynamic list of values for the checklist, radio button or select control. There are two options to configure dynamic list of values.

➤ Specify that the control's options should come from a list of value data attributes defined in the Data definition pane.

➤ Click From Data.

- Select the list of values options source from available attributes in the Options List field.
 - Specify a default value from the options available in the Default Value field.
 - Select an option in the Autofocus form loads.
 - field to make that option the selected option when the
 - Specify that the control's options should come from a REST connector created for the application.
 - Click Connector.
 - Specify the connector settings in the Connector, Resource and Operation fields and map response settings. See Populating Controls Using REST Calls.
 - Select an option in the Autofocus form loads.
 - field to make that option the selected option when the
 - Click Preview
- to try out using the control.
- <https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-advanced-controls.html#GUID-0A790FE5>

NEW QUESTION 48

Which three are characteristics of Device Virtualization?

- A. Oracle Internet of Things (IoT) Cloud Service does not support Device Virtualization.
- B. You can monitor each device endpoint's health, performance, and location via the client software library API or with REST calls made to those devices.
- C. You can collect data from your devices using APIs delivered with Oracle Internet of Things (IoT) Cloud Service Client Software Libraries or Oracle IoT Cloud Service Gateway.
- D. The APIs provided enable you to send telemetry messages and device data from your devices to Oracle Internet of Things (IoT) Cloud Service, control your devices, and deploy applications to your gateway devices.
- E. Devices used are not real
- F. They are virtual devices and linked with Oracle Internet of Things (IoT) CS.

Answer: BCD

NEW QUESTION 53

Which is NOT a key advantage of using Oracle Integration Cloud (OIC)?

- A. Public/Private Cloud Portability
- B. choice of IDE for development
- C. Auto Association of Oracle SaaS Applications
- D. prebuilt integrations
- E. recommendations

Answer: B

NEW QUESTION 58

Which schema is used for defining the field structure of an analytic object?

- A. Apache Avro schema
- B. XSD schema
- C. Database schema
- D. XSL Schema

Answer: A

Explanation:

Using Schemas to Define the Fields of Analytics ObjectsYou can import an Apache Avro schema file to define the field structure of your analytics object.

To import a schema file, your analytics object must not have any fields defined.

The namespace and object name in your schema file must match the name of the analytics object that you created.

- After you create your analytics object, click Import Schema.

The file browser dialog box appears.

- Select a valid Avro schema file from your computer and click Open.

For more information about Avro schemas, see Apache Avro.

The field structure defined in the schema file appears in the Fields section.

- Click Save.

The field structure defined in your Avro schema file is imported to your analytics object. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/using-schemas-define-fields-analytics-objects.html>

NEW QUESTION 61

Which Process type should you choose to model non-sequential process type in Oracle Integration Cloud (OIC)?

- A. Adaptive Case Management process
- B. Structured Process
- C. Dynamic process
- D. Unstructured Process

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/using-processes-oracle-integration-cloud>

NEW QUESTION 65

Which four statements are correct regarding the differences between WSDL/SOAP and REST/JSON?

- A. REST is typically invoked with HTTP verbs.
- B. WSLD is simpler, REST is richer
- C. Modern API-First architectures prefer to use thed-and-true WSDUSOAP services over REST services because they are richer and provide a tighter contract
- D. WSDL is a request for a service; REST is a request for a resource
- E. WSDL is a tight contract; REST is a loose contract
- F. REST more easily used in developing UIs than WSDUSOA
- G. REST is gaining popularity in applicationdevelopment.

Answer: BCDF

NEW QUESTION 70

Which three background colors are displayed for autocomplete in Process Cloud Service?

- A. Blue for complex binding names (their children may contain valid binding names)
- B. Red for invalid binding names
- C. Green for valid binding names
- D. Orange for unmatched binding names

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/binding-form-data-controls.html#GUID-CECD2F13-1> The background colors displayed for the autocomplete options are:

- Green for valid binding names
- Red for invalid binding names
- Blue for complex binding names (their children may contain valid binding names)

If a control isn't linked to an attribute or if a control is linked to an invalid attribute, an error message is displayed in the Binding

field and an error icon is displayed in the canvas. When a control doesn't have a valid binding, any value entered into the control in runtime is not passed on to the form payload.

NEW QUESTION 74

What policy is required to be in an API if that API is to be used under a Plan?

- A. Application Rate Limiting
- B. Basic Auth
- C. Key Validation
- D. Interface Filtering

Answer: C

NEW QUESTION 78

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

- A. Batch Analytics Processors
- B. Natural Analytics Processors
- C. Static Analytics Processors
- D. streaming Analytics Processors

Answer: AD

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html> he type of analytics processor to use depends on the nature of your data:

- Streaming Analytics Processors

Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data.

See Creating Streaming Analytics Processors.

- Batch Analytics Processors

Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources. Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

NEW QUESTION 82

Which four are key features of Oracle Integration Cloud Enterprise (OIC)?

- A. Data stream analytics
- B. Application Integration

- C. Web and Mobile application creation
- D. Business process automation
- E. Enterprise Service Bus (ESB)
- F. Business to Business (B2B)

Answer: ABCE

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-stream-analytics/working-stream-analytics.html#> https://cloud.oracle.com/en_US/OIC/features

NEW QUESTION 84

What options are available for Escalation and Expiration of human tasks in Process Cloud Service?

- A. Escalate, Restart, Next or Previous
- B. Renew, start, end, or error
- C. Never Escalate, Skip, hierarchy, or New
- D. Never expire, Expire, Renew, or Escalate

Answer: D

Explanation:

Configuring Task Expiration, Renewal, or Escalation

You can configure a human task to never expire, to expire after a certain time, to renew the expiration time, or to escalate after a certain time passes.

To configure an action to perform on a specific deadline:

➤ Click the Escalation and Expiration tab on the implementation pane.

The Escalation and Expiration tab appears.

➤ Use the radio buttons to specify if you want the human task to Never expire, Expire, Renew, or Escalate.

➤ Never expire: the human task doesn't expire and if no user completes it, it remains in the users task list for an indeterminate period of time.

➤ Expire: the human task expires after the specified time and is no longer accessible from the task list.

➤ Renew: when the specified time passes, the expiration date is extended for one more period until it reaches the specified amount of renewals allowed.

➤ Escalate: when the specified time passes, the human task is escalated to the specified escalation levels.

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/configuring-human-tasks.html#GUID-3869867C-45A>

NEW QUESTION 86

Which REST API can be used for registering a device as third party device?

- A. CREATE /iot/api/v2/private/partners
- B. POST /iot/api/v2/private/partners
- C. REGISTER /iot/api/v2/private/partners
- D. PUT /iot/api/v2/private/partners
- E. GET /iot/api/v2/private/partners

Answer: B

Explanation:

You can register all devices in Oracle IoT Cloud as third party partner devices by using this REST API: POST /iot/api/v2/private/partners.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/develop/specifying-devices-third-party-partner-devices-oracle-io>

NEW QUESTION 88

Which two statements correctly define the use cases for Business Process Execution Language(BPEL) vs. Business Process Modeling Notation (BPMN) vs. Enterprise Service Bus (ESB)?

- A. Decision Model and Notation (DMN) replaces BPMN in modern Cloud Architectures.
- B. All are part of a typical/traditional on-premise enterprise integration strategy and can also be an important part of a hybrid on-premises/Cloud architecture.
- C. BPEL is inherently better than BPMN in managing orchestrations that involve people, because BPEL can also interact with systems.
- D. An ESB is used primarily for stateless messages and service mediation
- E. The ESB construct is being replaced by API's and API Gateways in modern Cloud architectures.
- F. BPEL and ESB are both good technologies for doing heavy transformations of data before sending the data to a back-end system or database.

Answer: DE

NEW QUESTION 90

Which two are device activities that can be monitored from Oracle Internet of Things (IoT) Cloud Service?

- A. Device Login Activities
- B. Alert Messages
- C. Application Data
- D. Warning Messages
- E. Device Data Messages

Answer: BD

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 94

Which is NOT a valid service provided by Oracle Enterprise Scheduler Service (ESS)?

- A. running Java, PL/SQL, and binary script jobs
- B. invoking jobs on external On-Prem and SaaS applications as scheduled on the Oracle Enterprise Scheduler
- C. configurable to allow or restrict running multiple job requests associated with a single job definition concurrently
- D. distributing job-request processing across a grid of application servers
- E. invoking jobs on external On-Prem and SaaS applications as scheduled on the those Schedulers

Answer: B

NEW QUESTION 98

Which three are ways enterprise applications can interact with Oracle Internet of Things (IoT) Cloud Service?

- A. send commands/messages
- B. insert/update/delete data
- C. subscribe to data
- D. query data
- E. subscribe to commands/messages

Answer: ABD

NEW QUESTION 102

Which two are execution modes supported by gateway node in Integration API Platform Cloud Service?

- A. Production
- B. Development
- C. Stage
- D. Test

Answer: AB

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/installing-gateway-node.html#GUID-A02059C9>

NEW QUESTION 106

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-1042 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-1042-dumps.html>