

C2090-619 Dumps

IBM Informix 12.10 System Administrator (C2090-619)

<https://www.certleader.com/C2090-619-dumps.html>



NEW QUESTION 1

Which ONCONFIG parameter would you use to disable the automatic creation or extension of chunks?

- A. SP_WAITTIME
- B. SP_THRESHOLD
- C. SP_AUTOEXPAND
- D. SP_CHUNKEXTEND

Answer: C

NEW QUESTION 2

When free memory is limited, which configuration parameter should be set to allow critical database activities to complete successfully?

- A. LOW_MEMORY_SVR
- B. LOW_MEMORY_MGR
- C. LOW_MEMORY_RESERVE
- D. LOW_MEMORY_PRESERVE

Answer: C

NEW QUESTION 3

When you take a level 2 backup, what data is backed up?

- A. All new data since the last level 1 backup.
- B. All new data since the last level 2 backup.
- C. All logical logs which have not previously been backed up.
- D. All new data since the last level 0, level 1 or level 2 backup.

Answer: A

NEW QUESTION 4

Which two tasks can be performed through an Informix Grid? (Choose two.)

- A. Install Informix products.
- B. Start Informix servers in a grid.
- C. Copy external files to grid servers.
- D. Setup replication automatically in a grid.
- E. Modify replication server attributes for grid servers.

Answer: CD

NEW QUESTION 5

Which is NOT a component of the IBM Mobile Database offering?

- A. IBM DB2
- B. IBM Informix
- C. IBM solidDB
- D. IBM InfoSphere Warehouse

Answer: D

NEW QUESTION 6

What is the purpose of the GRANT ADMIN privilege?

- A. Grants the admin privilege to create role separation.
- B. Grants the admin privilege to perform DBSA functions.
- C. Grants the admin privilege to use the Open Admin Tool.
- D. Grants the admin privilege to run SQL administration API commands.

Answer: D

NEW QUESTION 7

Which statement is true about restartable restore?

- A. ontape can perform restartable restores if a backup is taken to disk.
- B. Restartable restore is the ability to restart a failed restore using onbar.
- C. Restartable restore is the ability to restart a failed restore using ontape.
- D. Restartable restore is the ability to restart an instance using a restore from some other computer.

Answer: B

NEW QUESTION 8

In an organization, all employees are authenticated via domain wide Kerberos single sign-on. The DBSA wants to provide access to the database server for an

employee without requesting the Operating System (OS) administrator to create a OS level user account. Which Informix feature does the DBSA need to leverage?

- A. Mapped users
- B. Role based users
- C. Table level access for users
- D. Label based access for users

Answer: A

NEW QUESTION 9

Which option is available through `ifx_grid_connect()`?

- A. Rename a replicated database.
- B. Enable use of TimeSeries columns in tables.
- C. Enable automatic creation of templates in a grid.
- D. Defer propagation of DDL statements to other servers in the grid.

Answer: D

NEW QUESTION 10

What are two requirements for the "ifxclone" utility? (Choose two.)

- A. All databases must use logging.
- B. The source server must be a secondary server.
- C. Only one server clone process can occur at a time.
- D. Both the source and target servers must be part of a trusted network environment.
- E. Both the source and target servers must use the same type of disk space (raw or cooked).

Answer: CD

NEW QUESTION 10

Which is NOT a valid option to improve service for connection requests under TCP/IP protocol?

- A. Adding `sm_listen` threads.
- B. Adding listener threads for additional ports.
- C. Dynamically increase the number of listener threads using `onmode -P` commands.
- D. Adding an additional network-interface card to service Informix connection requests.

Answer: A

NEW QUESTION 12

In addition to examining the Connection Manager log file, what are two ways to monitor the Connection Manager status? (Choose two.)

- A. `onstat`
- B. `onmode`
- C. `oncmsm`
- D. `onmonitor`
- E. OpenAdmin Tool

Answer: AE

NEW QUESTION 16

What kinds of Table Level Restores can be done by the `archecker` utility?

- A. Only logical restore.
- B. Only physical restore.
- C. Only point in time restore.
- D. Physical, logical, and point in time restores.

Answer: D

NEW QUESTION 17

Which parameter can automatically adjust other configuration parameters that are not present in the configuration file?

- A. `AUTO_PERF`
- B. `AUTO_TUNE`
- C. `AUTO_CONFIG`
- D. `AUTO_ENABLE`

Answer: B

NEW QUESTION 20

What is the primary benefit of a Storage Pool?

- A. It allows data to be shared across instances.
- B. It allows data to be shared across dbspaces.
- C. It allows space to automatically be added to dbspaces.
- D. It allows space to be reserved for critical database operations.

Answer: C

NEW QUESTION 25

Which two parameters are mandatory when running "ifxclone"? (Choose two.)

- A. Target server instance size.
- B. Target server instance name.
- C. Source server instance sqlhosts.
- D. Target server configuration parameters.
- E. Source server instance TCP/IP address.

Answer: BE

NEW QUESTION 29

Which Informix utility can be used to customize the onconfig file?

- A. ifxdeploy
- B. genoncfg
- C. dbaccess
- D. onparams

Answer: B

NEW QUESTION 30

Where are the Primary Storage Manager catalog tables stored?

- A. sysutils database
- B. sysadmin database
- C. sysmaster database
- D. A location as specified by the PSM_CATALOG_PATH configuration parameter

Answer: D

NEW QUESTION 33

Which command line utility does NOT have the equivalent functionality using the SQL Administration API?

- A. oninit
- B. onmode
- C. onspaces
- D. onparams

Answer: A

NEW QUESTION 34

Which two actions can you perform with ontape? (Choose two.)

- A. Backup to cloud
- B. Restartable restore
- C. Backup specific storage spaces
- D. Restore specific storage spaces
- E. Parallel backup of storage spaces

Answer: AD

NEW QUESTION 39

Which two types of locks are used by Informix to access a shared memory buffer? (Choose two.)

- A. Byte
- B. Shared
- C. Update
- D. Exclusive
- E. Promotable

Answer: BD

NEW QUESTION 41

Which two parameters must be set to a valid value before starting a Shared Disk (SD) Secondary server? (Choose two.)

- A. SDS_PAGING
- B. SDS_TIMEOUT

- C. SDS_TEMPDBS
- D. SDS_LOGCHECK
- E. SDS_ALTERNATE

Answer: AC

NEW QUESTION 45

Which SQL statement is used to remove detailed statistical information from the sysdistrib catalog table?

- A. UPDATE STATISTICS DISTRIBUTIONS ONLY
- B. UPDATE STATISTICS LOW DROP DISTRIBUTIONS
- C. UPDATE STATISTICS LOW REMOVE DISTRIBUTIONS
- D. UPDATE STATISTICS MEDIUM REMOVE DISTRIBUTIONS

Answer: B

NEW QUESTION 50

Which two statements are true about Informix OpenAdmin Tool? (Choose two.)

- A. Informix OpenAdmin Tool does not support multiple languages.
- B. Ontape backup can be taken using Informix OpenAdmin Tool.
- C. Informix cluster cannot be managed using Informix OpenAdmin Tool.
- D. Informix OpenAdmin Tool cannot be used to run the equivalent of onstat commands.
- E. SQL explorer feature provides Query Drill Down functionality to analyze SQL statements.

Answer: BE

NEW QUESTION 52

Which statement is NOT true about a Storage Pool?

- A. You can create multiple storage pools per database server.
- B. You can add, modify, delete, and purge storage pool entries.
- C. Priorities can be used to determine space allocation order.
- D. It consists of any combination of a raw device, a cooked file, or a directory.

Answer: A

NEW QUESTION 56

You are running an UPDATE statement on a table using dbaccess. What kind of lock type is expected?

- A. Byte
- B. Update
- C. Shared
- D. Exclusive

Answer: D

NEW QUESTION 58

The following message is received: Lock table overflow - user id user32, session id 54. What action should be taken to prevent this problem in the future?

- A. Run onclean utility to clear the lock table.
- B. Increase the LOCKS configuration parameter.
- C. Turn on the AUTO_TUNE configuration parameter.
- D. Change the DEF_TABLE_LOCKMODE configuration parameter from page to row.

Answer: B

NEW QUESTION 59

During the database server initialization process, a number of environment variables are required. What is the order of precedence if the -file option is used?

- A. User local shell, system global
- B. System global, user local shell
- C. System global, user local shell, onconfig file
- D. Onconfig file, user local shell, system global

Answer: D

NEW QUESTION 60

After executing the following commands: onmode -j -U karin,dave onmode -j -U karin,sarah onmode -j -U sarah which user(s) have access to the instance?

- A. sarah
- B. karin and dave
- C. karin and sarah
- D. karin, dave and sarah

Answer: A

NEW QUESTION 63

Given these statements are executed:

```
set environment use_dwa 'accelerate on';
SELECT e.emp_name,
       RANK() OVER (PARTITION BY region
                  ORDER BY total_sales desc),
       AVG(sales) OVER (PARTITION BY region, year)
FROM employee e, sales s
WHERE e.emp_id = s.emp_id;
```

which statement is true?

- A. The entire query will be accelerated to Informix Warehouse Accelerator (IWA) including the OLAP operators.
- B. The entire query will be executed on Informix database server, and no portion of it will be accelerated by Informix Warehouse Accelerator (IWA).
- C. The underlying SELECT, JOIN, GROUP BY, and PROJECT operation of the query is accelerated to Informix Warehouse Accelerator (IWA), and OLAP expressions are evaluated by Informix database server.
- D. The underlying SELECT, JOIN, GROUP BY, and PROJECT operation of the query will be executed by Informix database server, and the OLAP expressions are evaluated by Informix Warehouse Accelerator (IWA).

Answer: C

NEW QUESTION 68

Which command would you use to export and import backup object metadata from one database server to another in conjunction with Primary Storage Manager?

- A. onbar -E
- B. dbexport
- C. onsmsync
- D. ontape -exp

Answer: C

NEW QUESTION 73

When configuring Informix server for DRDA connection, which statement is true?

- A. The connection protocol must be drsoctcp.
- B. The database server name for DRDA connection must correspond to the DBSERVERNAME onconfig parameter.
- C. The database server name for DRDA connection must correspond to the DBSERVERALIASES onconfig parameter.
- D. The database server name should correspond to either the DBSERVERNAME or the DBSERVERALIASES onconfig parameter.

Answer: C

NEW QUESTION 78

Where must the HA_FOC_ORDER configuration parameter be set?

- A. Any server in the cluster.
- B. The primary server only.
- C. The SDS secondary only.
- D. The HDR secondary only.

Answer: B

NEW QUESTION 81

Which two statements are true? (Choose two.)

- A. Logical log files must always reside in rootdbs.
- B. Having too little log space does not affect performance.
- C. Having too much log space does not affect performance.
- D. Simple large objects in blobspaces are not logged and they are included in the log backup in which the object was created.
- E. Simple large objects in blobspaces are not logged and they are not included in the log backup in which the object was created.

Answer: CD

NEW QUESTION 83

Which of configuration parameter can be increased to improve the performance of flushing dirty buffer pages during checkpoints?

- A. CKPTINTVL
- B. RA_PAGES
- C. CLEANERS
- D. SHMVIRTSIZE

Answer: C

NEW QUESTION 85

Which object can be compressed?

- A. dictionary table
- B. temporary table
- C. attached b-tree index
- D. detached b-tree index

Answer: D

NEW QUESTION 90

You need to create a new role for users on stores database. Which system catalog table can be checked to ensure the uniqueness of the new role name?

- A. stores:sysusers
- B. sysmaster:sysroles
- C. sysuser:sysroleauth
- D. sysmaster:sysusers

Answer: A

NEW QUESTION 92

What is the earliest version you can migrate / upgrade directly to Informix 12.10?

- A. 7.30
- B. 8.0
- C. 9.40
- D. 10.0

Answer: D

NEW QUESTION 95

Which configuration parameter locks the resident and virtual segments of shared memory in operating-system physical memory?

- A. SHMSEG
- B. SHMBASE
- C. RESIDENT
- D. INFORMIXSHMLCK

Answer: C

NEW QUESTION 100

Given an OLTP environment with a very large table, which configuration parameter can be set to allocate more memory for sorting when building an index on the large table?

- A. DBUPSPACE
- B. DS_POOLSIZE
- C. VP_MEMORY_CACHE_KB
- D. DS_NONPDQ_QUERY_MEM

Answer: D

NEW QUESTION 104

What is the purpose of the ifx_getMartStat() function?

- A. To display status information about the data mart.
- B. To display update statistics information about the data mart and its tables.
- C. To display statistics about the workers and coordinators defined for the accelerator.
- D. To display status information about the Informix Warehouse Accelerator and all the data marts.

Answer: A

NEW QUESTION 109

Given the following statement: UPDATE STATISTICS LOW FOR TABLE customer (customer_num); Which catalog table data is NOT updated?

- A. sysdistrib
- B. systables
- C. sysindexes
- D. syscolumns

Answer: A

NEW QUESTION 110

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your C2090-619 Exam with Our Prep Materials Via below:

<https://www.certleader.com/C2090-619-dumps.html>