

Exam Questions HPE2-T36

Using HPE OneView

<https://www.2passeasy.com/dumps/HPE2-T36/>



NEW QUESTION 1

Which resource categories can be included in a scope? (Choose two.)

- A. racks
- B. data centers
- C. firmware bundles
- D. enclosures

Answer: AC

NEW QUESTION 2

Your customer reports receiving an error after re-configuring some uplink sets. The error states that their Logical Interconnects are non-compliant with the Logical Interconnect Group. What must they do to clear this error?

- A. Delete the affected Logical Interconnect Group and recreate it.
- B. Go to HPE OneView Dashboard to acknowledge the error.
- C. Update the Enclosure Group configuration with the new uplink set information.
- D. Go to Logical Interconnect and select "update" from the group options.

Answer: D

NEW QUESTION 3

Which enhanced security feature is unavailable within HPE OneView?

- A. configure firewall rules
- B. role-based access control
- C. two-factor authentication
- D. SNMP v3

Answer: A

NEW QUESTION 4

What must be disabled when strict two-factor authentication is enabled?

- A. emergency local login
- B. SSL certificates
- C. local login
- D. REST API

Answer: B

NEW QUESTION 5

You want to get a list of all servers and their serial number from every Synergy enclosure in the "OneView-Prod" Instance. You decide to use the HPE OneView PowerShell Library. What is the first command you should run?

- A. Get-HPOVDataCenter
- B. Get-HPOVEnclosure
- C. Connect-HPOVMgmt
- D. Get-HPOVEnclosureGroup

Answer: C

NEW QUESTION 6

What are benefits of using templates with HPE OneView? (Select two.)

- A. to define a standard configuration for storage volumes
- B. to prepare configuration objects that can be easily reused or quickly modified
- C. displays the volumes that are managed by HPE OneView
- D. allow for REST API functions to be used on third party systems
- E. specific WWN and MAC addresses assigned to each server

Answer: AB

NEW QUESTION 7

When deploying an HPE OneView virtual appliance in a Microsoft Hyper-V environment, what is the HPE recommendation related to virtual machine disk properties?

- A. Convert the disk to fixed size.
- B. Create the disk as fixed size.
- C. Create the disk as dynamically expanding.
- D. Convert the disk to dynamically expanding.

Answer: B

NEW QUESTION 8

Your customer is planning to use HPE OneView to manage the following environment:

- 4 HPE BladeSystem c7000 enclosures with BL460c Gen10 and Virtual Connect modules
- 20 HPE ProLiant DL380 Gen10 servers
- 1 HPE 3PAR StoreServ array

Which components will need an HPE OneView license? (Choose two.)

- A. 3PAR array
- B. DL380 Gen10 servers
- C. BL460c Gen10 server blades
- D. c7000 enclosures
- E. Virtual Connect modules

Answer: BC

NEW QUESTION 9

Which HPE OneView features are used by the HPE OneView for VMware vCenter plugin to simplify the process of deploying a complete vSphere cluster? (Choose two.)

- A. Smart Update Manager
- B. PowerShell Library
- C. Intelligent Provisioning
- D. Server Profile Templates
- E. REST API

Answer: BD

NEW QUESTION 10

You remove an HPE SY480 compute module from its bay and install a host bus adapter (HBA) into the compute module. When you install the module back into its original bay you notice that the server profile in HPE OneView is showing “unassigned”. What is the reason for this?

- A. There is no connection configured for the HBA in the “Connections” section of the Server profile.
- B. The server hardware type is invalid.
- C. The Server Profile is inconsistent with its Server Profile Template.
- D. The Affinity is configured to “Device bay + hardware”.

Answer: B

NEW QUESTION 10

An administrator is creating a volume template in HPE OneView to manage storage volumes on an HPE 3PAR StoreServ storage system. In addition to the file storage pool and capacity, which parameters in the template must the administrator specify? (Choose two.)

- A. provisioning type
- B. drive type
- C. sharing mode
- D. storage type
- E. deduplication method

Answer: AC

NEW QUESTION 13

You decide to take advantage of HPE OneView’s ability to virtualize unique identifiers. Which physical hardware identifiers are you able to virtualize? (Choose two.)

- A. MAC address
- B. interconnect serial number
- C. CPU serial number
- D. enclosure serial number
- E. World Wide Name

Answer: AE

NEW QUESTION 18

Which feature of HPE OneView for VMware vCenter enables you to create additional nodes for an existing environment?

- A. REST API
- B. VMware autodeploy
- C. Image Streamer
- D. Grow Cluster

Answer: D

NEW QUESTION 20

What functionality does Storm Control provide in HPE OneView?

- A. Prevents malware from hiding embedded code in the network traffic.

- B. Prevents network performance degradation by suppressing excessive inbound broadcasts.
- C. Prevents duplicate MAC addresses and WWNs from occurring in HPE OneView.
- D. Prevents resource exhaustion on the switch by throttling data flow on network interfaces.

Answer: B

Explanation:

Storm Control is a new feature that allows network admin to suppress excessive inbound multicast, broadcast, and destination lookup failure (DLF) packets when user specified threshold is reached

NEW QUESTION 25

An SY480 compute module is having issues and needs to have the motherboard replaced in the interest of time, you decide to move the hard drives to a spare compute module. To prevent losing data, what do you need to do before applying the same profile to the new blade?

- A. Check “Re-initialize controller on next profile application” in the “Local Storage” section of the ServerProfile.
- B. Check “Import existing logical drives” in the “Local Storage” section of the Server Profile.
- C. Ensure that the RAC level is configured “or RAID1 then select the “Boot” checkbox in the “Local Storage” section of the Server profile.
- D. Select “Create logical drive” in the “Local Storage” section of the Server Profile, then uncheck “Manage integrated storage controller”.

Answer: B

NEW QUESTION 30

Which functionality is enabled when a supported SAN Manager is added to HPE OneView?

- A. local storage management
- B. VSA monitoring
- C. storage replication
- D. automated zoning

Answer: D

NEW QUESTION 34

Which HPE and VMware integration are you licensed to use with the HPE OneView Advanced license? (Choose two.)

- A. VMware vRealize Log Insight
- B. VMware vRealize Operations Manager
- C. VMware vRealize Network Insight
- D. VMware ACE
- E. VMware NSX

Answer: AB

NEW QUESTION 37

For multiple events to be identified as an SNMP trap storm, what criteria must the traps meet? (Choose three.)

- A. have the same trap identifier
- B. are within 1 second of the previous event
- C. have the same hostname
- D. are from the same device
- E. originate from the same MAC addresses
- F. have the same number of variable string values

Answer: ADF

NEW QUESTION 42

Which technology does HPE OneView use to discover HPE ProLiant DL, ML, and Apollo servers automatically?

- A. Management Ring discovery protocol
- B. IP range pinging
- C. VXLAN discovery
- D. IP Hash load balancing

Answer: B

NEW QUESTION 44

Which component of HPE OneView provides information about temperature and CPU utilization for managed resources?

- A. insight online (IO)
- B. integrated lights out (iLO)
- C. state change message bus (SCMB)
- D. metric streaming message bus (MSMB)

Answer: C

NEW QUESTION 48

Your customer added some Gen10 servers to an environment managed by HPE OneView. The position of the Gen10 servers in the intelligent racks is not automatically detected. What can cause this problem?

- A. Gen10 servers do not support Location Discovery Services.
- B. Location sensor is not enabled for Gen10 servers.
- C. Intelligent Rack is not properly licensed in HPE OneView.
- D. Gen10 servers are mixed with Gen9 or Gen8 servers, which is not supported.

Answer: A

NEW QUESTION 49

What mechanism does HPE OneView use to get status data from devices as a fail-safe approach to SNMP traps?

- A. SNMP trap storms
- B. Dashboard charts
- C. REST API
- D. Periodic Polling

Answer: A

NEW QUESTION 54

What tool can you use to provision hosts using server profiles to create or grow a Hyper-V cluster?

- A. HPE Insight Control Server Provisioning
- B. HPE OneView for Microsoft System Center
- C. HPE iLO Virtual Media
- D. Microsoft Operations Manager

Answer: B

NEW QUESTION 58

Refer to the exhibit.

The screenshot shows the HPE OneView interface. At the top, there's a search bar and navigation tabs for 'Server Hardware', 'All statuses', 'All scopes', and 'All labels'. Below this, there's a table of servers. The table has columns for Name, Server Name, Server Profile, and Model. The server with IP 172.18.6.16 is highlighted in blue. To the right of the table, there's a 'Hardware' section showing details for the selected server. The details include Server name (not set), State (No Profile Applied), Server profile (Create profile), Server power (On), Model (ProLiant DL380p Gen8), Server hardware type (DL380p Gen8 1), Product ID (603718-G21), Serial number (MXQ1000307), License (HPE OneView Advanced), and UUID (37333036-3831-584D-5131-303030333037). Below these details, there's an 'iLO' section showing Host name (172.18.6.16), IPv4 (172.18.6.16), and IPv6 (fe80:0:0:2::ff:fe03:10 Link-local).

Name	Server Name	Server Profile	Model
172.18.6.15	not set	n/a	DL360p Gen8
172.18.6.16	not set	none	DL380p Gen8
172.18.6.31	not set	n/a	DL360 Gen9
172.18.6.32	not set	none	DL380p Gen8
End1, bay1	not set	Splunk 1	BL660c Gen9
End1, bay2	not set	Splunk 2	BL660c Gen9
End1, bay3	not set	none	BL460c Gen8
End1, bay4	not set	none	BL460c Gen8
End1, bay5	not set	none	BL460c Gen8

Hardware

Server name: not set

State: No Profile Applied

Server profile: [Create profile](#)

Server power: On

Model: ProLiant DL380p Gen8

Server hardware type: [DL380p Gen8 1](#)

Product ID: 603718-G21

Serial number: MXQ1000307

License: HPE OneView Advanced

UUID: 37333036-3831-584D-5131-303030333037

iLO

Host name: 172.18.6.16

IPv4: 172.18.6.16

IPv6: fe80:0:0:2::ff:fe03:10 Link-local

A customer is having issues assigning a server profile to a DL380 Gen8. Using the following figure, what is the most likely cause preventing the server profile from being assigned?

- A. The server name is not set.
- B. The server is in monitored mode.
- C. Server Profiles are not supported on DL servers.
- D. The server is powered on.

Answer: D

NEW QUESTION 63

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. MAC address virtualization
- B. OS deployment
- C. network connection definition
- D. BIOS configuration
- E. firmware update

Answer: BE

NEW QUESTION 65

Which information is required to integrate HPE OneView authentication with OpenLDAP server? (Choose two.)

- A. organizational unit
- B. domain component
- C. common name
- D. base DN
- E. group CN

Answer: AD

NEW QUESTION 70

Match the HPE OneView element to its definition.

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	
HPE OneView Global Dashboard		
HPE OneView OVF	HPE OneView components that publish state changes and respond to REST API calls.	
HPE OneView resource managers	Information aggregation point for multiple HPE OneView environments.	
HPE Synergy Composer	Customizable graphical representation of the health and capacity of data center resources.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Element	Definition	
HPE OneView dashboard	HPE OneView hardware appliance.	HPE Synergy Composer
HPE OneView Global Dashboard		
HPE OneView OVF	HPE OneView components that publish state changes and respond to REST API calls.	HPE OneView resource managers
HPE OneView resource managers	Information aggregation point for multiple HPE OneView environments.	HPE OneView Global Dashboard
HPE Synergy Composer	Customizable graphical representation of the health and capacity of data center resources.	HPE OneView dashboard

NEW QUESTION 71

For each REST API operation, match the appropriate HTTP method to accomplish each task.

Method	Task
DELETE	Create resource
GET	Delete resource
POST	Read resource
PUT	Update resource

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Method	Task
DELETE	Create resource
GET	Delete resource
POST	Read resource
PUT	Update resource

NEW QUESTION 76

Match the HPE management tools to their function.

<u>TOOL</u>	<u>FUNCTION</u>
HPE SUT	Provides health status of multiple servers, profiles, and enclosures across multiple HPE OneView appliance environments
HPE OneView Global Dashboard	Provides HPE OneView management for a Synergy environment
Composer	Enables updates to be staged, scheduled, and installed without rebooting the system into Intelligent Provisioning
HPE iLO	Provides hardware management of and remote console to a server

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

<u>TOOL</u>	<u>FUNCTION</u>
HPE SUT	HPE OneView Global Dashboard
HPE OneView Global Dashboard	Composer
Composer	HPE SUT
HPE iLO	HPE iLO

NEW QUESTION 79

How are HPE OneView Advanced licenses administered?

- A. per bay
- B. per socket
- C. per physical server
- D. per Virtual Connect Domain

Answer: C

NEW QUESTION 84

Refer to the exhibit.

Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type: Virtual Connect SE 40Gb F8 Module for Synergy

Enclosure count: 1

Interconnect bay set: 3

Redundancy: Non-redundant (A-side only)

Select interconnects

Create **Create +** **Cancel**

A solution architect is setting up a Synergy configuration for a customer. The customer wants their redundancy level to be Highly Available. What is preventing this option from being available for the customer?

- A. Synergy doesn't support an HA fabric configuration on the Virtual Connect SE 40GB F8 module for Synergy.

- B. HA is not supported in Interconnect Bay set 3.
- C. HA requires multiple frames in the fabric domain.
- D. HA is only supported in mixed speed environments.

Answer: C

NEW QUESTION 88

Match each task or environment with the most common approach for using HPE OneView. (Matches may be used more than once.)

Answer Area

API	GUI	<p>Traditional NetOps business model simplifying infrastructure lifecycle management.</p> <p>DevOps environment that wants to accelerate application delivery.</p> <p>Automating management tasks through scripting.</p> <p>Enhancing the interaction and collaboration between IT staff.</p> <p>Integrating with service desk ticketing function</p>				
-----	-----	---	--	--	--	--

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

API	GUI	<p>Traditional NetOps business model simplifying infrastructure lifecycle management.</p> <p>DevOps environment that wants to accelerate application delivery.</p> <p>Automating management tasks through scripting.</p> <p>Enhancing the interaction and collaboration between IT staff.</p> <p>Integrating with service desk ticketing function</p>	GUI	API	API	GUI	GUI
-----	-----	---	-----	-----	-----	-----	-----

NEW QUESTION 91

Which HPE server platforms can be managed using HPE OneView? (Choose two.)

- A. HPE Edgeline
- B. HPE ProLiant DL
- C. HPE ProLiant BL
- D. HPE Integrity
- E. HPE Moonshot

Answer: BC

NEW QUESTION 94

An administrator wants to create new volumes using a server profile. What limitations must the administrator consider?

- A. Only private volumes can be created through a server profile.
- B. Volumes created through the server profile cannot be bigger than 1TB.
- C. A volume template must be used to create new volumes using server profile.

D. Creating shared volumes using server profiles is possible only with Flat SAN implementation.

Answer: A

NEW QUESTION 98

Your customer would like to manage HPE BladeSystems and some rack servers using HPE OneView and is concerned about system availability. How should you respond to this concerned customer?

- A. HPE OneView has a built-in high availability mechanism that can be enabled with an additional license
- B. HPE Global Dashboard can be used to enable HPE OneView high availability
- C. HPE OneView can be deployed to a hypervisor cluster to provide high availability
- D. HPE OneView can be connected to two different databases to provide high availability

Answer: C

NEW QUESTION 100

After assigning a server profile to an HPE ProLiant blade, you notice that the serial number being reported on the server profile page is not the one that matches the label on the server.

You want the reported serial number to match the label. What do you need to do?

- A. Create a new Server Profile and go to the “Advanced” section, then change the radio button for the serial number/UUID from “Virtual” to “Physical” and apply it to the server.
- B. Edit the Server Profile and go to the “Advanced” section, then change the radio button for serial number/UUID from “Virtual” to “Physical”.
- C. Create a new Server Profile Template and go to the “Advanced” section, then change the radio button for the serial number/UUID from “Virtual” to “Physical”.
- D. Edit the Server Profile and go to the “Advanced” section, then change the radio button for serial number/ UUID from “Virtual” to “Physical” and enter the serial number.

Answer: D

NEW QUESTION 102


A server that is managed by HPE OneView is having issues, and HPE support has requested that you reapply the server profile. What action must first be executed?

- A. Delete the server profile template.
- B. The server hardware must be powered off.
- C. Reboot the HPE OneView appliance.
- D. Rename the server profile.

Answer: B

NEW QUESTION 104

Refer to the exhibit.



The screenshot shows the HPE OneView interface. On the left, there is a list of Server Profile Templates: "esx 3 based", "ESX BL460c Gen10 template" (selected), and "HYPERV TEMPLATE". On the right, the details for the "ESX BL460c Gen10 template" are shown. It indicates the template is "Updated" and "Completed" 1s ago. Below this, there is a "Connections" section with a table showing the network configuration for the template.

ID	Name	Network	Port	Boot	
1		management	VLAN1	FlexibleLOM 1:1 -a	Not bootable
<div>Interconnect: pending assignment</div> <div>Type: Ethernet</div> <div>MAC address: pending assignment</div> <div>Requested bandwidth: 2.5 Gb/s</div>					
2		management	VLAN1	FlexibleLOM 1:2 -a	Not bootable
3		prod_13	VLAN13	FlexibleLOM 1:1 -c	Not bootable
4		prod_13	VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.

D. MAC addresses are only assigned when a server profile is created from a template.

Answer: C

NEW QUESTION 109

Match the HPE OneView interconnect module state to its definition.

Object	Task
Enclosure Group	Quickly add/remove associated Ethernet networks across one or more server profiles.
Logical Interconnect	Define Virtual Connect configuration policy with uplinks, associated networks, QoS and advanced Ethernet settings.
Logical Interconnect Groups	Active configuration of interconnect modules within a logical enclosure including uplinks, downlinks and stacking links.
Network Set	Add a BladeSystem c7000 and configure according to a common template.

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:

Network Set Logical Interconnect
Logical Interconnect Groups Enclosure Group

NEW QUESTION 112


Click the area where you find WWN's and MAC addresses that are pre-configured or user-defined from the settings menu.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 115

Your customer wants to acquire HPE OneView Advanced licenses for servers they plan to purchase in the future. They would like a pay-as –you-go approach in which they only pay for the licenses as they are used. Which HPE licensing feature addresses this customer's request?

- A. Activation Key Agreement
- B. iLO Advanced
- C. Tracking license
- D. GNU license

Answer: A

NEW QUESTION 119

What does HPE OneView use to define the network connectivity for an Enclosure Group?

- A. Logical Switch Group
- B. Logical Interconnect Group
- C. Smart Link
- D. network set

Answer: B

NEW QUESTION 123

A customer is preparing their environment for a new two frame Synergy configuration. They have deployed an HPE OneView virtual appliance on ESXi and are not able to discover the new Synergy frames. What is preventing the discovery of the Synergy frames?

- A. Synergy isn't supported with the HPE OneView appliance.
- B. The IPv6 address of the Frame Link module is entered incorrectly.
- C. The x.509 certificates aren't authenticating with the HPE OneView appliance.
- D. The management ring isn't cabled properly.

Answer: A

NEW QUESTION 125

Which REST API headers are recommended when creating a new Ethernet network? (Choose two.)

- A. Content-Type
- B. X-API-Version
- C. Accept-Language
- D. Accept-CharSet

Answer: AD

NEW QUESTION 126

What tool provides a unified view of aggregated information from multiple OneView appliances?

- A. Redfish management
- B. Intelligent Management Console
- C. Global Dashboard
- D. Integrated Lights Out

Answer: C

NEW QUESTION 131

Which option from the HPE OneView main menu provides the utilization data for a server?

- A. Server Hardware
- B. Data Centers
- C. Settings
- D. Power Delivery Devices

Answer: A

NEW QUESTION 133

What package type is used for HPE OneView Virtual Appliance deployment in a Red Hat Linux KVM hypervisor environment?

- A. rpm
- B. yum
- C. DNF
- D. qcow2

Answer: D

NEW QUESTION 135

Before applying server profiles to a group of servers. What is the first thing you should check?

- A. The servers are powered down.
- B. The servers have the correct firmware installed.
- C. The servers are all Synergy compute modules.
- D. The servers are all the same server hardware type.

Answer: D

NEW QUESTION 136

What is required for a user to authenticate to an HPE OneView appliance configured for two-factor authentication?

- A. Smartcard
- B. Self-signed certificate
- C. SMS
- D. One-time Passwords

Answer: A

NEW QUESTION 140

A server administrator using the REST API is troubleshooting the error seen in the exhibit. What needs to be fixed in the command?

```
curl -X POST -H "Content-Type: application/json" -d '{"userName": "administrator", "password": "iloverest", "authDomain": "LOCAL"}' http://10.10.10.10:8080/oneview/login-sessions
```

[-] Response

Headers Response Preview

```
{ "errorMessage": "Forbidden", "errorSource": null, "nestedErrors": [], "errorCode": "GENERIC_HTTP_403", "data": {}, "recommendedActions": [ "Check the request URI, then resend the request." ], "details": "You are not allowed to access the requested resource.", "message": "Forbidden" }
```

- A. add the missing authentication token to the header
- B. change http to https in the URL
- C. change the POST method to PUT
- D. change the "login-sessions" string in the URL to "login-session"

Answer: C

NEW QUESTION 145

What can be used to query the server hardware portion of the HPE OneView appliance database?

- A. SQL Connect Client
- B. REST API
- C. JSON reader
- D. OpenSource Editor

Answer: B

NEW QUESTION 150

A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE OneView setting at the Logical Interconnect Group level can help?

- A. SNMPv3
- B. loop protection
- C. storm control
- D. IGMP snooping

Answer: C

NEW QUESTION 153

Which HPE OneView logical resource is used to define default server connectivity characteristics, such as the preferred and maximum bandwidth?

- A. networks
- B. uplink set
- C. server profiles
- D. logical interconnect groups

Answer: A

NEW QUESTION 155

How does HPE OneView simplify infrastructure management?

- A. Provides unified platform that supports management across compute, storage, and fabric.
- B. Manages physical servers and virtual machines.
- C. Provides integrations with 3rd party infrastructure automation tools through an API driven interface.
- D. Provides industry leading infrastructure security through Silicon Root of Trust.

Answer: AC

NEW QUESTION 156

Which REST API method is used to create an authentication session ID?

- A. POST
- B. GET
- C. PATCH
- D. PUT

Answer: A

NEW QUESTION 161

What permissions are included with the user role: "Server profile operator"?

- A. update server profile templates
- B. delete server profiles
- C. create new server profiles
- D. update server profiles

Answer: D

NEW QUESTION 163

A customer is performing lifecycle management on their existing ESXi cluster. They edit the Server Profile Template for the ESXi cluster.

What will happen to all of the server profiles associated with the template after selecting the "Service Pack for HPE ProLiant 2017.07.1" and clicking OK?

- A. All server hardware associated with the profiles will immediately do a graceful shutdown and boot into Intelligent Provisioning to update the firmware.
- B. The Smart Update Tools will immediately begin to update the firmware and drivers on the systems while the ESXi hosts are still online.
- C. All server profiles associated with the template will be marked as inconsistent with the template.
- D. HPE OneView for vCenter will launch vCenter Update manager to begin updating the systems within the ESXi cluster.

Answer: B

NEW QUESTION 166

Which security feature would you configure to delegate responsibility for a subset of resources to a junior administrator group?

- A. No Password for admin account
- B. RBAC (Role Based Access Control)
- C. SBAC (Scope Based Access Control)
- D. CLI Only Access

Answer: C

NEW QUESTION 171

A customer has a large environment with a mixture of HPE ProLiant DLs and BLs. and HPE Apollo devices all reporting to an HPE Oneview appliance in reviewing the devices in Map View, the administrator notices that two Gen6 devices aren't displaying as much information as other managed Gen7 and Gen8 devices. What is the most likely cause?

- A. The agent on the Gen6 device has stopped reporting data to HPE OneView.
- B. Gen6 devices aren't supported by HPE OneView.
- C. Remote support is not configured on the Gen6 devices.
- D. Gen6 devices are only monitored.

Answer: D

NEW QUESTION 176

An administrator needs to customize the BIOS and local RAID configuration for a collection of HPE ProLiant servers. What should the administrator use to accomplish this task?

- A. Server Profile Template
- B. Server hardware
- C. Smart Start Scripting Toolkit
- D. Global Dashboard

Answer: D

NEW QUESTION 178

A customer wants to open tickets automatically within ServiceNow from alerts generated within HPE OneView. Which HPE OneView integration will allow the customer to do this?

- A. FTP
- B. HTTP
- C. SSH
- D. REST API

Answer: D

NEW QUESTION 181

An administrator needs to restore an appliance that was recently updated. What does the administrator need keep in mind regarding restoring from a backup?

- A. The appliance can be restored only from the maintenance console.
- B. A successful appliance restore requires the password configured during backup.
- C. The appliance cannot be restored from a backup older than 180 days.
- D. An appliance can only be restored from a backup created on an appliance of the same version.

Answer: D

NEW QUESTION 184

A server administrator is integrating HPE OneView authentication with Active Directory and needs to add read-only access to members of a domain group. Which step is part of the procedure?

- A. Add the domain group as Organization Unit in Directory settings.
- B. Add the domain group as Base DN in Directory settings.
- C. Define the Active Directory domain and associated directory server(s) in Directory settings.
- D. Add the Active Directory server in Users and Group menus.

Answer: D

NEW QUESTION 188

A company wants to integrate an acquired company's infrastructure into their existing Synergy 3 frame environment. They currently have 286 VLANs in their operational network set. They want to add 153 new VLANs into the configuration. What would you recommend?

- A. Integrate the new networks into the existing network set.
- B. Purchase a second three frame configuration for the new company.
- C. Create a second network set for the new VLANs.
- D. Add a second fabric domain to the existing configuration to support the new networks.

Answer: A

NEW QUESTION 191

Refer to the exhibit.



An administrator is creating new volumes in preparation for a new Hyper-V cluster. On the Create Volume screen, the storage administrator notices that the capacity of the volume can't be edited. What is preventing the administrator from increasing the volume size?

- A. The administrator doesn't have permissions to create volumes.
- B. The wrong storage system is selected.
- C. The storage pool is out of capacity so no additional storage can be allocated.
- D. The capacity is a locked value in the volume template.

Answer: B

NEW QUESTION 196

In HPE OneView, which server profile attributes are configurable on HPE ProLiant server blades but not on HPE ProLiant rack servers? (Choose two.)

- A. Boot order
- B. SAN storage
- C. BIOS settings
- D. Local storage
- E. FlexNICs and FlexHBAs

Answer: BE

NEW QUESTION 197

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual HPE2-T36 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the HPE2-T36 Product From:

<https://www.2passeasy.com/dumps/HPE2-T36/>

Money Back Guarantee

HPE2-T36 Practice Exam Features:

- * HPE2-T36 Questions and Answers Updated Frequently
- * HPE2-T36 Practice Questions Verified by Expert Senior Certified Staff
- * HPE2-T36 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE2-T36 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year