

1z0-1042 Dumps

Oracle Cloud Platform Application Integration 2019 Associate

<https://www.certleader.com/1z0-1042-dumps.html>



NEW QUESTION 1

Which built-in API platform policy lets you manipulate the request context?

- A. Application Rate Limiting Policy
- B. Key Validation Policy
- C. Redaction Policy
- D. Groovy Script Policy

Answer: D

Explanation:

https://docs.oracle.com/cd/E83857_01/paas/api-platform-cloud/apfad/using-oracle-api-platform-cloud-service.p

NEW QUESTION 2

Oracle JCA (J2EE Connector Architecture) Adapters simplify how applications connect to each other. Which three technology adapters are supported in Oracle's Service-Oriented Architecture (SOA) Cloud Service?

- A. Oracle JCA Adapter for Sockets
- B. Oracle EBS Application Adapter
- C. Oracle JCA Adapter for Files/FTP
- D. Oracle JCXA Adapter for JMS

Answer: ACD

Explanation:

https://docs.oracle.com/cd/E28280_01/integration.1111/e10231/intro.htm#TKADP112

NEW QUESTION 3

Which three Service-Oriented Architecture Cloud Service (SOA CS) Components can route a message to an end point?

- A. Oracle Mediator
- B. Oracle Business Rules
- C. Oracle BPEL Process Manager
- D. Oracle Service Bus

Answer: ABC

Explanation:

<https://docs.oracle.com/en/cloud/paas/soa-cloud/csbcscs/components-oracle-soa-cloud-service.html>

NEW QUESTION 4

Which four are states that a device can be in throughout its lifecycle?

- A. Activated
- B. Decommissioned
- C. Disabled
- D. Saved
- E. Deactivated
- F. Registered

Answer: ABEF

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-servi>

NEW QUESTION 5

What is the default value for Command Notification Timeout?

- A. 5 seconds
- B. 2 seconds
- C. 10 seconds
- D. 1 second

Answer: A

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-command-notification-timeout-value.html>

NEW QUESTION 6

Which operation is NOT supported by Stage activity?

- A. Read Entire File
- B. Delete File
- C. Write File

- D. Unzip File
- E. Zip File
- F. Read File in Segments

Answer: F

NEW QUESTION 7

Given that a gateway node should have a dedicated user credential for connecting to the API Platform Management Service, what grants should be assigned to that user?

- A. Node Service Account
- B. Deploy API
- C. View all Details
- D. Deploy to Gateway

Answer: A

NEW QUESTION 8

During a design review of your OIC orchestration-style integration, it has been recommended that you refactor it into smaller integrations. Which two things should you do in order to invoke the multiple integrations without needing to create explicit connections for each endpoint?

- A. Import each local integration you wish to invoke into your calling integration environment.
- B. Add the local-enabled flag for each integration you wish to invoke.
- C. Use the local integration wizard to define each integration to be invoked.
- D. Request the enablement of the oic.ics.console.integration.local.integration feature flag.
- E. Build each smaller integration as a local-only integration interface.

Answer: CE

NEW QUESTION 9

Which two statements are true about implementing an API-First strategy?

- A. The API is to be developed first before any UI or new business logic are created.
- B. It generally is assumed that SOAP/WSDL are the key specifications for defining the API.
- C. The code to execute business logic needs to exist and be exposed as an API first before you build a strategy around it.
- D. You define the API definition/contract first before any work on its implementation or any applications that use it, allowing to work in parallel.

Answer: AB

NEW QUESTION 10

You want to configure SOA Cloud Service instance to allow for a cluster of three WebLogic server instances. Which is a valid consideration when configuring the Load Balancer within your SOA instance?

- A. Load balancer configuration may only be configured after the SOA instance cluster has been provisioned.
- B. Each load balancer node will share the same public IP address utilizing virtual routing redundancy protocol (VRRP).
- C. A SOA instance can include up to three load balancer virtual machine nodes.
- D. Oracle Traffic Director (OTD) is the only available implementation option.

Answer: A

NEW QUESTION 10

What two grants allow an API Manager to use a service in their API?

- A. Manage Service
- B. View All Details
- C. Deploy Service
- D. Reference Service

Answer: BC

Explanation:

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/managing-api-grants.html#GUID-18A50B0C-F>

NEW QUESTION 11

Which Enterprise Application System can be integrated with Oracle Internet of Things (IoT) Cloud Service?

- A. any system capable of receiving HTTP connections or making HTTP requests
- B. only systems which are deployed on Windows or Unix platform
- C. a system which exposes REST Service
- D. a system which exposes WSDL

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/integrating-oracle-integration-cloud-service-oracle-iot-clou>

NEW QUESTION 16

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. Manage API
- C. Entitle API
- D. View all Details and Deploy API

Answer: A

NEW QUESTION 21

What Expression Language does Decision Modeling and Notation (DMN) use?

- A. RegEx
- B. Groovy
- C. Friendly Enough Expression Language (FEEL)
- D. Process Expression Language (PEL)

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/understanding-feel-friendly-enough-expression-language> Decision Modeling and Notation (DMN) defines Friendly Enough Expression Language (FEEL) to provide standard executable semantics to all expressions used within a decision model. In Process, you use FEEL to define expressions within all notations of decision logic, including decision tables.

NEW QUESTION 24

Which Process type should you choose to model non-sequential process type in Oracle Integration Cloud (OIC)?

- A. Adaptive Case Management process
- B. Structured Process
- C. Dynamic process
- D. Unstructured Process

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/using-processes-oracle-integration-cloud>

NEW QUESTION 29

Which expression can you use to schedule integration runs?

- A. a XPATH
- B. an iCal
- C. a JavaScript
- D. a XSLT

Answer: B

Explanation:

https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.

NEW QUESTION 30

Which APIs does Oracle Internet of Things (IoT) Cloud Service use to perform an analysis?

- A. Native Spark Java APIs
- B. SQL Queries
- C. JavaScript APIs
- D. Big Data APIs

Answer: A

Explanation:

Oracle IoT Cloud Service uses native Spark Java APIs to perform the analysis. Developers can use the Batch and Streaming spark APIs to write the analytics processing logic. Developers can also import external APIs and use them in their application. <https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/analytics-oracle-iot-cloud-service.html>

NEW QUESTION 34

As a Process Cloud developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Since this is a document-centric process that will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used. Which task is NOT required?

- A. You will need to create a new process application since conversation functionality cannot be enabled for pre-existing applications.
- B. You must manually enable the document and conversation features for your process application.
- C. You will need to have the administrator configure the connection between Oracle Process Cloud and Oracle Content and Experience Cloud since developers do not have those permissions.

D. You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.

Answer: A

NEW QUESTION 35

Which two are types of Authentication that are supported for Services in Integration API Platform Cloud Service?

- A. Kerberos
- B. WSS Username Token
- C. OAuth2
- D. BasicAuth

Answer: CD

Explanation:

https://cloud.oracle.com/opc/paas/datasheets/APIPCSDataSheet_Jan2018.pdf

NEW QUESTION 36

Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

- A. Cross-Origin Resource Sharing (CORS)
- B. Management Console Timeout Interval
- C. Message Storage and Command Notification
- D. OAuth Access Token Lifetime

Answer: A

Explanation:

The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations.
<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing-value.html>

NEW QUESTION 41

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1z0-1042 Exam with Our Prep Materials Via below:

<https://www.certleader.com/1z0-1042-dumps.html>